OM nucleic - protein search, using frame plus n2p model

                    Copyright (c) 1993 - 2004 Compugen Ltd.
                            GenCore version 5.1.6

Run on: March 26, 2004, 12:45:36 ; Search time 91.5 Seconds
                                      (without alignments)
                                      11982.109 Million cell updates/sec

Title: US-09-824-647-16
Perfect score: 4103
Sequence: 1 cgcaggcagaccatgtggac.......ataaagttgtcacttctt 2095

Scoring table: BLOSUM62
        Xgapop 10.0 , Xgapext 0.5
        Ygapop 10.0 , Ygapext 0.5
        Fgapop 6.0 , Fgapext 7.0
        Delop   6.0 , Delext   7.0

Searched: 1065169 seqs, 26166801 residues

Total number of hits satisfying chosen parameters: 2130338

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Command line parameters:
-MODEL=frame+_n2p.model -DEV=xlp
-Q=/cgn2_1/USPTO_spool_p/US09824647/runat_26032004_110229_22374/app_query.fasta_1.2247
-DB=Published_Applications_AA -QFMT=fastan -SUFFIX=rapb -MINMATCH=0.1
-LOOPCL=0 -LOOPEXT=0 -UNITS=bits -START=1 -END=-1 -MATRIX=blosum62
-TRANS=human40.cdi -LIST=45 -DOCALIGN=200 -THR_SCORE=pct -THR_MAX=100
-THR_MIN=0 -ALIGN=15 -MODE=LOCAL -OUTFMT=pto -NORM=ext -HEADSIZE=500 -MINLEN=0
-MAXLEN=2000000000 -USER=US09824647 @CGN_1_14_@runat_26032004_110229_22374
-NCPU=6 -ICPU=3 -NO_MMAP -LARGEQUERY -NEG_SCORES=0 -WAIT -DSPBLOCK=100
-LONGLOG -DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5
-FGAPOP=6 -FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :   Published_Applications_AA:*
        1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
        2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
        3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
        4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
        5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
        6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
        7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
        8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
        9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
        10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
        11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
        12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
        13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
        14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
        15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
        16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
        17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
        18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

                                SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

Result No.	Score	Match	Length	DB	ID	Description
1	3511	85.6	593	9	US-09-813-156-17	Sequence 17, Appl
2	3511	85.6	593	9	US-09-824-807-17	Sequence 17, Appl
3	3511	85.6	593	9	US-09-824-647-17	Sequence 17, Appl
4	3511	85.6	593	14	US-10-218-509-17	Sequence 17, Appl
5	3511	85.6	593	14	US-10-281-160-17	Sequence 17, Appl
6	3511	85.1	593	15	US-10-321-587-17	Sequence 17, Appl
7	3492	85.1	621	9	US-09-925-301-1416	Sequence 1416, Ap
8	3472	84.6	593	9	US-10-262-473-6	Sequence 6, Appli
9	2681	65.3	589	9	US-09-813-156-2	Sequence 2, Appli
10	2681	65.3	589	9	US-09-824-807-2	Sequence 2, Appli
11	2681	65.3	589	9	US-09-824-647-2	Sequence 2, Appli
12	2681	65.3	589	14	US-10-218-509-2	Sequence 2, Appli
13	2681	65.3	589	15	US-10-281-160-2	Sequence 2, Appli
14	2681	65.3	589	15	US-10-321-587-2	Sequence 8, Appli
15	1090	26.6	189	14	US-10-262-473-8	Sequence 8, Appli
16	526	12.8	318	15	US-09-369-493-3246	Sequence 5246, Ap
17	453	11.0	77	9	US-09-864-761-43653	Sequence 43653, A
18	375.5	9.2	1393	12	US-10-312-352-21	Sequence 21, Appl
19	368	9.0	2403	14	US-10-184-644-513	Sequence 513, App
20	368	9.0	2403	14	US-10-184-634-513	Sequence 513, App
21	353	8.6	2764	14	US-10-184-644-117	Sequence 117, App
22	353	8.6	2764	14	US-10-184-634-117	Sequence 117, App
23	349	8.5	1037	15	US-10-052-648A-8	Sequence 8, Appli
24	348	8.5	1037	15	US-10-05-648A-10	Sequence 10, Appl
25	343.5	8.4	3721	12	US-10-142-426-543	Sequence 543, APP
26	343.5	8.4	3721	14	US-10-122-155-543	Sequence 543, APP
27	343.5	8.4	3721	14	US-10-146-731-543	Sequence 543, APP
28	343.5	8.4	3721	14	US-10-140-472-543	Sequence 543, APP
29	343.5	8.4	3721	14	US-10-141-761-543	Sequence 543, APP
30	343.5	8.4	3721	14	US-10-142-885-543	Sequence 543, APP
31	343.5	8.4	3721	14	US-10-158-790-543	Sequence 543, APP
32	343.5	8.4	3721	15	US-10-137-871-543	Sequence 543, APP
33	343.5	8.4	3721	15	US-10-140-923-543	Sequence 543, APP
34	343.5	8.4	3721	15	US-10-141-756-543	Sequence 543, APP
35	343.5	8.4	3721	15	US-10-14-759-543	Sequence 543, APP
36	343.5	8.4	3721	15	US-10-140-805-543	Sequence 543, APP
37	343.5	8.4	3721	15	US-10-140-864-543	Sequence 543, APP
38	343	8.4	1661	12	US-10-142-426-223	Sequence 223, APP
39	343	8.4	1661	14	US-10-123-155-223	Sequence 223, APP
40	343	8.4	1661	14	US-10-146-731-223	Sequence 223, APP
41	343	8.4	1661	14	US-10-140-472-223	Sequence 223, APP
42	343	8.4	1661	14	US-10-141-761-223	Sequence 223, APP
43	343	8.4	1661	14	US-10-142-885-223	Sequence 223, APP
44	343	8.4	1661	14	US-10-158-790-223	Sequence 223, APP
45	343	8.4	1661	15	US-10-137-871-223	Sequence 223, APP

                                ALIGNMENTS

RESULT 1
US-09-813-156-17
; Sequence 17, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-813-156-17

Alignment Scores:
Pred. No.:   6.54e-195   Length: 593

```
Score:               3511.00    Matches:       593
Percent Similarity:  100.00%    Conservative:    0
Best Local Similarity: 100.00%  Mismatches:      0
Query Match:         85.57%     Indels:          0
DB:                  9          Gaps:            0

US-09-824-647-16 (1-2095) x US-09-813-156-17 (1-593)

Qy    13 ATGTGGACCCTGGTGAGCTGGTGGCTTACACGAGGGCTGGTGGCTGGAACGGGGTGC  72
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1 MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys  20

Qy    73 CCAGATGGTCAGTTCTGCCCCTGTGGCCTGCCTGCTGCCTGCTGCCCCGGAGGAGCTACAGC  132
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21 ProAspGlyGlnPheCysProCysAlaCysLeuAspProGlyGlyAlaSerTyrSer  40

Qy   133 TGCTGCCGGTCCCCTTCTGGACAAATGGCCCAACAACTGAGCAGGCATCTGGGTGCCCCC  192
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41 CysCysArgProLeuLeuAspLysTrpProThrThrGluSerArgHisLeuGlyGlyPro  60

Qy   193 TGCCAGGTTGATGCCCACTGCTCTGCGCGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61 CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr  80

Qy   253 TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGGCATGCGGGGATGGCCATCACTGCTGCCCA  312
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81 SerSerCysCysProPheProGluAlaValAlaCysGlyAspGlyHisHisCysCysPro  100

Qy   313 CGGGGCTTCCACTGCAGTGCAGACGGGCAGATCTCGTTCCAAAGATCAGGTAACACTCC  372
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101 ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnSerGlyGlyAsnAsnSer  120

Qy   373 GTGGGTGCCATCCAGTGCCTGATCAGTTCGAATGCCCGGACTTCTCCACCGTGCTGT  432
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy   433 GTTATGGTCGATGGCTCTCGGGGGTGCTGCCCCATGCCCAGGCTTCCTGCTGTGTGAAGAC  492
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141 ValMetValAspGlyArgTrpGlyValLeuProMetProGlnAlaSerCysCysGluAsp  160

Qy   493 AGGGTGCACTGCTGTCCCGCACGGTGCCTTCTGGACCTGGTTCACACCGTGCATCACA  552
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr  180

Qy   553 CCCACGGGGCCACCCCCCTGGCAAAGAAGCTCCCTGCCAGAGACTAACAGGCAGTG  612
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 ProThrGlyThrThrProLeuAlaLysLysLeuProAlaGlnThrAsnArgAlaVal  200

Qy   613 GCCTTGTCCAGCTCGGTCATGTGTCCGAGACGACGTCCGGTGCCCTGATGTTCTACC  672
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   201 AlaLeuSerSerSerValMetCysProAspAlaAargSerArgCysProAspGlySerThr  220

Qy   673 TGCTGTGAGCTGCCAGCTGGGAAGTATGGCGTGCTGCCCAATGCCCAACGCCACCTGCTGC  732
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys  240

Qy   733 TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGACCTGATCCAGAGTAAGTGC  792
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys  260

Qy   793 CTCTCCAAGGAGAACGCTACCACGGACCTCCTCACTAAGCTGCCGCCACACAGTGGGC  852
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   261 LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysLeuProAlaHisThrValGly  280

Qy   853 GATGTGAAAATGTGACATGGGAGTGAGCTGCCCAGATGGCTATACCTGCTGCCGTCTACAG  912
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   281 AspValLysMetGluValSerCysProAspGlyTyrThrCysCysArgLeuGln  300

Qy   913 TCGGGGGCCTGGGGGTTGCTGCCCTTTTACCCAGGGTGTGTGCTGTGGAGACCACATACAC  972
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 SerGlyTyrAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy   973 TGCTGTCCCGCGGGGTTTACCTGTGACACGTGTGAACAGGAGAGGGTACCTGTGAACAGGGCGCCCCAC  1032
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   321 CysCysProAlaGlyPheThrCysAspThrCysGluGlnGluArgGlyProHis  340

Qy  1033 CAGGTGCCCGAGTGGAGAGGCCCAGCTCACCTGCAGCCTGCCAGCGCGCGCCTGCGCCAGACCCACAGCCTTG  1092
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   341 GlnValProTrpMetGluLysAlaProAlaHisLeuSerLeuProAspProGlnAlaLeu  360

Qy  1093 AAGAGAGATGTCCCCTGTGATAATGTCGATCAGCAGTGTCCTCCTCCGATACCTGCTGCCAA  1152
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 LysArgAspValProCysAspAsnValSerSerCysProSerSerArgTyrCysCysGln  380

Qy  1153 CTCAGGTCTCGGGAGTGGGGCTGCTGCCAATCCAGAGAGCGTGCTGCTGCCCGACCAC  1212
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   381 LeuThrSerGlyGluTrpGlyCysCysProIlePheProGluAlaValCysCysSerAspHis  400

Qy  1213 CAGCACTGCTGCCCCCAGGGCGATACACGTGTAGCTGAGGGGCAGTGTCAGGCGGAGGAAGC  1272
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 GlnHisCysCysProGlnArgTyrThrCysValAlaGluGlyGlnCysGlnAlaGluGluSer  420

Qy  1273 GAGATCGTGCTGACTGGACTGGAGAAGATGCCTGCCGCCGGGTTCCTTATCCCACCCCAGA  1332
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 GluIleValAlaGlyLeuGluLysMetProAlaArgGlySerLeuSerHisProArg  440

Qy  1333 GACATCGGCTGTGACCAGCACACCAGCTGCCGGTGGGCGGCGAACCTGCTGCCCAGCCAG  1392
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   441 AspIleGlyCysAspGlnHisThrSerCysArgTrpGlyGlyGluThrCysCysProSerGln  460

Qy  1393 GGTGGGAGCTGGGCTTGCTGCCCCAGTTGCCCCCATGCTGTGCTGCTGGAGATCGCCAGCAC  1452
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   461 GlyGlyGlySerTrpAlaCysCysGlnLeuProHisAlaValAlaCysCysGluAspArgGlnHis  480

Qy  1453 TGCTGCCCGGCTGGCTACACCTGCCAACTGCGAAGGCTCGATCCTGCCGAGAGGAAGTGGTC  1512
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluValValVal  500

Qy  1513 TCTGCCCAGCCTGCCCACCTTCCTGGCCCAGCTTCCTGCTGCCTGGTGTGAAGGACTGGAG  1572
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   501 SerAlaGlnProAlaThrPheLeuAlaArgSerProHisAlaGlyValGlyValLysAspValGlu  520

Qy  1573 TGTGGGAAGACACTTCTGCCATGATAACCAGGACCTGCTGCCGAGACACCGACAGGGC  1632
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   521 CysGlyGluGlyHisPheCysCysProArgGlyHisAspAsnGlnThrCysCysArgAspAsnArgGlnGly  540

Qy  1633 TGGGCCTGTGTCCCACGCCCAGGGGCGTCTGTTGTCGTGATCGGGCCCACTGTGTCCT  1692
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 TrpAlaCysProTyrAlaGlnGlyValValCysCysAlaAlaAspArgArgHisCysCysPro  560

Qy  1693 GCTGGCTTCCGCTGCCACGCACGGGGTACCAAGTGTTTGGCAGGGGGTACCCGCGGCTGG  1752
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   561 AlaGlyPheArgCysAlaArgArgGlyThrLysCysLeuArgArgGluAlaProArgTrp  580

Qy  1753 GACGCCCCTTTGAGGGACCCAGCCTTGAGAGCAGCTGCTG  1791
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   581 AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu  593
```

RESULT 2
US-09-824-807-17

; Sequence 17, Application US/09824807
; Patent No. US20020049966A1
GENERAL INFORMATION:

APPLICANT: Serrero, Ginette
TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
FILE REFERENCE: Z9996.488/P001-A
CURRENT APPLICATION NUMBER: US/09/824,807
CURRENT FILING DATE: 2001-04-04
PRIOR APPLICATION NUMBER: 08/991,862
PRIOR FILING DATE: 1997-12-16
PRIOR APPLICATION NUMBER: 08/863,862
PRIOR FILING DATE: 1997-05-23
NUMBER OF SEQ ID NOS: 17
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 17
; LENGTH: 593

```
;    TYPE: PRT
     ORGANISM: Human GP88 cDNA
US-09-824-807-17

Alignment Scores:
Pred. No.:          6.54e-195
Score:              3511.00
Percent Similarity: 100.00%
Best Local Similarity: 100.00%
Query Match:        85.57%
DB:                 9

Length:        593
Matches:       593
Conservative:  0
Mismatches:    0
Indels:        0
Gaps:          0

US-09-824-647-16 (1-2095) x US-09-824-807-17 (1-593)

Qy    13  ATGTGGACCCTGCTGAGCTGGGTGAGCGCCTTAACAGAGACAGAGGGGCTGGTGGCTGGAACGCGGTGC   72
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1  MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys           20

Qy    73  CCAGATGGTCAGTTCTGCCCCTGTGGCCCTGGGACCCCGGAGGAGCCAGTACAGC  132
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21  ProAspGlyGlnPheCysProValAlaCysLeuAspProGlyAlaSerTyrSer   40

Qy   133  TGCTGCGTCCCCTTCGACAAATGCCCACAACACTGAGCAGGCATCTGGGTGCCCC  192
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41  CysCysArgProLeuLeuAspLysTrpProTrpProThrThrLeuSerArgHisLeuGlyGlyPro  60

Qy   193  TGCCAGTTGATGCCCACTGCTCTGCCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr  80

Qy   253  TCCAGTGCTGCCCCTTCCCAGAGGCCGTGGGCATGGCCATCACTGCTGCCCA  312
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81  SerSerCysCysProPheProGluAlaValAlaCysGlyHisHisCysCysPro  100

Qy   313  CGGGGCTTCCACTGCAGTGCAGCAGCGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101  ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSerGlyAsnAsnSer   120

Qy   373  GTGGGGTGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGGACTTCTCCACGTGCTGT  432
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121  ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys   140

Qy   433  GTTATGTCGATGGCTGCTCCTGCGGGGTGTCCCCATGCCCCAGGCTTCCTGTGTGAAGAC  492
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141  ValMetValAspGlySerTrpGlyCysProMetProGlnAlaSerCysCysGluAsp     160

Qy   493  AGGGTGCACTGCTGTCCGCACGGTGCCTTCTGCGACCTGGTTCACACCCGCTGCATCACA  552
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161  ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr  180

Qy   553  CCCACGGGCACCCACCCCCTGCAAGAAGCTCCCTGCCCAGAGGACTAACAGGGCAGTG  612
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  ProThrGlyThrHisProLeuAlaLysLysLeuProAlaGlnArgThrAsnArgAlaVal  200

Qy   613  GCCTTGTCCAGTCGGTCATGTGTCCGGACGACGGTCCCGTGCCCTGATGGTTCTACC  672
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   201  AlaLeuSerSerSerValMetCysProAspAspGlyProCysSerArgCysGlySerThr  220

Qy   673  TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCCAATGCCCAACGCCACCTGCTGC  732
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221  CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysSerCys  240

Qy   733  TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGACCTGATCCAGAGTAGTGC  792
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241  SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys  260

Qy   793  CTCTCCAAGAGGAGAACCGACTACCACGGCACCTCCCTCACTAAGTCGCTGCCTGCCGCACACAGTGGGC  852
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   261  LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysSerLeuProAlaHisThrValGly  280

Qy   853  GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCTGCCGTCTACAG  912
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   281  AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysCysArgLeuGln  300
```

```
Qy   913  TCGGGGGGCTGGGGGCTGCTGCCCTTTACCCAGGCTGTGTGCTGCTGTGAGGACCACATACAC  972
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301  SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy   973  TGCTGTCCCGGGGGGTTACGTGTGACACGGCAGGAGAAGGTACCTGAACAGGGCCCAC  1032
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   321  CysCysProGlyGlyPheThrCysAspThrGlnLysGlyThrCysGluGlnProHis  340

Qy  1033  CAGGTGCCCTGGATGGAGAAGGCCCAGTCACCTCAGCCTGCCAGACCCACAAGCCTG  1092
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   341  GlnValProTrpMetGluLysAlaProGlnSerProGlnProAlaArgProGlnAlaLeu  360

Qy  1093  AAGAGAGATGTCCCTGTGATAAATGTCAGCAGCGTGTCCCATCCTGCTCCTGCCAA  1152
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361  LysArgAspValProCysAspAsnValSerSerCysProSerSerAspThrCysCysGln  380

Qy  1153  CTCACGTCTGGGAGTGGGGCTGCTGTCAATCCCAGAGGCTGTCTGCTGGACCAC  1212
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   381  LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis  400

Qy  1213  CAGACTGGTCGCCCCAGGGATACACGTGTAGCTGAGGGGCAGTGTCAGCGGAGAAGC  1272
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401  GlnHisCysCysProGlnArgTyrThrCysValAlaGluGlyGlnCysGlnArgGlySer  420

Qy  1273  GAGATCGTGGCTGGACGTGGAGAAGATGCCTGCCCCGGGTTCCTATCCCACCCCAGA  1332
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421  GluIleValAlaGlyArgGlyGluAspMetProAlaProGlyPheLeuProProProArg  440

Qy  1333  GACATCGGTGTGACCAGCACACCAGCTGCCCGGTGGGGGAACCTGCTGCCCGAGCCAG  1392
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   441  AspIleGlyCysAspGlnHisSerThrSerCysProValGlyThrCysCysProSerGln  460

Qy  1393  GGTGGGAGCTGGCCTGCTGCCAGTGCCCCATGCCTGCTGTGGCGGATGCCAGCAC  1452
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   461  GlyGlySerTrpAlaCysCysGlnCysProHisAlaValCysCysGluAspHisIleHis  480

Qy  1453  TGCTGCCCCGGCTGCTACACCTGCGAACGTGAAGGCTCAATCCTGCCGAGAAGGAGTGGTC  1512
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481  CysCysProAlaGlyTyrThrCysAsnValLysGluSerCysGluLysGluValVal  500

Qy  1513  TCTGCCCAGCCTGCCACCTTCCTGCCCAGGCTTCACGTGGTGTGAAGGAGGACGTGGAG  1572
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   501  SerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyValLysAspValGlu  520

Qy  1573  TGTGGGGAAGGACACTTCTGCCATGATAACCAGGACACCGACAGGGC  1632
          |||||||||||||||||||||||||||||||||||||||||||||||
Db   521  CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysArgAspAsnArgGlnGly  540

Qy  1633  TGGGCCTGTGTCCCTACGGCCCCAGGGCGTCTGTGTGTGTCGGCCACTGCTGTCCT  1692
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541  TrpProAlaCysCysProTyrArgLaGlnGlyValCysCysAlaAspArgArgHisCysCysPro  560

Qy  1693  GCTCGGCTTCCGTGCTGCGCACGCAGGGGTACCAAGTGTTTGCAGGAGGCCCGCGCTG  1752
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   561  AlaGlyPheArgCysAlaArgArgGlyThrLysCysLeuArgArgGluValAlaProArgTrp  580

Qy  1753  GACGCCCCTTGAGGGACCCAGCCTTGAGACAGCTGCTG  1791
          ||||||||||||||||||||||||||||||||||||||
Db   581  AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu  593
```

```
RESULT 3
US-09-824-647-17
; Sequence 17, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
;    APPLICANT: Serrero, Ginette
;    TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;    FILE REFERENCE: Z9996.488/P001-A
;    CURRENT APPLICATION NUMBER: US/09/824,647
;    CURRENT FILING DATE: 2001-04-04
;    PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
;    PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
```

Alignment Scores:

Pred. No.:		
Score:	6.54e-195	3511.00
Percent Similarity:	100.00%	
Best Local Similarity:	100.00%	
Query Match:	85.57%	
DB:	9	

Length:	593
Matches:	593
Conservative:	0
Mismatches:	0
Indels:	0
Gaps:	0

US-09-824-647-16 (1-2095) x US-09-824-647-17 (1-593)

```
Qy   13 ATGTGGACCCTGGTGAGCTGGGTGGGCCTTAACAGCAGGGCTGGTGGCTGGAACGCGGTGC  72
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1 MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyTrpArgCys   20

Qy   73 CCAGATGTCAGTTCTGCCCCTGTGGCCTGCTGCCTGGACCCCGGAGGAGCCAGCTACAGC  132
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   21 ProAspGlyGlnPheCysProValAlaCysCysLeuAspProGlyGlyAlaSerTyrSer   40

Qy  133 TGCTGCCGTCCCCTTCTGGACAAATGGCCACACACTGGAGCAGGCATCTGGGTGGCCCC  192
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   41 CysCysArgProLeuLeuAspLysTrpProThrProLeuSerArgHisLeuGlyGlyPro   60

Qy  193 TGCCAGGTTGATGCCCACTGCTCTGCGGCCACTCCTGCATCTTACCGTTCCAGGGACT  252
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr   80

Qy  253 TCCAGTTGCTGCCCCTTCCCAGAAGCCGTGGCATGGCGGGATGGCCATCACTGCTGCCCA  312
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   81 SerSerCysCysProPheProGluAlaValAlaCysGlyAspGlyHisHisCysCysPro  100

Qy  313 CGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGTAACAACTCC  372
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  101 ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSerGlyAsnAsnSer  120

Qy  373 GTGGGTGCCATCAGTGCCCTGATAGTCAGTTGAATGCCCCGACTTCTCCACGTGCTGT  432
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121 ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy  433 GTTATGGTGGATGGCTCCTGGGGGTGCTGCCCCATGCCCCAGGCTTCCTGCTGTGAAGAC  492
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  141 ValMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp  160

Qy  493 AGGGTGCACTGCTGTCCGCACGGTGCCTTCGGACCTGGTTCACACCCGCTGCATCACA  552
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  161 ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr  180

Qy  553 CCCACGGGCACCCACCCCCTGGCAAAGAAGCTCCCTGCCCAGAGGACTAACAGGGCAGTG  612
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181 ProThrGlyThrHisProLeuAlaLysLysLeuProAlaGlnArgThrAsnArgAlaVal  200

Qy  613 GCCTTGTCCAGCTCGTCATGTCCGACGACACGTCCCGGTGCCTGATGGTTCTACC  672
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  201 AlaLeuSerSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr  220

Qy  673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGTCCAATGCCCAACGCCACCTGCTGC  732
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys  240

Qy  733 TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGTGACCTGATCCAGAGTAAGTGC  792
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys  260

Qy  793 CTCTCCAAGGAGAACGCTACCACCGGACCTCCCACTAAGCTGCCTGCCACACAGTGGGC  852
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  261 LeuSerLysGluAsnAlaThrThrAspLeuProLeuThrLysLeuProAlaHisThrValGly 280

Qy  853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCTGCCGTCTACAG  912
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  281 AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysCysArgLeuGln  300

Qy  913 TCGGGGGGCCTGGGCTGCTGCCCCTTTACCAAGGCTGTGTGCTGTGAAGACAACATACAC  972
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  301 SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy  973 TGCTGTCCCGGGGGTTACGTGTGACACGAGGTACCTGTGAACAGGGCCAC 1032
         |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysGluGlnProHis  340

Qy 1033 CAGGTGCCCTGGATGGAGAAGGCCCCAGCTCACCTCAGCCTGCCAGACCCCACAAGCCTTG 1092
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  341 GlnValProTrpMetGluLysAlaProAlaHisLeuSerLeuProAspProProGlnAlaLeu 360

Qy 1093 AAGAGAGATGTCCCCTGTGATAATGTCAGAGTCTCCCTCCTCCGATACCTGTGCCAA 1152
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  361 LysArgAspValProCysAspAsnValSerSerSerCysProSerSerAspThrCysGln  380

Qy 1153 CTCACGTCTGGGGAGTGGGGCTGCTGTCCAATCCCAGAGGCGTCTGCTGCTCCGACCAC 1212
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  381 LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis  400

Qy 1213 CAGCACTGCTGCCCCCAGGATACACGTGTGTAGCTGAGGGGCAGTGTCAGTGCGAGGAAGC 1272
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  401 GlnHisCysCysProGlnAspThrTyrThrCysValAlaGluGlyGlnCysGlnArgGlySer 420

Qy 1273 GAGATCGTGGTGGACTGGAGAAGATGCCTGCCCCGGCGGTTCCTTATCCCACCCCAGA 1332
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  421 GluIleValValAspTrpGluLeuLysMetProAlaArgArgGlySerLeuSerHisProArg 440

Qy 1333 GACACTGGCTGTGACCAGCACCACCAGCTGCCCGGTGGCCGAACCTGCTGCCCAGCCAG 1392
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  441 AspIleGlyCysAspGlnHisThrSerSerValGlyThrCysProValGlyThrCysCysSerGln 460

Qy 1393 GGTGGAGCTGGCTGGCGGTGCTGCCCAGTGGCCCCATGCGTGTGTGTGGATGCCAGCAC 1452
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  461 GlyGlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis 480

Qy 1453 TGCTGCCCGGCTGGCTACACCTGCAACGTGAAGGCTGAACGTGAGCCTGGAGGAAGTGGTC 1512
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  481 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluLysGluValValal 500

Qy 1513 TCTGCCCAGCTGCCACTTCCTGCCCGTAGCCCTCACGTGGGTGTGAAGGAGGTGGGAG 1572
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  501 SerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyValLysLysAspValGlu 520

Qy 1573 TGTGGGGAAGGACACTTCTGCCATGAAACCAGAGCAACAGGCACCGACAGGGC 1632
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  521 CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysArgAspAsnArgGlnGlyTrp 540

Qy 1633 TGGGCCTGCTGTCCTGTCCCTACGCCCAGGGCGTCTGTTGTGCTGATCGGCCACTGCTGCCT 1692
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  541 TrpAlaCysCysProTyrAlaGlnGlyValCysCysAlaAspArgArgHisCysCysPro  560

Qy 1693 GCTGGCTTCCGCTGCGCCGACAGCAGGGGTACCAAGGTGTTGCGGCTACGTTCGCTGG 1752
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  561 AlaGlyPheArgCysAlaAspArgGlyThrArgGlyHisCysLeuLeuAlaProArgTrp 580

Qy 1753 GACGCCCCTTGAGGAGGGACCCAGCCTTGAGACAGCTGCTG 1791
         |||||||||||||||||||||||||||||||||||||||||
Db  581 AspAlaProLeuArgArgAspProAlaLeuArgGlnLeuLeu 593
```

```
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/218,509
;   CURRENT FILING DATE:  2002-08-15
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 17
;   LENGTH: 593
;   TYPE: PRT
;   ORGANISM: Human GP88 cDNA
US-10-218-509-17

Alignment Scores:
Pred. No.:
Score:                    6.54e-195        Length:          593
Percent Similarity:       3511.00          Matches:         593
Best Local Similarity:    100.00%          Conservative:    0
Query Match:              100.00%          Mismatches:      0
DB:                       85.57%           Indels:          0
                          14               Gaps:            0

US-09-824-647-16 (1-2095) x US-10-218-509-17 (1-593)

Qy      13 ATGTGGACCCTGGTAGCTGGTGGCCTTAACAGACAGAGGGCTGGTGGCTGAACGCGGTGC  72
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       1 MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys  20

Qy      73 CCAGATGGTCAGTTCTTGCCCTGGCGCTGCTGACCCCGAGGAGCCAGCTACAGC 132
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      21 ProAspGlyGlnPheCysProValAlaLeuLeuThrProGlyAlaSerTyrrSer  40

Qy     133 TGCTGCCGTCCCCTTCTGGACAAATGCCCACAACACTGAGCAGGCATCTGGGGTGGCCCC 192
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      41 CysCysArgProLeuLeuAspLysTrpProThrThrLeuSerArgHisLeuGlyGlyPro  60

Qy     193 TGCCAGGTTGATGCCCACTCCTGCCGGCCACTCCTGCCATCTTTACCGTCTCAGGGACT 252
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      61 CysGlnValAspAlaHisSerCysArgAlaGlyHisSerCysIlePheThrValSerGlyThr  80

Qy     253 TCCAGTTGCTGCCCTTCCACAGAGGCCGTGGCATGGCCATCACTGCTGCCCA 312
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      81 SerSerCysCysProPheProGluAlaValAlaCysGlyHisHisCysCysPro 100

Qy     313 CGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC 372
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     101 ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSerGlyAsnAsnSer 120

Qy     373 GTGGGTGGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGACTTCTCCACGTGCTGT 432
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     121 ValGlyGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy     433 GTTATGGTCGATGGCTCCTCGGGGTCTGCCCATGCGCCCAGGCTTCCTGCTGTGAAGAC 492
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     141 ValMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysGluAsp 160

Qy     493 AGGGTGACACTGCTGCCCACCGGTCCTGCCTTCACACCCGCTGCATCACA 552
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db     161 ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr 180

Qy     553 CCCACGGGCACCACCCCTGGCAAAGAAGCTCCCTGCCCAGAGACTAACAGGGCAGTG 612
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     181 ProThrGlyThrThrProGlyLysLysLysLeuProAlaGlnGlnArgThrAsnArgAlaVal 200

Qy     613 GCCTTGTCCAGCTCGGTCATGTGTCCCGACGACGCGTCCCGGTGCCCTGATGGTTCTACC 672
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     201 AlaLeuSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr 220

Qy     673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCCAATGCCCACTGCTGC 732
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProThrAlaThrCysCys 240

Qy     733 TCCGATCACCTGCCTGTGCCCCAAGACACTGTGTGACGGTAAGTGC 792
              ||||||||||||||||||||||||||||||||||||||||||||||
Db     241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 260

Qy     793 CTCTCCAAGGAGAAGCGTACCACGGACCTCCTCACTAAGCTGCTGCGGCACCAGTGGGC 852
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     261 LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysLeuProAlaHisThrValGly 280

Qy     853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCTGCCGTCTACAG 912
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     281 AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysCysArgLeuGln 300

Qy     913 TCGGGGCCTGGGCGCTGTGCCCTTTACCAGGCTGTGTGCTGTGGACCACCATACAC 972
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     301 SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis 320

Qy     973 TGCTGTCCCGCGGGTTACGTGTGACACGCAGAAGGGTACCTGTGACCAGGGGCCCCAC 1032
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysAspGlnGlyProHis 340

Qy    1033 CAGGTGCCCTGGATGGAGGAGCCCCAGCTCACCTCAGCCTGCCAGACCCACCAAGCCTTG 1092
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     341 GlnValProTrpMetGluGluProGlnLeuSerLeuSerLeuProAspProGlnAlaLeu 360

Qy    1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGTGTCCCTCCCTCCGATACCTGCTGCCAA 1152
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     361 LysArgAspValProCysAspAsnValSerSerCysProSerSerAspThrCysCysGln 380

Qy    1153 CTCACGTCTCGGGAGTGGGCTGCTGTCCAATCCAGGCTGTCTGCTGCTGGACCAC 1212
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     381 LeuThrSerGlyGluTrpGlyCysCysProIleProGlnAlaValCysCysAspAspHis 400

Qy    1213 CAGCACTGCTGCCCCCAGGATACACGTGTAGCTGAGGGGCAGTGTCAGCGAGGAGAGC 1272
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     401 GlnHisCysCysProGlnAspThrArgTyrThrCysValAlaAlaGluGluGlyGlySer 420

Qy    1273 GAGATCGTGCTGACTGAGAAGATGCTGCCCGCGGGTTCCTTATCCCACCCAGA 1332
              ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     421 GluIleValAlaGlyLeuLysMetProAlaAlaArgGlySerLeuSerHisProArg 440

Qy    1333 GACATCGGCGTGTGACCAGCAGCACCTGCCGCGGTGGGGGCGGAACCTGCTGCCCAGCCAG 1392
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     441 AspIleGlyCysAspGlnHisHisThrSerCysArgGlyValGlyGlyAsnLeuCysCysProSerGln 460

Qy    1393 GGTGGGAGCTGGGCCTGCTGCCAGTGCCCCATGCGTGTGCTGCGGACGATCCGCCAGCAC 1452
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     461 GlyGlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis 480

Qy    1453 TGCTGCCCGGCTGGCTACACCTGCAACGTGAAGGCTGAAGCGTCGATCCTGGCAGGAAGGAGTGGTC 1512
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     481 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluLysCysGluValVal 500

Qy    1513 TCTGCCAGCTGCGTGCCACCTTCCTGGCCCATGCCCTAGCCCTGGGTGTGAAGAGACCTGGAG 1572
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     501 SerAlaGlnLeuArgAlaThrPheLeuAlaArgSerProHisGlyValGlyValLysValGlu 520

Qy    1573 TGTGGGAACGACACTTCTGCCATGATAACCAGATACCTGCTGCCCAGACAACCGACCAGGGC 1632
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     521 CysGlyGlyHisPheCysHisHisAspAsnGlnThrCysCysArgAspAsnArgGlnGlyGly 540

Qy    1633 TGGGGCCTGCTCTCCGGTCCCTGCCCAGGAGAGACTCGCTGCTGTCGTCTGCGCTGTGTGCTGTCCT 1692
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     541 TrpAlaCysCysProTyrArgAlaGlnGlyValCysCysAlaAlaAspArgArgHisCysCysPro 560

Qy    1693 GCTGGCTTCCGCTGCCGCAGCAGGGTACCAAGTGTTGCGCAGGGAGGCCCCGCTGG 1752
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     561 AlaGlyPheArgCysArgAlaArgGlyThrLysCysLeuArgArgGluAlaProArgTrp 580

Qy    1753 GACGCCCCTTTGAGGGACCCAGCCTTGAGACCGTTGACCAGCTGCTG 1791
              ||||||||||||||||||||||||||||||||||||||||||||||
Db     581 AspAlaProLeuArgAspProAlaLeuArgProAlaLeuArgGlnLeuLeu 593
```

```
RESULT 5
US-10-281-160-17
; Sequence 17, Application US/10281160
; Publication No. US20030108950A1
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/10/281,160
;  CURRENT FILING DATE:  2002-10-28
;  PRIOR APPLICATION NUMBER: US/08/991,862
;  PRIOR FILING DATE: 1998-08-17
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 17
;  LENGTH: 593
;  TYPE: PRT
;  ORGANISM: Human GP88 cDNA
US-10-281-160-17

Alignment Scores:
Pred. No.:              6.5e-195       Length:          593
Score:                  3511.00        Matches:         593
Percent Similarity:     100.00%        Conservative:    0
Best Local Similarity:  100.00%        Mismatches:      0
Query Match:            85.57%         Indels:          0
DB:                     14             Gaps:            0

US-09-824-647-16 (1-2095)  x  US-10-281-160-17 (1-593)
```

```
Qy    13 ATGTGGACCCTGGTGAGCTGGTGGCCTTAACAGCAGGGCTGGTGGCTGGAACGCGGTGC    72
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1 MetTrpThrLeuValSerTrpTrpAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys   20

Qy    73 CCAGATGGTCAGTTCTGCCCTGCCTGCCTGGACCCCGGAGGAGCCAGCTACAGC       132
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21 ProAspGlyGlnPheCysProValAlaCysLeuAspProGlyGlyAlaSerTyrSer     40

Qy   133 TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGGCATCTGGGTGGCCCC  192
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41 CysCysArgProLeuLeuAspLysTrpProThrThrLeuSerArgHisLeuGlyGlyPro   60

Qy   193 TGCCAGTTGATGCCCACTGCCGGCCACTCTTACCGTCTCAGGGACT              252
         ||||||||||||||||||||||||||||||||||||||||||||||
Db    61 CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr   80

Qy   253 TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGCATGCGGGATGGCCATCACTGCTGCCCA    312
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81 SerSerCysProPheProGluAlaValAlaCysGlyAspGlyHisHisCysCysPro     100

Qy   313 CGGGGCGTTCCACTGGACGAGTGCAGAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101 ArgGlyPheHisCysSerAlaAlaSpGlyArgSerCysPheGlnArgSerGlyAsnAsnSer  120

Qy   373 GTGGGTGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGGACTTCCCACGTGCTGT    432
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheProSerThrCysCys  140

Qy   433 GTTATGGTCGATGGCTCCTGGGGTGCTCCCCATGCCCCAGGCTTCCTGCTGTGAAGAC    492
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141 ValMetValAspGlySerTrpGlyValProHisAlaArgSerProHisValGlyValLysAspValGluAsp  160

Qy   493 AGGGTGCACTGCTGTCCGCACAGGTGCCTTCTGCGACCTGCTTCACACCCGTCACATCACA    552
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 ArgValHisCysSerCysProHisGlyValAlaPheCysAspLeuValHisThrArgCysIleThr  180

Qy   553 CCCACGGGCACCACCCCCCTGGCAAAGAAGCTCCCTGCCCAGAGGACTAACAGGGCAGTG   612
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 ProThrGlyThrThrProLeuAlaLysLysLeuProAlaGlnArgThrAsnArgAlaVal   200

Qy   613 GCCTTGTCCAGTCCGTCATGTGTCCGACGACGCACGGTCCCGGTCCCGGTGCCCTGATGGTTCTACC   672
         |||||||||||||||||||||||||||||||||||||||||||||||||
```

```
Db   201 AlaLeuSerSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr   220

Qy   673 TGCTGTGAGCGCCAGTGGGAGGATGGCTGTGCCCAATGCCAAGCCACTGCTGC   732
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys   240

Qy   733 TCCGATCACTGCTGTCCCCCAAGACACTGTGTGTGACTGATCCAGAGTAAGTGC        792
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys   260

Qy   793 CTCTCCAAGGAGAACGCTACCACGGACCTTCCTCACTAAGCTGCTGGCACACAGTGGC    852
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   261 LeuSerLysGluAsnAlaThrThrAspLeuProLeuLeuThrLysLeuProAlaHisThrValGly  280

Qy   853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGCTATACCTGTGCCTTCTACAG    912
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   281 AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysProArgLeuGln   300

Qy   913 TCGGGGCCTGGCGTGCCGCCCTTTACCCAGGCTGTGCGTGCTGGAGGACCACATACAC    972
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 SerGlyAlaTrpProGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy   973 TGCTGTCCCGCGGGGTTACGTGCACACGCAGGAGAGGTACCTGTGAACAGGGGCCCAC   1032
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysGluGlnGlyProHis  340

Qy  1033 CAGGTGCCCTGGATGGAGAAGGCCCCAGCTCACCTCAGCCTGCCAGACCCACAAGCCTTG   1092
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   341 GlnValProTrpMetGluLysAlaProAlaHisLeuSerLeuProAspProGlnAlaLeu   360

Qy  1093 AAGAGAGATGTCCCCTGTGATAAATGTCAGCAGCTGTCCCCTCCGATACCTGCTGCCAA   1152
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 LysArgAspValProCysAspAsnValSerGlnGlnLeuSerProSerAspThrCysCysGln  380

Qy  1153 CTCAGGTCTGGGGAGTGGGGCTGCTGTCAATCCCAGAGCCTGTCTCGCTGCTGGACCAC   1212
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   381 LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis  400

Qy  1213 CAGCACTGCTGCCCCCAGCCATACACGTGTAGCTGAGGGCAGTGTCAGCGAGGAGGC   1272
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401 GlnHisCysCysProGlnArgTyrThrCysValAlaGluGluGlyGlnCysGlnGlyGlySer  420

Qy  1273 GAGATCGTGCTGACTGAGAAGATGCCTGCCCGCCGGGGTTCCTTATCCCACCCCCAGA   1332
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 GluIleValAlaGlyLeuGluLysMetProAlaAlaArgArgGlySerLeuSerHisProArg  440

Qy  1333 GACAATCGGCTGTGACCAGCACACCAGCTGCCCGGTGGGCGGAACCTGCTGCCCGAGCCAG   1392
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   441 AspIleGlyCysAspGlnHisThrSerCysProValGlyGlyThrCysCysProSerGln   460

Qy  1393 GGTGGGAGTGGGCCTGCTGTCCCCAGTTGCCCATGCTGTGTGCTGGGATCGGCCAGCAC   1452
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   461 GlyGlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  480

Qy  1453 TGCTGCCCGCTGCTACACCTGCAACCTGAAGCTGCAACGTGAGGAGAAGGAAGTGGTC   1512
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluLysAspValVal  500

Qy  1513 TCTGCCCAGCCTGCCCACCTTCCTCCGCCCAGCCTGGGTGTGAAGGACGTGGAG   1572
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   501 SerAlaGlnProAlaThrPheLeuLeuAlaArgSerProHisValGlyValLysAspValGlu  520

Qy  1573 TGTGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCGAGACCACCGACAGGGC   1632
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   521 CysGlyGlyGluHisGlyHisPheCysHisAspAsnGlnThrCysCysArgAspAsnArgGlnGlyGly  540

Qy  1633 TGGGGCCTGCTGTCCTACACGCCCAGGGGCGTCTGTTGTGCCGACACTGCTGTCTT   1692
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 TrpAlaCysCysProTyrAlaGlnGlyValCysCysAlaAspArgArgHisCysCysPro   560

Qy  1693 GCTGGCTTCCGCTGCCGACGACGCACGCAGGGGTACCAAGTGTTTGCGCAGGAGGCCCCGGCGCTGG   1752
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
```

```
Db    561  AlaGlyPheArgCysAlaArgGlyThrLysCysLeuArgArgGluAlaProArgTrp  580

Qy   1753  GACGCCCCTTTGAGGGACCCAGCCTTGAGACAGCTGCTG  1791
           ||||||||||||||||||||||||||||||||||||||||
Db    581  AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu  593

RESULT 6
US-10-321-587-17
; Sequence 17, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/321,587
; CURRENT FILING DATE:  2002-12-18
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE:  PRIOR  FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: PRIOR  FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-10-321-587-17

Alignment Scores:
Pred. No.:                         Length:         593
Score:          6.54e-195          Matches:        593
                3511.00            Conservative:     0
Percent Similarity:  100.00%       Mismatches:       0
Best Local Similarity: 100.00%     Indels:           0
Query Match:    85.57%             Gaps:             0
DB:             15

US-09-824-647-16 (1-2095) x US-10-321-587-17  (1-593)

Qy     13  ATGTGGACCCTGTGAGCTGGGTGGCTTAACAGCAGGGCTTGGTGGCTGGAACGCGGTGC   72
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1  MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyValAlaLeuAlaGlyThrArgCys  20

Qy     73  CCAGATGGTCAGTTCTGCCCCTGTGGCCTGCCTGCTGGACCCGACCAGGAGGCCAGCTACAGC  132
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     21  ProAspGlyGlnPheCysProValAlaCysAlaGlyProGlyAlaSerTyrSer  40

Qy    133  TGCTGCGGTCCCCTTCTCGGACAAAATGGCCCACAAACTGAGGAGGCATCTGGGTGCCCCC  192
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     41  CysCysGlyProLeuLeuGlyGlnAsnGlyProThrProThrGluSerArgHisLeuGlyGlyProGlyPro  60

Qy    193  TGCCAGGTTGATGCCCACTGCTCTCGCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61  CysGlnValAspAlaHisCysSerArgAlaGlyHisSerCysIlePheThrValSerGlyThr  80

Qy    253  TCCAGTTGCTGCCCCTTCCAGATGGCCGTGGCATGCGGGATGCCCATCACTGCTGCCCCA  312
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     81  SerSerCysCysProPheProGluAlaValAlaCysGlyAlaCysHisHisCysCysPro  100

Qy    313  CGGGGCTTCCACTGCAGTGCAGACGCGGCGATCCTGCTCCCAGAGGCCGTGGCACGCGGC  372
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    101  ArgGlyPheHisCysSerAlaAspAlaAspAsppGlyArgSerCysPheGlnProAspGlySerCysSerGlyIleLeuProHisCysSerAlaCysAsppGlyAsnSerCysIlePheThrValSerGly  120

Qy    373  GTGGGTGCCATCAGTGCCGATAGTCAGTTCAGTCAGTTGAATGCCCGGACTTCTCCACGTGCTGT  432
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121  ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy    433  GTTATGGTCGATGGCTCCTGGGGTGCTGCCCCATGCCCCAGGCTTCCTGCTGTGAAGAC  492
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    141  ValMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp  160

Qy    493  AGGGTGCACTGTCTCCGCACGCGTGCCCTTCTGGACCTGGTTCACACCCGCTGCATCACA  552
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    161  ArgValHisCysCysProHisGlyAlaPheCysAspGlyGlyIleThrArgGlnHisCys  180
```

```
Qy    553  CCCAGGGGGACCACCCCCCTGGCAAGAGAGCTCCCTGCCAGAGGACTAACAGGGCAGCTG  612
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181  ProThrGlyThrHisProLeuAlaLysLysLeuProAlaGlnArgThrAsnArgAlaAlaVal  200

Qy    613  GCCTTGTCCAGCTCGGTCATGTGTCGGACGCACGTCCGGTGCCCTGATGGTTCTACC  672
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    201  AlaLeuSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr  220

Qy    673  TGCTGTGAGCGCCAGTGGGAAGTATGGCGTGCTGCCCAATGCCAACGCCACCTGCTGC  732
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    221  CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys  240

Qy    733  TCCGATCACCTGCACTGTGCCCCAAGACACTGTGTGACTGATCCAGAGTAAGTGC  792
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241  SerAspHisLeuHisCysProGlnAspThrValCysAspAspLeuIleGlnSerLysCys  260

Qy    793  CTCTCCAAGAGGAGAACGCTACCACGGAGCCTCCTCACTAAGGCTGCCTGCCACACAGTGGGC  852
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    261  LeuSerLysGluGlnAsnAlaThrThrAspLeuLeuThrLysLeuProAlaHisThrValGly  280

Qy    853  GATGTGAAATGTGACATGGAGGTGAGCTGCCCCAGATGGCTATACCTGCTGTCCGTCTACAG  912
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    281  AspValLysCysAspMetGluValSerCysProGlnTyrThrCysCysArgLeuGln  300

Qy    913  TCGGGGGGCCTGGGGTGTGTGCCCTTTACCAGGTGTGTGCTGTGAGGACCACCATACAC  972
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301  SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy    973  TGCTGTCCCGGCGGGGTTTACGTGTGACACGCAGAGGTACCTGTGAACAGAGGGGCCCAC 1032
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    321  CysCysProAlaGlyPheThrCysAspThrGlnArgTyrLeuCysGluGlnArgGlyProHis  340

Qy   1033  CAGGTGCCCTGGATGGAGAAGGCCCCAGTCACCTCAGCGTCCAGCTGCTGCCAGACCCACAAGCCTG 1092
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    341  GlnValProTrpMetGluLysAlaProAlaHisLeuSerLeuProAspProGlnAlaLeu  360

Qy   1093  AAGAGAGATGTCCCTGTGATAATGCAGATAATGCAGCGTGTCCCTCCGATACCTGCTGCCAA 1152
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361  LysArgAspValProCysAspValSerSerProSerSerProSerAspThrCysCysGln  380

Qy   1153  CTCACGTCTGGGAGTGGGGCGTGCTGTCCAATCCCAGAGGGCGTGTCGTGCTCTGGACCAC 1212
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    381  LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis  400

Qy   1213  CAGCACTGCTGCCCCGATACACGTGTAGCTGAGGGCAGTGTCAGCGAGGAAGC 1272
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    401  GlnHisCysCysProGlnArgTyrThrCysValAlaGluGlyGlnCysGlnArgGlySer  420

Qy   1273  GAGATCTGGCTGGACTGGAGAAGATGCTGCCCGCCGGTTCCTTATCCACCCAGA 1332
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421  GluIleValAlaGlyLeuGlyLeuMetProAlaArgArgGlySerLeuSerHisProArg  440

Qy   1333  GACAATCGGCTGTGACCAGCACACCAGTGCCCATGCTGTGTGTGCCCAGCCAG 1392
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    441  AspIleGlyCysAspGlnHisLeuProHisAlaCysCysGluAspArgGlnHis  460

Qy   1393  GGTGGGAGCTCGGGCCTGCTGCCAGTGCCCATGCTGTGTGTGCCCAGGATGCCCAGCGACAC 1452
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    461  GlyLysTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  480

Qy   1453  TGCTGCCCGGCTGGCTACACCTGCAACGTGAAGGCTCGATCCTGCCGCAACGTGGTC 1512
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481  CysCysProAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluLysValVal  500

Qy   1513  TCTGCCCAGCCTGCCACCTTCCTGCCCCATGCCCTGCTGTGTGAAGAC 1572
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    501  SerAlaGlnProAlaThrPheLeuProHisAlaArgSerProHisValGlyValLysAspGlnGlu  520

Qy   1573  TGTGGGAAGGACACTTCTGCCATGATAACCAGGAGAAGGNTCTGCCGAGAACACCAGAGGGC 1632
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    521  CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysArgAspAsnArgGlyGly  540
```

Qy 1633 TGGGCCTGCTGCCCTACGGCCGTCGTTGTGCTGTGATCGGCGCCACTGCTGTCCT 1692
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 TrpAlaCysCysProTyrArgAlaGlnGlyValCysAlaAspArgArgHisCysCysPro 560

Qy 1693 GCTGGGTTCCCTGCTGCCACGCAGGGGTACCAAAGTGTTTGCGCAGGAGGAGCCCCGCGCTGG 1752
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   561 AlaGlyPheArgCysAlaAsnArgArgGlyThrLysCysLeuArgArgGluArgGluAlaProArgTrp 580

Qy 1753 GACGCCCCTTGAGGGACCCAGCCTTGAGACAGCTGCTG 1791
         ||||||||||||||||||||||||||||||||||||||
Db   581 AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeuLeu 593

RESULT 7
US-09-925-301-1416
; Sequence 1416, Application US/09925301
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
; FILE REFERENCE: PA106
; CURRENT APPLICATION NUMBER: US/09/925,301
; CURRENT FILING DATE: 2001-08-10
; PRIOR APPLICATION NUMBER: PCT/US00/05882
; PRIOR FILING DATE: 2000-03-08
; PRIOR APPLICATION NUMBER: 60/124,270
; PRIOR FILING DATE: 1999-03-12
; NUMBER OF SEQ ID NOS: 1694
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1416
; LENGTH: 621
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-925-301-1416

Alignment Scores:
Pred. No.:   Length: 621
Score: 8.21e-194   Matches: 591
Percent Similarity: 3492.00   Conservative: 0
Best Local Similarity: 98.99%   Mismatches: 6
Query Match: 98.99%   Indels: 0
DB: 85.11%   Gaps: 0
                        9

US-09-824-647-16 (1-2095) x US-09-925-301-1416 (1-621)

Qy   1 CGCAGGCAGACCATGTGGACCCTGTGAGCTGGTGGCCTTAACAGCAGGGTGGTGGCT 60
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   25 ArgArgGlnThrMetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAla 44

Qy   61 GGAACGGCGGTGCCCAGATGGTCAGTTCTGCCCTGGGCCTGCCTGGACCCCCGGAGGA 120
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   45 GlyThrArgArgCysProAspGlyGlnPheCysProValAlaCysLeuAspProGlyGly 64

Qy   121 GCCAGTACGCTGTGCCTGCCCCTTCTGCCACTGGACAAATGCCCACAAACACTGAGCCAGCAT 180
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   65 AlaSerTyrSerCysArgArgProLeuLeuAspLysTrpProThrThrLeuSerArgArgHis 84

Qy   181 CTGGGGGCCCCTGCCAGGTTGATGCCTGCCCACTGCCTCGGCCGCCACTCCTGCATCTTTACC 240
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   85 LeuGlyGlyProCysGlnValAspAlaHisCysSerAlaAlaGlyHisSerCysIlePheThr 104

Qy   241 GTCTCAGGGAGCTTCCAGTTGCTGCCCCCTTCCCAGAGAGGCCGTGGCATGCGGGGGATGGCCAT 300
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   105 ValSerGlyThrSerArgCysSerProPheProGluAlaValAlaAlaCysGlyAspGlyHis 124

Qy   301 CACTGCTGCCCACGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCA 360
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   125 HisCysCysProArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSer 144

Qy   361 GGTAACAACTCGTGGGTGCCATCCAGTGCCTGATGTCAGTTGAATGCCCCGGACTTC 420
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   145 GlyAsnAsnSerValGlyAlaIleGlnCysLeuAspGlnCysProAspPheProAspPhe 164

Qy   421 TCCAGTGCTGCTGTTATGGTCGATGGCTCCTCGGGGTGCTCCTGCCCCATGCCCCAGGCTTCC 480
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

```
Db  525 LysGluValValSerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyVal 544

Db  1561 AAGGACGTGGAGTGTGGGAAGACACTTCTGCCATGATAACCAGACCTGCTGCCGAGAC 1620
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  545 LysAspValGluCysGlyGlyLysHisGluGluGlyGlnThrCysCysCysArgAsp 564

Db  1621 AACCGACAGGGCTGGGCCTGCTGTCCCTACGCCCAGGGCGTCTGTTGTGTTGATGGCGC 1680
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  565 AsnArgGlnGlyTrpAlaCysCysProTyrArgGlnGlyValCysCysAlaAspArgArg 584

Db  1681 CACTGCTGTCCTGCTGGCTTCCGCTCGCGCACGCAGGGGTACCACCAAGTGTTTGCGCAGGGAG 1740
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  585 HisCysCysProAlaGlyPheArgCysCysArgAlaAlaArgGlyThrLysCysLeuArgArgGlu 604

Db  1741 GCCCCGGCTGGAGACGCCCCTTGAGGGACCCAGCCTTGAGACAGCTGCTG 1791
          ||||||||||||||||||||||||||||||||||||||||||||
Qy  605 AlaProArgTrpArgArgProLeuArgAspAlaProAlaLeuArgGlnLeuLeu 621
```

RESULT 8
US-10-262-473-6

```
; Sequence 6, Application US/10262473
; Publication No. US20030199442A1
; GENERAL INFORMATION:
;  APPLICANT: Alsobrook, John,
;  APPLICANT: Burgess, Catherine,
;  APPLICANT: Gorman, Linda,
;  APPLICANT: Guo, Xiaojia,
;  APPLICANT: Lepley, Denise,
;  APPLICANT: Patturajan, Meera,
;  APPLICANT: Rastelli, Luca,
;  APPLICANT: Reiger, Daniel,
;  APPLICANT: Spytek, Kimberly,
;  APPLICANT: Zhong, Mei
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
; FILE REFERENCE: 21402-462B
; CURRENT APPLICATION NUMBER: US/10/262,473
; CURRENT FILING DATE:  2003-01-28
; PRIOR APPLICATION NUMBER: 60/327,917
; PRIOR APPLICATION FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/328,029
; PRIOR APPLICATION FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/328,056
; PRIOR APPLICATION FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/349,575
; PRIOR APPLICATION FILING DATE: 2001-10-29
; PRIOR APPLICATION NUMBER: 60/381,038
; PRIOR APPLICATION FILING DATE: 2002-05-16
; NUMBER OF SEQ ID NOS: 22
; SOFTWARE: CuraSeqList version 0.1
;
; SEQ ID NO 6
;  LENGTH: 593
;  TYPE: PRT
;  ORGANISM: Homo sapiens
US-10-262-473-6
```

```
Alignment Scores:
Pred. No.:          1.17e-192          Length:         593
Score:              3472.00            Matches:        587
Percent Similarity: 98.99%             Conservative:   0
Best Local Similarity: 98.99%          Mismatches:     6
Query Match:        84.62%             Indels:         0
DB:                 14                 Gaps:           0
```

US-09-824-647-16 (1-2095) x US-10-262-473-6 (1-593)

```
Qy  13 ATGTGGACCCTGGGTGAGCTGGGTGGCCTTAACAGCAGGGCTGGTGGCTGGAACGCGGTGC 72
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  1 MetTrpThrLeuGlySerTrpValAlaLeuThrAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys 20

Qy  73 CCAGATGGTCAGTTCTGCCCTGTGGCCTGCTGCCTGACCCCGAGGAGCCAGCTACAGC 132
         |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  21 ProAspGlyGlnPheCysProValAlaCysCysLeuAspLeuCysLeuCysLeuAspGlySerTyrSer 40
```

(The remainder of the page consists of densely printed nucleotide/protein sequence alignment blocks in the right-hand columns, paired Qy/Db lines numbered sequentially from 133/41 through 1213/381, which are not legibly resolvable.)

```
Qy     1 MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaAlaGlyLeuValAlaGlyThrGlnCys 20
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    73 CCAGATGGTCAGTTCGCCGTGGCCGTGCCTGCTGGACCCGAGACCCGGAGGAGCCAGCTACAGC 132
           ||| |||| ||::|||||||||||||||||||||||||:||||||:||||||:::|||
Qy    21 ProAspGlyGlnPheCysProValAlaCysSerLeuAspGlnGlyAlaAsnTyrSer 40

Db   133 TGCTGCCGTCCCTTCTGACAAATGGCCACAACACTGACCTGCCGGCATCGGGTGGCCCC 192
           |||||:|||||:|||||:||::|||||||||||||||||||||||||||||||||||
Qy    41 CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisHisLeuAspGlySer 60

Qy   193 TGCCAGGTTGATGCCCACTGCTTGCCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT 252
           |||||:||| |||||||||||||||||||:||||||||||||||||||||||||||
Db    61 CysGlnThrHisGlyHisCysProAlaGlyTyrSerCysLeuThrValSerGlyThr 80

Qy   253 TCCAGTTGCTGCCCCTTCCCAGAGGGCGTGGCATGCGGGGATGGCCATCACTGCTGCCCA 312
           ||||||||||:|||||||:: :||:|||||:||:|:|::::|||:|||:|
Db    81 SerSerCysProPheSerLysGlyValSerCysGlyAspGlyTyrHisCysCysPro 100

Qy   313 CGGGGCTTCACTGCAGTGCAGAGCGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC 372
           ||:::|||||||:|||||||:||||||||||||||||||||||||||||||
Db   101 GlnGlyPheHisCysSerAlaAspGlyLysSerCysPheGlnMetSer---AspAsnPro 119

Qy   373 GTGGGGTGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCGGACTTCTCCAGTGCTGT 432
           :::||||||||:::||||||||:||||||||:||||:::|:
Db   120 LeuGlyAlaValGlnCysProGlySerGlnPheGluCysArgThrSerProAlaThrCysCys 139

Qy   433 GTTATGGTCATGGTCCTGGGGGTGCTGCCCCATGCCCCAGGCTTCCTGCGTGTGAAGAC 492
           |||||||:||||||||||||||:|||||:||||||||||||||||||||||||
Db   140 IleMetValAspGlySerTrpProGlyCysCysProMetProGlnAlaSerCysGluAsp 159

Qy   493 AGGGTGCACTGCGTGCCGCAGCGGTGCCTTCCGACCTGGTTCACACCCGGTGCATCACA 552
           |||||||||||||||||||||||||||||||||||||:::||||
Db   160 ArgValHisCysValCysProHisGlyAlaSerCysAspLeuValHisThrArgCysValSer 179

Qy   553 CCCACGGGACACCCACCCCCCTGGCAAAGAAGCTCCCTGCCAGAGGACTAACAGGGCAGTG 612
           ||||||||||||||||||||||:|||||:||||||||||:|||||||:||:|:
Db   180 ProThrGlyThrHisHisProThrLeuLeuLysLysLysPheProAlaGlnLysThrAsnSerAlaVal 199

Qy   613 GCCTGTCCAGCTCGGTCATGTCCGGACCACGTGCCCGGTGCCCGATGGTTCTACC 672
           :::|||      ||||:||:|||:::|||||||:::|||||||||||||
Db   200 SerLeuProPheSerValValCysProAspAlaLysThrGlnCysProAspAspSerThr 219

Qy   673 TGCTGTGAGCTGCCAGTGGGAAGTATGGCTGTCGCCAATGGCCAACGCCACCTGCTGC 732
           |||||:|||||||||||:|||||||||:|||||||:::|||||||:|||:|||||:|
Db   220 CysCysGluLeuProThrGlyLysTyrGlyCysProMetProAsnAlaIleCysCys 239

Qy   733 TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGACCTGATCCAGAGTAAGTGC 792
           |||||:|||||||||||||||||||||||||||||:|||||:|:|||||:||||:|
Db   240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 259

Qy   793 CTTCTCCAAGGAGAACGCTACCACCGACCTCCTCACTAAGCTGCGCCGCACAGTGGGC 852
           |:|:||||| |||||:|:||||:|:::|:::||||| :||||:|||
Db   260 LeuSerLys---AsnTyrThrThrAspLeuThrLysLeuArgArgThrValGlyTyrProValLys 278

Qy   853 GATGTGAAAATGTGACATGGAGGTGAGCTGCCCAGATGAGCTATACCTGCTGCCGTCTACAG 912
           ||||||||||||||||:::|:|||||||||:|||||||:|||||||||||:||:
Db   279 GluValLysCysAspMetGluValSerProGluGlyTyrThrCysCysArgLeuAsn 298

Qy   913 TCGGGGGCCTGGGGCTGCTGCCCCTTTACCGCCGCCGCCGCCGCACATACAC 972
           :::||||||||||||||||:::||||:|||||||||||:::|||||:||||:|
Db   299 ThrGlyAlaTrpGlyCysCysProPheAlaAlaAlaAlaAlaAlaValCysAspAspHisIleHis 318

Qy   973 TGCTGTCCCGCGGGGGTTTACGGTTGACAGTGGAACAGGAGGTACCTGGAACAGGGGCCCCAC 1032
           |||||||||:|||||||||||| ||||||:|:|||:||:||||||
Db   319 CysCysProAlaGlyPheGlnCysHisCysThrGluLysGlyLyuThrCysGluMetGlyIleLeu 338

Qy  1033 CAGGTGCCCTGGATGGAGGAGGCCCAGCTCACCTCAGCCTGCCAGAGCCACCAAGCCTTG 1092
           :::|||||||:::|||:|||:||||||||:::|||:::||||||:|||||||
Db   339 GlnValGlyTrpMetLysValIleAlaProLeuArgLeuProAspProGlnIleLeu 358

Qy  1093 AAGAGAGATGTCCCCTGTGATAAATGTCGACAGCTGTCCTCCCGATACCTGTCGCCAA 1152
           |||||:|||||:::|:||||||::: ||||:|||||||:|:::||:||||||:::|||
Db   359 LysSerAspThrProCysAspAspAspPheThrArgArgCysProThrAsnAsnThrCysLys 378
```

```
Db   401 GlnHisCysProGlyProGlnLysTyrThrCysValAlaGluGlyGlnCysGlyArgGlySer 420
           |||||||||||||||||||||||||||||||||||||||||||||||
Qy  1273 GAGATCGTGGCTGGACTGGAGAGAATGCCTGCCCGGCCGGTTCCTTATCCCACCCCCAGA 1332
           ||||||||::::|||||||||||:|:|:|||||:|:::||||||:|||
Db   421 GluIleValAlaGlyLeuGlyLeuGluLysMetProAlaArgAlaSerLeuSerHisProArg 440

Qy  1333 GACATCGGCTGTGACCAGCACACCAGCTGCCGGTGGGCCGAACCTGCTCGCCGAGCCAG 1392
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   441 AspIleGlyCysAspGlnHisThrSerCysProValGlyTyrGlnThrCysSerProSerLeu 460

Qy  1393 GGTGGGAGCTGGGCCTGCCAGTGCCCATGCGTGTGCTGCGGAGGATGCGCAGCAC 1452
           |||||:|||||||:|||||:|||||:||||||||||||:||:|||:|:|:||
Db   461 GlyGlySerTrpAlaCysCysGlnCysGlnLeuProHisAlaAlaValCysCysGluAspGlyHis 480

Qy  1453 TGCTGCCCGGCTGGCTACACCTGCAACGTGAAGGCTTGCGATCCTGCGGAGAAGGAAGTGGTC 1512
           ||||||:|||:||:||||||||||||||:|||::|||::|||:|:||:||||||:|||
Db   481 CysCysProAlaGlyTyrThrCysAsnValLysAlaAlaArgSerCysGluLeuLysGluValVal 500

Qy  1513 TCTGCCAGCCTGCCACTTCTGCGGCCGTAGCCCTCAGTGGGTGTGAAGGACGTGGAG 1572
           ||||||||||||:||||||:|||||||||||||:|:|:|::||||:|:
Db   501 SerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyValLysAspValGlu 520

Qy  1573 TGTGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCCCAGACAACCGACCAGGGC 1632
           |||||||||||:|||:::||:::|:|||||||||||:|:|||||:|:||||
Db   521 CysGlyGluGlyHisProCysHisSerAspAsnGlnThrCysCysArgAspAsnArgGlnGly 540

Qy  1633 TGGGCCCTGCTGTCCCCTACGGCCGTGTTGTGTCTGATCGGCCACTCCTGTCCT 1692
           ||||||||:||||||||:||||::||:|||||||||:|::|||||||||||
Db   541 TrpAlaCysCysProTyrArgGlnGlyValValCysCysAlaAspArgArgHisCysCysPro 560

Qy  1693 GCTGGGTTCCGCTGGCGACCAGAGGGTACCAAAGTGTTGCCGAGGGAGGCCCCGCGCTGG 1752
           ||||||||||||:|||:||||||||||||||||:|:||:|::|::|||:|||||:||
Db   561 AlaGlyPheArgCysAlaAlaArgGlyThrLysCysLeuArgArgGluAlaProArgTrp 580

Qy  1753 GACGCCCCTTTGAGGGACCCAGCCAGCCTTGAGGACCAGCAGCTGCTG 1791
           |||||||||||||||||||||||||||||||||||||||||||
Db   581 AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu 593
```

RESULT 9
US-09-813-156-2

```
; Sequence 2, Application US/09813156
; Patent No. US2002061859A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: 22996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: Patentin Ver. 2.0
;   SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-813-156-2
```

Alignment Scores:

Pred. No.:	5.79e-147	Length:	589
Score:	2681.00	Matches:	439
Percent Similarity:	83.81%	Conservative:	58
Best Local Similarity:	74.03%	Mismatches:	92
Query Match:	65.34%	Indels:	4
DB:		Gaps:	3

US-09-824-647-16 (1-2095) x US-09-813-156-2 (1-589)

```
US-09-813-156-2

Qy    13 ATGTGGACCCGTGAGCTGGTCGGGTGCCTTAACAGCAGGGTGGTGGCTGGAACGCGGGTGC 72
           ||||:|||||||      |||||::::|||||||||||||:||||:|||
Db   359 LysSerAspThrProCysAspAspAspPheThrArgArgCysProThrAsnAsnThrCysLys 378
```

DB:

US-09-824-647-16 (1-2095)　x　US-09-824-807-2　(1-589)

Qy　　　9　　　　　　　　　　　　　　　Gaps:　　　　　　　　　3

```
Qy    13 ATGTGGACCCTGTGAGCTGGGTGGCCTTAACAGCAGGCTGCTGGGTGGAACGCGGTGC   72
            ||||     :    ||| ::|::||
Db     1 MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaLeuAlaGlyThrGlnCys   20

Qy    73 CCAGATGGTCAGTTCTGCCCTGTGGCCTGCTGCGTCGAGCCCGGAGGAGCCAGCTACAGC  132
Db    21 ProAspGlyGlnPheCysProValAlaCysCysValGluGlnGlyGlyAlaAsnTyrSer   40

Qy   133 TGCTGCGTCCCCTTCTGACAAATGGCCACAACACTGAGCAGGCATCTGGGTGGCCCC  192
Db    41 CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisLeuAspGlySer   60

Qy   193 TGCCAGGTTGATGCCACTGCTCTGCCCGGCCACTCTGCATCTTACCGTCTCAGGGACT  252
Db    61 CysGlnThrHisGlyHisCysProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr   80

Qy   253 TCCAGTTGCTGCCCCTTCCAGAGGCCGTGGGATGGCCATCACTGCTGCCCA  312
Db    81 SerSerCysProPheSerLysGlyValSerCysGlyAspGlyTyrHisCysCysPro  100

Qy   313 CGGGGCTTCCACTGCAGTGCAGACGGGGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
             :::|||||
Db   101 GlnGlyPheHisCysSerAlaAspGlyIyrSysSerCysPheGlnMetSer---AspAsnPro  119

Qy   373 GTGGGTGCCATCCAGTGGCCTGATAGTCAGTTCGAATGCCGGACTTCTCCCACGTGCTGT  432
Db   120 LeuGlyAlaIleGlnTrpProLysCysSerGlnPheGluCysProSerAlaThrCysCys  139

Qy   433 GTTATGGTCGATGGCTCTGGGGTGCGCCCCATGCCCAGGCTTCCTGCTGTCGTGAAGAC  492
             :::||||||
Db   140 IleMetValAspGlySerTrpGlyCysProMetProGlnAlaSerCysCysGluAsp  159

Qy   493 AGGGTGCACTGCGTCCGTGACGGTGCGCTTCTGGCGCCACCCGTCATCACA  552
             :::::
Db   160 ArgValHisCysValCysProHisGlyValAlaSerCysCysAspLeuValHisThrArgCysValSer  179

Qy   553 CCCACGGGCACCCACCCCCTGGCAAAGAAGCTCCCTGCCTGGGACTAACAGGGCAGTG  612
Db   180 ProThrGlyThrHisThrLeuLeuLysLysLeuProAlaGlnLysThrAsnSerAlaVal  199

Qy   613 GCCTTGTCCAGCTCGGTCATGTGCCGGACGCACGGTCCGGTCCGTGCCCTGATGGTTCTACC  672
             :::||
Db   200 SerLeuProPheSerValCysProAspAlaIysThrGlnCysProAspAspSerThr  219

Qy   673 TGCTGTGAGCTGCCCAGTGGGAGTATGGCTGTCGTCCCAATGCCCAAGGCCACCTGCTGC  732
Db   220 CysCysGluLeuProThrGlyLysTyrGlyLysCysProMetProAsnAlaIleCysCys  239

Qy   733 TCCGATCACCTGCACTGCTGCCCCAAGACACTGTGTGACCTGATCCAGATPAAGTGC  792
             ||||||
Db   240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys  259

Qy   793 CTTCCAAGGAGAAGCTACCACCGGACCTCCTCACTAAGCTGCCTGGGCACACAGTGGGC  852
             ||| :::
Db   260 LeuSerLys---AsnTyrHisThrArgProLeuLeuThrLysLeuProGlyTyrProValLys  278

Qy   853 GATGTGAAATGTGACATGGAGGTGAGTCGCCAGATGGCTATACCTGCTGCTCCGTCTACAG  912
             ||||| :|:    ||||
Db   279 GluValLysCysAspMetGluValSerProGluGlyTyrThrCysCysArgLeuAsn  298

Qy   913 TCGGGGCCTGGGGTCTGGCCCTTTACCAGCTGTGTGCTGGAGGACCACATACAC  972
             :::||||     |||||     |||:
Db   299 ThrGlyAlaTrpGlyCysCysProPheAlaLysAlaValCysCysAspHisHisIleHis  318

Qy   973 TGCTGTCCCGCGGGGTTTACGTGACAGCAGAAGGGTACCTGTGAACAGGGCGCCCCAC 1032
Db   319 CysCysProAlaGlyPheGlnCysHisThrGluLysGlyTyrCysGlyMetGlyIleLeu  338

Qy  1033 CAGGTGCCCTGGATGGAAGAAGGCCCCAGCTCACCTCAGCCTGCCAGACCCAACAAGCCTTG 1092
```

```
Qy  1153 CTCACGTCTGGGGAGTGGGGCTGCTGTGTCCAATCCCAGAGGCTGCTGCTCGGACCAC 1212
             ||| ||    ::|:::::   ||||:
Db   379 LeuAsnSerGlyAspTrpGlyCysCysProIleProGluAlaValCysCysSerAspAsn  398

Qy  1213 CAGCACTGCTGCCCCCAGCCATACACGTGTTGAGCTGTGAGGGCCAGTGCCAGCGGGAAGC 1272
             ||||||        ::|||||
Db   399 GlnHisCysCysProGlnProGlyPheThrCysLeuAlaCysGluCysGlnLysGlyAsp  418

Qy  1273 GAGATCGTGCTGACTGAGAAGATGCCTGCCCGCCGCGGTTCCTTATCCCACCCCAGA 1332
             :::||||     ||||
Db   419 ThrMetValAlaGlyLeuGlyLysIleLeuProAlaArgGlnThrProLeuGlnIleGly  438

Qy  1333 GACATCGGCTGCGTGACCACCAGTCGTGCCCGGTGGGCGGAACCTGCTGCCCAGCCAG 1392
             |||||||        ::|:||||
Db   439 AspIleGlyCysCysAspGlnHisThrSerCysCysProValGlnThrCysCysProSerLeu  458

Qy  1393 GGTGGGAGCTGGGGCTGCCAGTTGCCCATGCTGTGCTGCGAGGATCGCCAGGAC 1452
             ||||||||        :|:|||||
Db   459 LysGlyLySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  478

Qy  1453 TGCTGCCCGGCCTGGTTACACGTCAACGTGAAGGCTGAGGAAGGAGTGGTC 1512
             |||||||        :|:|||||
Db   479 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysAspValAsp  498

Qy  1513 TCTGCCCAGCCTGCCACTTCCTGGCCCTAGCCCTCACGTGGGTGTGAAGGACGTGGAG 1572
             |||        ||||||
Db   499 PheGlnLeuProProValLeuThrLeuGlyProLysValGly------AsnValGlu  516

Qy  1573 TGTGGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCCAGAGACAACCGACAGGGGC 1632
             |||        ||||||
Db   517 CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysLysSerAlaGlyVal  536

Qy  1633 TGGGGCCTGCTGTCCTACGCCCAGGGCGTCTGTGTGCTGATCGGCGCCCTGCTGTCCT 1692
             ||| :::||||||
Db   537 TrpAlaCysCysProTyrLeuLysGlyValCysGlyArgAspGlyArgHisCysCysPro  556

Qy  1693 GCTGGCTTCCGCTGCGCGCCAGGGGTACAAGTGTTTGCGCAGGGAGGCCCCGCTGG 1752
             ||||     :|:||||
Db   557 GlyGlyPheHisCysSerAlaArgGlyThrLysCysLysLysLeuArgLysLysIleProArgTrp  576

Qy  1753 GACGCCCTTTGAGGAGGACCCCAGCCTTGAGACAGCTGCTG 1791
             |||||
Db   577 AspMetPheLeuArgAspProValProArgProLeuLeu  589
```

RESULT 10
US-09-824-807-2

; Sequence 2, Application US/09824807
; Patent No. US2002009496A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: 29996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/824,807
;   CURRENT FILING DATE: 2001-04-04
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-824-807-2

Alignment Scores:			
Pred. No.:		Length:	589
Score:	5.79e-147	Matches:	439
	2681.00	Conservative:	58
Percent Similarity:	83.81%	Mismatches:	92
Best Local Similarity:	74.03%	Indels:	4
Query Match:	65.34%		

```
Alignment Scores:
Pred. No.:              5.79e-147          Length:        589
Score:                  2681.00            Matches:       439
Percent Similarity:     83.81%             Conservative:  58
Best Local Similarity:  74.03%             Mismatches:    92
Query Match:            65.34%             Indels:        4
DB:                     9                  Gaps:          3

US-09-824-647-16 (1-2095) x US-09-824-647-2 (1-589)

Qy    13  ATGTGGACCCTGGTGAGCTGGGTGCCTTAACAGCAGGCTGGCTGGAACGCGGTGC    72
              ||||||        ||||||||||||  ||||::|||||      |:::|||
Db     1  MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaGlyThrGlnLysCys    20

Qy    73  CCAGATGGTCAGTTCTGCCCTGCGGCCCTGCCTGGACCCCGGAGGAGCCAGCTACAGC   132
              ||||||||||||||||||||  |||||||||||||||||||||||||||||:||:
Db    21  ProAspGlyGlnPheCysProValAlaCysLeuAspGlnGlyGlyAlaAsnTyrSer    40

Qy   133  TGCTGCCGTCCCCTTCTGGACAAATGGCCCACACACTGAGCAGCATCTGGGTGGCCCC   192
              ||||||||||||||||  :||||        ||||||:||    ::|||:||||
Db    41  CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisLeuAspGlySer    60

Qy   193  TGCCAGTTGATGCCCACTCTCTCCGGCACTCCTGATCTTACCGTCTCAGGGACT   252
              |||:|||||||||||        |||:||| :::|:|||||    |:
Db    61  CysGlnThrHisGlyHisCysProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr    80

Qy   253  TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGGCATGCGGGGATGCCATCACTCCTGCCCA   312
              ||||||        |||  |||||||||| |||:||||||||||||||||||||||
Db    81  SerSerCysCysProPheSerLysGlyValSerCysGlyValTyrHisCysCysPro   100

Qy   313  CGGGGTGCCATCCAGTGCCCGATAGTAGTCAGTTGAATGCCCGGACTCTCCCACGTGCTGT   372
              :::|||||||||||||||||||||||| ||||||:||::|||         ::|
Db   101  GlnGlyPheHisCysSerAlaAspGlyLysSerCysPheGlnMetSer--AspAsnPro   119

Qy   373  GTGGGTGCCATCCAGTGCCTGATAGTCAGTGAATGCCCGGACTCTCCCACGTGCTGT   432
              |||||||||||||||:|||||||||||:|||||||||||||||||:|||||
Db   120  LeuGlyAlaValGlnCysProGlyValGlnPheGluCysProAspSerAlaThrCysCys   139

Qy   433  GTTATGGTGATGGCTCCTGGGGGTGCTGCCCCATGGCCGGCCACTGCTGCCTGTGAAGAC   492
              :::|||||||||||||||||||||||:||||||||||||||||||||||||||
Db   140  IleMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp   159

Qy   493  AGGGTGCACTGCTGTCCGACAGGGTGCCTTCTGCGACCTGGTTCACACCCGCTGCATCACA   552
              ||||||||||||||:|||| |||:||||||||||:|||||||||||||||::||||
Db   160  ArgValHisCysCysProHisGlyAlaSerCysAspLeuValHisThrArgCysValSer   179

Qy   553  CCCACGGGCACCACCCCCCTGGCAAAGAAGCTCCTGCCCAGAGGACTAACAGGGCAGTG   612
              ||||||||||||||::||||||||||||||||||||:::|||||||||||||||:||
Db   180  ProThrGlyThrHisThrLeuLeuLysLysProAlaGlnLysThrAsnArgAlaVal   199

Qy   613  GCCTTGTCCAGCTCCGTCATGTCTCCGGACGCACGGTCCGGTGCCTGAGTGGTTCTACC   672
              ::|||        |||||||:||||||||||:||||||||||||||||||||||
Db   200  SerLeuProPheSerValValCysProAspAlaLysThrGlnCysProAspAspSerThr   219

Qy   673  TGCTGTGAGTGCCCAGTGGGAAGTATGGCTGCTGCCAATGCCACCACCTGCTGC   732
              ||||||:::|||        ||||||||:||||||||||||||||||||||||
Db   220  CysCysGluLeuProThrGlyLysTyrGlyCysCysProMetProAsnAlaIleCysCys   239

Qy   733  TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGACCTGATCAGAGTAAGTGC   792
              |||| |||||||||||||||||:::|||||||:||||||||||||||||||||||
Db   240  SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys   259

Qy   793  CTCTCCAAGAGAGAACGCTACCACGGACCTTCCTCACTAAGTCGTCGCCGCACCAGTGGGC   852
              ||||||||||||||||||||||||||||||||||||||||||:::        |||
Db   260  LeuSerLys--AsnTyrThrThrAspLeuHisLeuThrLysProGlyTyrProValLys   278

Qy   853  GATGTGAAATGTGACATGGAGGTGAGCTGCCAGATGGCTATACCTGTCCGTCTACAG   912
              :::||||||||||||||||||||||||||||||||||||||:::||
Db   279  GluValLysAspMetGluValSerCysProGluGlyTyrThrCysArgLeuAsn   298

Qy   913  TCGGGGCCTGGGGTGCTGCCCCTTTACCCAGGGTGTGGCTGTGAGGACCACCATACAC   972
              ||||||||||||||||||||||||:::||||||||||||||||||||||:||||||
Db   299  ThrGlyAlaTrpGlyCysCysProPheAlaLysProAlaLysCysCysAspAspProHisIleHis   318
```

```
Db   339  GlnValGlyTrpMetLysLysValIleAlaProLeuArgLeuProAspProGlnIleLeu   358
              ||||||        ||||||        |||:::||                |||
Qy  1093  AAGAGAGATGTCCCGTGATAAATGTGATACACGTGCCCTCCCTCCGATACCTGCCAA  1152
              ||||| ||| ||||||   ::|        |||:::::::|||||:|||:|||:::
Db   359  LysSerAspThrProCysAspAspThrArgCysProThrAsnAsnThrCysLysLys   378

Qy  1153  CTCACGTCTGGGGAGTGGGGGCTGCTGTCCAATCCCAGAGGCCTGTCTGCTGCCTGGGACCAC  1212
              |||||||:::||        ||||||||||||||||||||||||||||||||||||
Db   379  LeuAsnSerGlyAspTrpProGlyCysCysProIleProGluAlaValCysCysSerAspAsn   398

Qy  1213  CAGCACTGCTGCCCCCAGGCAGATACACGTGTGAGCTGAGGGGCAGTGTCAGCGAGGAAGC  1272
              |||||||||||        :::||||:::||||        |||||:::|||:
Db   399  GlnHisCysCysProGlnGlyAspThrCysValPheCysGluLeuArgGlySerGlnLysGlyAsp   418

Qy  1273  GAGATCCTGGCTGGACTGGAGAAGATGCCTGCCCGCGGGTTCCTTATCCCACCCCAGA  1332
              :::|||||||||||||||||||||||||:||||        ::|
Db   419  ThrMetValAlaGlyLeuGluLysIleProAlaArgGlnThrThrProLeuGlnIleGly   438

Qy  1333  GACATCGGCTGTGACCAGCACACCAGCTGCCCGGTGGGGGAACCTGCTGCCCGAGCCAG  1392
              |||||||||||||||||||||||||||||||:||||||:::||||||:||||||||
Db   439  AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnThrCysCysProSerLeu   458

Qy  1393  GGTGGGAGCTGGGCTGCTGCCAGTGCCCCATGTGTGCTGCGGAGATGGCCAGCAC  1452
              ||||||||||||||||||||:::||||||||||||:::|||||||||||||:||
Db   459  LysGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspAspArgGlnHis   478

Qy  1453  TGCTGCCCGCGGCTACACCTGCAACGTGAAGGCTGAACCTGCGAGAGAAGAGTGTC  1512
              ||||||:::||||||||||||||||||:||||        ||||||||||:||
Db   479  CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysLysAspValAsp   498

Qy  1513  TCTGCCCAGCTGCCACCTTCCTGGCCCGCTAGCCGTCACGTGGGTGTGAAGGACGTGGAG  1572
              ||||||||||||        ||||||:||||||||        :::|||:
Db   499  PheIleGlnProValLeuLeuThrLeuGlyProLysValGly-----AsnValGlu   516

Qy  1573  TGTGGGAAGGACACTTCTGCCATGATAACCAGCCGGAGAACCGACAGGGC  1632
              |||||||||||||||||:||        |||||||||:||||||||||||
Db   517  CysGlyLysGlyHisProCysCysProHisAspAsnGlnThrCysCysLysSerAspAsnThrCysCys   536

Qy  1633  TGGGCCTGCTGTCGTCCTACGCCCAGGGCGTCTGTTGTGCTGATCGGCGGCCACTGCTGTCCT  1692
              ||||:::||||||||||||||||:||||||||||||||||||||||||||||
Db   537  TrpAlaCysCysProTyrLeuTyrLysGlyValCysCysSerArgAspGlyArgHisCysCysPro   556

Qy  1693  GCTGGCTTCCGCTGCCGCACCCAGGTGTTGCCAGGGAGCCCCGGCTGG  1752
              ||||||||||||||:::        ||||||||||||||||||:::||
Db   557  GlyGlyPheHisCysSerAlaArgGlyThrLysCysLeuArgLysLysIleProArgTrp   576

Qy  1753  GACGCCCCTTGAGGGACCAGCCTTGAGACAGCTGCTG  1791
              ||||||||:::|||        ||| ||||||
Db   577  AspMetPheLeuArgAspProValProArgProLeuLeu   589
```

RESULT 11
US-09-824-647-2
; Sequence 2, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P01-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-824-647-2

```
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-10-218-509-2

Alignment Scores:
Pred. No.:
Score:                   5.79e-147       Length:              589
Percent Similarity:      2681.00         Matches:             439
Best Local Similarity:   83.81%          Conservative:        58
Query Match:             74.03%          Mismatches:          92
DB:                      65.34%          Indels:              92
                         14              Gaps:                3
```

```
US-09-824-647-16 (1-2095)   x   US-10-218-509-2   (1-589)

Qy    13 ATGTGGACCCGTGAGCTGGTGCCTTAACAGCAGGCTGGTGGCTGAACGGCGGTGC      72
Db     1 MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaGlyThrGlnCys  20

Qy    73 CCAGATGGTCAGTTCTGCCCTGTGGCCTGCTGCCTGGAACCCGGAGAGCCAGCTACAGC  132
Db    21 ProAspGlyGlnPheCysProValAlaCysCysLeuGluAspCysGlyGlyAlaAsnTyrSer  40

Qy   133 TGCTGCCGTCCCCTTCTGACAAATGGCCACAACACTGAGCAGCATCTGGGTGGCCCCC  192
Db    41 CysCysAsnProLeuLeuAspThrTrpProAsnThrGluGlnHisSerHisLeuAspGlySer  60

Qy   193 TGCCAGGTTGATGCCCACTGCTCTGCCGCCACTCCGCATCTTTACCGTCCAGGGACT  252
Db    61 CysGlnThrHisGlyHisCysSerProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr  80

Qy   253 TCCAGTTGCTGCCCCTTCCCAGAGAGCCGGTGGCATCACTGCTGCCCA            312
Db    81 SerSerCysCysProPheSerLysGlyValSerCysGlyAspGlyTyrHisCysCysPro 100

Qy   313 CGGGGCTTCCACTGCAGTGCAGACGGGGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
Db   101 GlnGlyPheHisCysSerAlaAspGlyLysSerPheGlnMetSer--AspAsnPro    119

Qy   373 GTGGGTGCCATCCAGTGCCCTGATAGTCAGTTCCGGGACTTCTCCACGTGCTGT      432
Db   120 LeuGlyAlaValGlnCysProGlySerGlnPheGluCysProAspSerAlaThrCysCys 139

Qy   433 GTTATGGTCGATGCGCTCCGGGGGTGCTGCCCCATGGCCCAGGCTTCCTGCTGTGAAGAC 492
Db   140 IleMetValAspGlyLeuProGlyCysCysProMetProGlnAlaSerCysCysGluAsp  159

Qy   493 AGGGTGCACTGCTGTCCGCAAAGAGAGTCCCTGCCCAGAGGACTGCATCACA        552
Db   160 ArgValHisCysCysProHisGlyAlaSerCysCysAspLeuValHisThrArgCysValSer 179

Qy   553 CCCACGGGACCACCCACCCCCTGGCAAAGAGAGTCCCTGCCAAGATGTTCCCGGTGCCAGTG 612
Db   180 ProThrGlyThrHisThrLeuLeuLysPheProAlaGlnLysThrAsnSerAlaVal    199

Qy   613 GCCTTGTCCAGCTCGGCATGTGCCGACCGACGTCCCGGTGCCTGATGGTTCTACC      672
Db   200 SerLeuProPheSerValCysProAspAlaLysThrGlnCysProAspAspSerThr    219

Qy   673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCAATGCCCAACGCCACCTGCTGC  732
Db   220 CysCysGluLeuProThrGlyLysTyrGlyCysCysProMetProAsnAlaIleCysCys  239

Qy   733 TCCCATCACCTGCACTGCTGCCCCAAGCACACTGTGTGACCTGATCCAGAGTAAGTGC   792
Db   240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys  259

Qy   793 CTCTCCAAGGAGAACGTACCACGGACCTCCTCACTAAGCTGCTGCCGCACACAGTGGGC  852
Db   260 LeuSerLys----AsnTyrThrThrAspLeuLeuThrLysLeuProGlyTyrProValLys 278

Qy   853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGCCTATACCTGCTGCGTCTACAG  912
```

```
Qy   973 TGCTGTCCCCGCGGGGGGTTACGTGTGAGGACGCAGAAGGGTACCTGTGAACAGGGCCCCAC 1032
Db   319 CysCysProArgAlaGlyPheGlnLysHisThrGluLysGlyThrGluMetGlyIleLeu    338

Qy  1033 CAGGTGCCCTGGATCGGAGAGAGGCCCCAGCTCACCTCAGCCTGCCAGACCACAAGCCTTG 1092
Db   339 GlnValGlyTrpMetLysLysValIleAlaProLeuArgLeuProAspProGlnIleLeuLeu 358

Qy  1093 AAGAGAGATGTCCCCTGTGATAAATGTCAGCAGTGTCCCTCCTTCCGATACCTGCTGCCAA 1152
Db   359 LysSerAspThrProCysAspAspPheThrArgCysProThrAsnAsnThrCysCysLys    378

Qy  1153 CTCACGTCTCTGGGGAGTGGGGCTGCTGCTGTCCAATCCCAGGAGGCTGTCTGCTGGGACCAC 1212
Db   379 LeuAsnSerGlyAspTrpGlyCysCysProIleProGluProGluValCysCysSerAspAsn 398

Qy  1213 CAGCACTGCTGCCCCCAGCGATACACGTGTGTAGCTGAGGGGCAGTGCCAGCGGAGAAGC 1272
Db   399 GlnHisCysCysProGlnGlyTyrThrCysValAlaGluGlyGlnCysGlnArgGlySerGlyIleLeu 418

Qy  1273 GAGATGCTGGCTGGACTGGAGAAGAGATGCCCGCCGCGGTTCCTTATCCCACCCCAGA   1332
Db   419 ThrMetValAlaGlyLeuGluLeuLysIleProAlaArgGlnThrThrProLeuGlnIleGly   438

Qy  1333 GACATCGGCTGTGACCAGCACACACCAGCTGCCCGGTGGCGGAACCTGCTGCCGAGCCAG 1392
Db   439 AspIleGlyCysAspGlnHisThrSerCysSerProValGlyGlnThrCysCysProSerLeu    458

Qy  1393 GGTGGGGAGCTGGGCTGCTGCCAGTTGCCCATGCTGTGCTGCGAGGATCGCCGCAGCAC 1452
Db   459 LysGlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  478

Qy  1453 TGCTGCCCCGCTGGCTACACCTGCGAAGGCTCGATCCTGCGGAGAAGGAAGTGGTC   1512
Db   479 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysGluGluCysSer  498

Qy  1513 TCTGCCCAGCCTGCCACCTTCCTGGCCCTAGCCCCACTGGGTGTGAAGGACGTGGAG  1572
Db   499 PheIleGlnProProValLeuGlyLysThrLeuGlyTyrLeuVal-----AsnValGlu     516

Qy  1573 TGTGGGAAGGAACACTTCTGCCATGATAACCAGACCTGCTGCCAGACAACCGACAGGGGC 1632
Db   517 CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysHisAspAsnGlnThr      536

Qy  1633 TGGGCCTGCTGTCCTACAGCCCAGGGGGCGTCTGTTGTGCTGCTGATCGGGGCCCACTGCTGTCCT 1692
Db   537 TrpAlaCysCysProTyrLeuLysValCysGlyValCysCysArgAspGlyArgHisCysCysPro 556

Qy  1693 GCTGGCTTCCGCTGCCGCACGCAGGGGTACCAAGTGTTTGCCCAGGAGGCCCCGCCTGG  1752
Db   557 GlyGlyPheHisCysSerSerAlaAlaArgGlyThrLysCysLeuAlaArgGlyLeuIleProArgTrp 576

Qy  1753 GACGGCCCCTTTGAGGACCAGCCTTGAGACAGCTGCTG 1791
Db   577 AspMetPheLeuArgAspProValProArgProLeuLeu  589
```

RESULT 12
US-10-218-509-2
; Sequence 2, Application US/10218509
; Publication No. US20030029661A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0

PRIOR APPLICATION NUMBER: US/08/991,862
PRIOR FILING DATE: 1998-08-17
PRIOR APPLICATION NUMBER: 08/863,862
PRIOR FILING DATE: 1997-05-23
NUMBER OF SEQ ID NOS: 17
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 2
LENGTH: 589
TYPE: PRT
ORGANISM: Mouse epithelin/granulin
US-10-281-160-2

Alignment Scores:

Pred. No.:
Score: 5.79e-147
Percent Similarity: 83.81%
Best Local Similarity: 74.03%
Query Match: 65.34%
DB:

Length: 589
Matches: 439
Conservative: 58
Mismatches: 92
Indels: 4
Gaps: 3
268.00
14

US-09-824-647-16 (1-2095) x US-10-281-160-2 (1-589)

```
Qy   13 ATGTGGACCCTGGTGAGCTGGCTGGTGGCCTTAACACGCAGGGCTGGTGGCTGGAACGCGGTGC  72
           ::::||||        :::|||
Db    1 MetTrpValLeuMetSerTrpLeuLeuAlaAlaGlyLeuValAlaGlyThrGlnCys          20

Qy   73 CCAGATGGTCAGTTCGCCCTGCCCTGCCTGCCTGCTGGACCCGGAGGAGCCAGCTACACAGC   132
            |||         |||||||||||
Db   21 ProAspGlyGlnPheCysProValAlaCysLeuLeuAspGlnGlyGlyAlaAsnTyrSer        40

Qy  133 TGCTGCCGTCCCCTTCGACAAATGGCCCACAACACTGAGCAGCATCTGGGTGGCCCC          192
          ||||
Db   41 CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisHisLeuLeuAspGlySer     60

Qy  193 TGCCAGGTTGATGCCCACTCTCTGCCGGCCACTCCTCATCTTTACCGTCTCAGGGACT         252
             |||||
Db   61 CysGlnThrHisGlyHisProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr          80

Qy  253 TCCAGTTGCTGCCCCTTCCCAGAGCCGTGCATGGGGATGGCCATCACTGCTGCCCA          312
Db   81 SerSerCysCysProPheSerLysGlyValSerGlyIleAspSerGlyTyrHisCysCysPro    100

Qy  313 CGGGGGCTTCACTGCAGTGCAGACGGGCGATCCTGCTTCAAAGATCAGGTAACAACTCC       372
           :::||||            ::::||
Db  101 GlnGlyPheHisCysSerSerAlaAspGlyLysSerCysPheGlnMetSer---AspAsnPro    119

Qy  373 GTGGGGTGCCATCCAGTGCCCGATAGTCAGTGGAATGCCCGGACTTCTCCACGTGCTGT       432
          ::||||||        :||||
Db  120 LeuGlyValGlnCysProGlySerGlnPheGluCysProAspSerAlaThrCysCys        139

Qy  433 GTTATGGTGCGATGGCTCCTGGGGGTGCTGCCCCATGGCCCCAGGCTTCCTGCTGTGAAGAC    492
          :::|||||        :::||||
Db  140 IleMetValAspGlySerTrpGlySerCysCysProMetProGlnAlaSerCysCysGluAsp    159

Qy  493 AGGGTGCACTGCTGTCCGCACGTGCCTTCTGCGACCTGGTTCACACCCGCTGCATCACA       552
          ||||            ::||||
Db  160 ArgValHisCysCysProHisGlyAlaSerCysCysAspLeuValHisThrArgCysValSer    179

Qy  553 CCCACGGGCACCCACCCCCTGCAAAGAAGAGTCCCCGGTCCCGGTGCCCTGATGTTCTACC     612
          :::|||            ::||||
Db  180 ProThrGlyThrHisProLeuLeuLysLysGluSerProAlaGlnLysLysThrAsnSerAlaVal  199

Qy  613 GCCTTGTCCCAGCTCGGTCATGTGCCGGACGCACGGTCCCGGTGCCCAATGCCACCTGCTGC    672
            ||||
Db  200 SerLeuProPheSerValValCysProAspAlaLysThrGlnCysProAspSerThr          219

Qy  673 TGCTGTGAGTGCCAGTGGAAGTATGGCCCAATGCCCAGGCTGCCGGAMetProMetProAsnAlaIleCysCys  732
          ||||
Db  220 CysCysGluProThrHisGlyLeuTyrGlyLysCysProMetProAsnAlaIleCysCys       239

Qy  733 TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGACCTGATCCAGTAAGTGC          792
            ||||
Db  240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys       259
```

(second column, lower block)

```
Db  279        :::||||:::||||        :::|||||||||||
      GluValLysCysAspMetGluValSerCysProGluGlyTyrThrCysCysArgLeuAsn       298

Qy  913 TCGGGGCCTGGGGCTGCTGCCCCTTTACCCAGGCTGTGTGCTGAGGACCACATACAC         972
Db  299 ThrGlyAlaThrProGlyCysCysProPheAlaLysCysAlaValCysCysAspHisIleHis    318

Qy  973 TGCTGTCCCGGCGGGGTTACGTGCTGACGCAGCGAAGGGTACCTGTGAACAGGGGCCCAC     1032
Db  319 CysCysProAlaGlyPheGlnCysHisThrGluLysGlyLysGlyThrCysGluMetGlyIleLeu 338

Qy 1033 CAGGTGCCCTGATGAGGAAGGCCCAGCTCACCTGACGCTGCCAGACCCACAAGCCTTG        1092
Db  339 GlnValGlyLeuTrpMetLysLysValIleAlaProLeuArgLeuProAspProGlnIleLeu    358

Qy 1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGTCGTCCCTCCCTCCGATACCTGCTGCCAA    1152
Db  359 LysSerAspThrProCysAspAsnPheThrArgCysPheProThrAsnAlaThrCysCysLys    378

Qy 1153 CTCACGTCTGGGGAGTGGGGCTGTCTGTCCAATCCCAGAGGCTGTCTCGTCTCGGACCAC    1212
Db  379 LeuAsnSerGlyAspThrProGlyGluAlaValCysCysSerAspAsn                  398

Qy 1213 CAGCACTGCTGCCCCCAGCGATACACGTGTGAGCTGAGGGGCAGTGTCAGCGAGGAAGC     1272
Db  399 GlnHisCysCysProGlnArgGlyLysPheThrCysLeuAlaGlnGlyTyrCysGlnLysGlyAsp 418

Qy 1273 GAGATCGTGGCTGCTGACGAGAGATGCTGCCGCGCGGTTCCTTATCCCACCCCAGA      1332
Db  419 ThrMetValAlaGlyLeuGluLysLysIleProAlaArgGlnThrProLeuGlnIleGly       438

Qy 1333 GACATCGGCTGTGACCAGCACACCACCAGGCTGCCGGTGGGCGAACCTGCTGCCCGAGCCAG   1392
Db  439 AspIleGlyCysAspGlnHisThrSerCysProValGlyTyrGlnThrCysProSerLeu      458

Qy 1393 GGTGGGAGCTGGGCCTGCTGCCAGTTGCCCATGCCCATGCTGTGTGCTGCGGGATGCCAGCAC   1452
Db  459 LysSerTrpAlaCysCysGlnLeuProHisAlaCysCysGluAspArgGlnHis            478

Qy 1453 TGCTGCCCGGCTGCTACACCTGCAACGTGAAGGCTCGATCCTGCGAGAAGGAAGTGTC     1512
Db  479 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysGluValAsp      498

Qy 1513 TCTGCCCAGCCTCCACCTTCCTGGCCCACTTCCTGGCCCGTCACGTGGTGTGAAGACGTGGAG  1572
Db  499 PheIleGlnProProValLeuThrLeuGlyProLysValGly-----AsnValGlu           516

Qy 1573 TGTGGGAAGGAACACACTTCTGCCATGATAACCAGACCTGCTGCCAGACAACCGACAGGGC    1632
Db  517 CysGlyGluGluHisPheCysHisAspAsnGlnThrCysCysLysAspAspSerAlaGlyVal    536

Qy 1633 TGGGCCTGCTGTCCTAGGCCAGGGGTCTGTGTTGCTGATCGGCCGGCCACTGCTGTCCT     1692
Db  537 TrpAlaCysCysProTyrArgLeuLysGlyValCysCysArgAspGlyArgHisCysCysPro    556

Qy 1693 GCTGGCTTCCCGCTGCCAGCACGGGACGGGTACCAAGTGTTTGCGCAGGAGGCCCGGCTGG   1752
Db  557 GlyGlyPheHisCysSerAlaArgGlyThrLysCysLeuArgLysIleProArgTrp         576

Qy 1753 GACGCCCCTTGAGGGACCCAGCCTTGAGACAGCTGCTG 1791
Db  577 AspMetPheLeuArgAspProValProArgProLeuLeu 589
```

RESULT 13
US-10-281-160-2

```
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/321,587
;   CURRENT FILING DATE: 2002-12-18
;   PRIOR APPLICATION NUMBER: US/08/991,862
;   PRIOR FILING DATE: PRIOR  FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: PRIOR  FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-10-321-587-2

Alignment Scores:
Pred. No.:                                         589
Score:                     5.79e-147       Length:      589
Percent Similarity:        2681.00         Matches:     439
Best Local Similarity:     83.81%          Conservative: 58
Query Match:               74.03%          Mismatches:   92
DB:                        65.34%          Indels:       4
                           15              Gaps:         3

US-09-824-647-16 (1-2095) x US-10-321-587-2 (1-589)
```

```
Qy    13  ATGTGGACCCTGGTGAGCTGGGTGCCTTAACACCAGGGCTGGTGCTGGAACGCGGTGC   72
          ||||||||||||||||||||||||||||||||||:::||||||||||||||||||||||
Db     1  MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaGlyLeuThrGlnCys  20

Qy    73  CCAGATGGTCAGTTCTGCCCTGCTGCCCTGGACCCCGGAGGAGCCAGCTACAGC  132
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21  ProAspGlyGlnPheCysProValAlaCysLeuAspLeuGlnGlyAlaAsnTyrSer   40

Qy   133  TGCTGCGTCCCCTTCTGGACAAATGCCCACAACACTGAGCAGGCCCATCTGGGTGGCCCC  192
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41  CysCysValProLeuLeuAspThrThrProArgIleThrSerHisSerHisLeuAspGlySer   60

Qy   193  TGCCAGGTTGATGCCCACTGCTCTGCCGGCCACTCTGCGATCTTTACCGGTCTCAGGGACT  252
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  CysGlnThrHisGlyHisCysProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr   80

Qy   253  TCCAGTTGCTGCCCCTTCCACTGCAGTGCAGACGCGTGGCATGCGGGGATGGCCATCATGCTGCCCA  312
          ||||||||:::|||||||||||||||||||||||||||||||:::|||||||||||
Db    81  SerSerCysProPheSerLysGlyValSerCysGlyValAspGlyTyrHisCysCysPro  100

Qy   313  CGGGGCTTCACTGCAGTGCAGACGCGGAACCTGCTTCAAAGATCAGTAGAACTCC  372
          |||||||||||||||||||||:::|||||||||||||||:::||||
Db   101  GlnGlyPheHisCysSerAlaAspGlyLysSerCysPheGlnMetSer--AspAsnPro  119

Qy   373  GTGGGTGCCATCCAGTGCCCATGATAGTCAGTCGAATGCCGGACTTCCCACGTGCTGT  432
          :::||||||||||||||||||||||||||||||||:::|||||||||
Db   120  LeuGluAlaValGlnCysProGlySerGlnPheGluCysProAspSerAlaThrCysCys  139

Qy   433  GTTATGTGCGATGGCCTCCTGGGGGTGTCGCCCCATGCCCCAGGCTTCCTGTGTGAAGAC  492
          :::|||||||||||||||||||||||||||||||||||||||||||||||
Db   140  IleMetValAspGlySerTrpProGlyCysCysProMetProGlnAlaSerCysCysSerPro  159

Qy   493  AGGGTGCACTGCTGTCCGCACGGTGCCTTTGCACCTGGTTCACACCCGCTGCATCACA  552
          |||||||||||||||||||||||||||||||||||||:::||||||||
Db   160  ArgValHisCysCysProHisGlyAlaSerCysAspLeuValHisThrArgCysValSer  179

Qy   553  CCCACGGCGCACCACCCCCTGGCCAAAGAAGCTCCCTGCCAGAGACTACAGGGCAGTG  612
          |||||||||||||||||||||||||||||||||||||||:::|||
Db   180  ProThrGlyThrHisProLeuLeuLysLysPheProAlaGlnLysThrAsnSerAlaVal  199

Qy   613  GCCTTGTCCCAGCTCGGTCATCGTCCGGACCACGTCCCGGTGCCCGATGGTTCTACC  672
          :::|||||||||||||||||||||||||||||||
Db   200  SerLeuProPheSerValCysProAspAlaLysThrGlnCysProAspAspSerThr  219

Qy   673  TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCCAATGCCCAACGCCACCTGCTGC  732
```

Second column alignment (continued):

```
Qy   793  CTCTCCAAGGAGGAACGCTACCACGGACCTCCTCACTAAGCTGCCTGGCCACAGTGGGC  852
          ||||||||||||:::   ||||||||||||||||||||||||||||||||:::
Db   260  LeuSerLys---AsnTyrThrArgProHisLeuThrLysLeuProGlyTyrProValLys  278

Qy   853  GATGTGAAATGTGACATGGAGTGAGCTGCCCAGATGGCTATAACCTGCTGCCGTCTACAG  912
          :::|||:||||||||||||||||||||||||||||||||||||:::||
Db   279  GluValLysCysAspMetGluValSerCysProGluGlyTyrThrCysCysArgLeuAsn  298

Qy   913  TCGGGGCCTGGCTGCTGCTCCTTTACCCAGGCTGCTGTGAGGACCACATACAC  972
          :::||||||||||||||||||||||||:::
Db   299  ThrGlyAlaTrpGlyCysCysProPheAlaLysAlaValCysAspHisSerIleHis  318

Qy   973  TGCTGTCCGCGGGGTTACGTGACGTGACAACGCAGAAGGGTACCTGTGAACAGGGCCCCAC  1032
          |||||||||:::|||||||||||||||||||||||||
Db   319  CysCysProAlaGlyPheGlnPheCysSerHisThrGluLysGlyThrCysGluMetGlyIleLeuLeu  338

Qy  1033  CAGGTGCCCTGATGAGGAGAAGCCCCAGCTCACCTGCCAGACCCACCAAGCCTTG  1092
          |||||||||||||||||||||||||:::
Db   339  GlnValGlyTrpMetLysLysValIleAlaProLeuArgLeuProAspProIleLeuLeu  358

Qy  1093  AAGAGAGATGTCCCCTGTGATAATGTCAGCAGCTGTCCCTCCTCCGATACGCTGCCAA  1152
          |||||||||||||||:::||||:::
Db   359  LysSerAspThrProCysAspAspPheThrArgCysProThrArgAsnAsnThrCysCysLys  378

Qy  1153  CTCACGTCTGGGGAGTGGGGCTGCTGTCCAATCCCAGAGGCTGTCTGCTGCTCGGACCAC  1212
          ||||:::||:::||||||||
Db   379  LeuAsnSerGlyAspTrpGlyCysCysProIleProGluAlaValCysCysSerAspAspAsn  398

Qy  1213  CAGCACCTGCTGCCCCAGCGATACAGTGTGTAGCTGAGGGGCCAGTGTCAGCGAGGAAGC  1272
          |||||||||||||||||||||||||||||||||||||||||:::|
Db   399  GlnHisCysCysProGlnGlyPheThrCysLeuAlaGlnIleGlnTyrCysGlnLysGlyGlyAsp  418

Qy  1273  GAGAGAGATGTGGCTGGACTGAGAGAGATGCTGCCGCGCGGTTCCTTATCCACCCCAGA  1332
          :::|||||||||||||||||||||||||||:::
Db   419  ThrMetValAlaGlyLeuGluGlyLysProIleThrProLeuGlnIleIleGly  438

Qy  1333  GACATCGGCTGTGACCAGCACCACCAGTGCCCGGTGGGCGGAACCTGCTGCCGCGAGCCAG  1392
          ||||||||||||||||||||||||||:::|||||
Db   439  AspIleGlyCysAspGlnHisHisThrSerCysProValGlyIleAsnThrCysCysProSerLeu  458

Qy  1393  GGTGGGGACTGGGCCTGCTGCCAGTTGCCCAGTGCTGTCCGGAGGATCGCCAGCAC  1452
          |||||||||||||||||||||||||||||||||||
Db   459  LysGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  478

Qy  1453  TGCTGCCCGGCTGGCTACACCTGCAACGTGAAGGCTCCAACTGCGAGAAGGAAGTGGTC  1512
          |||||||||||||||||:::|||||||||||:::
Db   479  CysCysProAlaGlyLeuTyrThrCysAsnValLysAlaArgThrCysGlyAspValAspAspAsp  498

Qy  1513  TCTGCCCAGCTGCCACCTTCCTGGCCTAGCCCTCCACGTGGCGTGAGGACGTGGAG  1572
          ||||||||||||||||||||||||||||||||||||
Db   499  PheIleGlnProProValLeuLeuThrLeuGlyProLysValGly------AsnValGlu  516

Qy  1573  TGTGGGAAGGACACTTCTGCCATGATAACCAGACCTGCCGACAACAACCGACAGGGC  1632
          ||||||||||||||||||||||||||||:::
Db   517  CysGlyGluGlyHisPhePheCysHisIleAspAsnGlnThrCysCysLysAspSerAlaGlyVal  536

Qy  1633  TGGGGCCTTCCGCTGCCTACGGCCGGTCTCGTTTGTCGATCGGCCCACTGCTGTCCT  1692
          :::||||||||||||||||||
Db   537  TrpAlaCysCysProTyrLeuLysGlyValCysCysArgAspGlyArgHisCysCysPro  556

Qy  1693  GCTGGCTTCCGCTGCCTACGGCCGCAGGCGGTACCAAGTGTTTGCGGAGGAGGAGGCCCCGCTCG  1752
          ||||||||:::||||
Db   557  GlyGlyPheHisCysSerAlaArgGlyThrLysThrLysCysLeuArgLysIleProArgTrp  576

Qy  1753  GACCCCCTTTGAGGGACCCCAGCCTTGACACAGCTGCTG  1791
          ||||||:::|||
Db   577  AspMetPheLeuArgAspProValProArgProLeuLeu  589
```

```
RESULT 14
US-10-321-587-2
; Sequence 2, Application US/10321587
; Publication No. US20030215445A1
```

```
Db          577 AspMetPheLeuArgAspProValProArgProLeuLeu 589

RESULT 15
US-10-262-473-8
; Sequence 8, Application US/10262473
; Publication No. US20030199442A1
; GENERAL INFORMATION:
;  APPLICANT: Alsobrook, John,
;  APPLICANT: Burgess, Catherine,
;  APPLICANT: Gorman, Linda,
;  APPLICANT: Guo, Xiaojia,
;  APPLICANT: Lepley, Denise,
;  APPLICANT: Padturajan, Meera,
;  APPLICANT: Rastelli, Luca,
;  APPLICANT: Reiger, Daniel,
;  APPLICANT: Spytek, Kimberly,
;  APPLICANT: Zhong, Mei
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHO
; FILE REFERENCE: 21402-462B
; CURRENT APPLICATION NUMBER: US/10/262,473
; CURRENT FILING DATE: 2003-01-28
; PRIOR APPLICATION NUMBER: 60/327,917
; PRIOR FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/328,029
; PRIOR FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/328,056
; PRIOR FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/349,575
; PRIOR FILING DATE: 2001-10-29
; PRIOR APPLICATION NUMBER: 60/381,038
; PRIOR FILING DATE: 2002-05-16
; NUMBER OF SEQ ID NOS: 22
; SOFTWARE: CuraSeqList version 0.1
; SEQ ID NO 8
;  LENGTH: 189
;  TYPE: PRT
;  ORGANISM: Homo sapiens
US-10-262-473-8

Alignment Scores:
Pred. No.:
Score:                                    4.54e-55
                                          1090.00
Percent Similarity:                       95.94%
Best Local Similarity:                    95.94%
Query Match:                              26.57%
DB:                                       14

US-09-824-647-16 (1-2095) x US-10-262-473-8 (1-189)

Qy          13 ATGTGGACCCTGCTGAGCTGAGCTGGGTGGCTTAACAGCAGGGCTGGTGGCTGGAACGCGGTGC 72
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           1 MetTrpThrLeuValSerTrpValAlaLeuThrAlaAlaGlyLeuValAlaGlyHisArgArgCys 20

Length:         189
Matches:        189
Conservative:     0
Mismatches:       0
Indels:           8
Gaps:             1
```

Fri Mar 26 17:57:06 2004

us-09-824-647-16.rapb

```
Qy    373  GTGGGTGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGGACTTCTCCACGTGCTGT  432
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121  ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy    433  GTTATGGTCGATGCTCCTGGGGTGCTGCCCCATGCCCCAGGCTTCCTGCTGTGAAGAC    492
           |||||||||||||||||||||||||||           ||
Db    141  ValMetValAspGlySerTrpGlyCysCysProMet--Pro-----------G  154

Qy    493  AGGGTGCACTGCTGTCCGCACGGTGCCTTCTGCGACCTGGTTCACACCCGTGCATCACA  552
           |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    154  lnGlyAlaLeuLeuSerAlaArgCysLeuLeuArgProGlySerHisProLeuHisHisT  174

Qy    553  CCCACGGGCACCCACCCCCTGGCAAAGAAGCTCCCTGCCCAGAGGAC  599
           ||||||||||||||||||||||||||||||||
Db    174  hrHisGlyHisProProGlyLysGluAlaProCysProGluAsp  189
```

Search completed: March 26, 2004, 13:05:02
Job time : 125.5 secs

```
                 GenCore version 5.1.6
       Copyright (c) 1993 - 2004  Compugen Ltd.

OM protein - protein search, using sw model

Run on:      March 26, 2004, 12:27:45 ; Search time 31.2308 Seconds
                                         (without alignments)
                                         117.297 Million cell updates/sec

Title:             US-09-824-647-7
Perfect score:     74
Sequence:          1 ARRGTKCLRREAPR 14

Scoring table:     BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched:          1065169 seqs, 261661801 residues

Total number of hits satisfying chosen parameters:       1065169

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Published Applications AA:*
     1:  /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
     2:  /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
     3:  /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
     4:  /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
     5:  /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
     6:  /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
     7:  /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
     8:  /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
     9:  /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
    10:  /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
    11:  /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
    12:  /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
    13:  /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
    14:  /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
    15:  /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
    16:  /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
    17:  /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
    18:  /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID	Description
1	74	100.0	14	9	US-09-813-156-7	Sequence 7, Appli
2	74	100.0	14	9	US-09-824-807-7	Sequence 7, Appli
3	74	100.0	14	9	US-09-824-647-7	Sequence 7, Appli
4	74	100.0	14	14	US-10-218-509-7	Sequence 7, Appli
5	74	100.0	14	14	US-10-281-160-7	Sequence 7, Appli
6	74	100.0	14	15	US-10-321-587-7	Sequence 7, Appli
7	74	100.0	593	9	US-09-813-156-17	Sequence 17, Appl
8	74	100.0	593	9	US-09-824-807-17	Sequence 17, Appl
9	74	100.0	593	9	US-09-824-647-17	Sequence 17, Appl
10	74	100.0	593	14	US-10-218-509-17	Sequence 17, Appl
11	74	100.0	593	14	US-10-281-160-17	Sequence 17, Appl
12	74	100.0	593	15	US-10-321-587-17	Sequence 17, Appl
13	68	91.9	593	14	US-10-262-473-6	Sequence,6, Appli
14	68	91.9	621	9	US-09-925-301-1416	Sequence 1416, Ap
15	53	71.6	14	9	US-09-813-156-5	Sequence 5, Appli
16	53	71.6	14	9	US-09-824-807-5	Sequence 5, Appli
17	53	71.6	14	9	US-09-824-647-5	Sequence 5, Appli
18	53	71.6	14	14	US-10-218-509-5	Sequence 5, Appli
19	53	71.6	14	14	US-10-281-160-5	Sequence 5, Appli
20	53	71.6	14	15	US-10-321-587-5	Sequence 5, Appli
21	589	71.6	589	9	US-09-813-156-2	Sequence 2, Appli
22	589	71.6	589	9	US-09-824-807-2	Sequence 2, Appli
23	589	71.6	589	9	US-09-824-647-2	Sequence 2, Appli
24	589	71.6	589	14	US-10-218-509-2	Sequence 2, Appli
25	589	71.6	589	14	US-10-281-160-2	Sequence 2, Appli
26	589	71.6	589	15	US-10-321-587-2	Sequence 2, Appli
27	330	58.1	43	15	US-10-425-114-46601	Sequence 46601, A
28	113	55.4	41	10	US-09-975-719-307	Sequence 307, App
29	1083	55.4	41	14	US-10-217-700-11	Sequence 11, Appl
30	250	54.1	40	14	US-10-156-761-14524	Sequence 14524, A
31	831	54.1	40	15	US-10-369-493-18676	Sequence 18676, A
32	1156	54.1	40	9	US-09-757-716-1	Sequence 1, Appli
33	91	52.7	39	12	US-10-363-616-274	Sequence 274, App
34	147	52.7	39	10	US-10-080-170-466	Sequence 466, App
35	255	52.7	39	10	US-09-866-050A-692	Sequence 692, App
36	255	52.7	39	10	US-09-852-472-24	Sequence 24, Appl
37	275	52.7	39	15	US-09-790-264-15	Sequence 15, Appl
38	275	52.7	39	14	US-10-269-353-15	Sequence 15, Appl
39	278	52.7	39	10	US-09-852-472-19	Sequence 19, Appl
40	1121	52.7	39	9	US-09-970-711-28	Sequence 28, Appl
41	87	51.4	38	12	US-10-424-599-146564	Sequence 146564,
42	119	51.4	38	14	US-10-103-313-525	Sequence 525, App
43	137	51.4	38	14	US-10-103-313-397	Sequence 397, App
44	299	51.4	38	12	US-10-425-114-70681	Sequence 70681, A
45	300	51.4	38	14	US-10-210-428-3	Sequence 3, Appli

ALIGNMENTS

```
RESULT 1
US-09-813-156-7
; Sequence 7, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/09/813,156
;  CURRENT FILING DATE: 2001-03-21
;  PRIOR APPLICATION NUMBER: 08/991,862
;  PRIOR FILING DATE: 1997-12-16
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
;  LENGTH: 14
;  TYPE: PRT
;  ORGANISM: Human granulin
; FEATURE:
;  NAME/KEY: PEPTIDE
;  LOCATION: (1)..(14)
;  OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-813-156-7

  Query Match             100.0%;  Score 74;  DB 9;  Length 14;
  Best Local Similarity   100.0%;  Pred. No. 1.3e-05;
  Matches   14;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 ARRGTKCLRREAPR 14
              ||||||||||||||
Db          1 ARRGTKCLRREAPR 14

RESULT 2
US-09-824-807-7
```

; Sequence 7, Application US/09824807
; Patent No. US2002009496A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-824-807-7

Query Match   100.0%; Score 74; DB 9; Length 14;
Best Local Similarity   100.0%; Pred. No. 1.3e-05;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
              ||||||||||||||
Db   1 ARRGTKCLRREAPR 14

RESULT 3
US-09-824-647-7
; Sequence 7, Application US/09824647
; Publication No. US2002018327OA1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-824-647-7

Query Match   100.0%; Score 74; DB 9; Length 14;
Best Local Similarity   100.0%; Pred. No. 1.3e-05;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
              ||||||||||||||
Db   1 ARRGTKCLRREAPR 14

RESULT 4
US-10-218-509-7
; Sequence 7, Application US/10218509

; Publication No. US2003009266lA1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-10-218-509-7

Query Match   100.0%; Score 74; DB 14; Length 14;
Best Local Similarity   100.0%; Pred. No. 1.3e-05;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
              ||||||||||||||
Db   1 ARRGTKCLRREAPR 14

RESULT 5
US-10-281-160-7
; Sequence 7, Application US/10281160
; Publication No. US2003010895OA1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/281,160
; CURRENT FILING DATE: 2002-10-28
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-10-281-160-7

Query Match   100.0%; Score 74; DB 14; Length 14;
Best Local Similarity   100.0%; Pred. No. 1.3e-05;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
              ||||||||||||||
Db   1 ARRGTKCLRREAPR 14

RESULT 6
US-10-321-587-7
; Sequence 7, Application US/10321587
; Publication NO. US2003021545A1

; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/321,587
; CURRENT FILING DATE: 2002-12-18
; PRIOR APPLICATION NUMBER: PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 14
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-10-321-587-7

Query Match   100.0%;   Score 74; DB 15; Length 14;
Best Local Similarity 100.0%; Pred. No. 1.3e-05; Indels   0; Gaps   0;
Matches   14; Conservative   0; Mismatches   0;

Qy   1 ARRGTKCLRREAPR 14
           ||||||||||||||
Db   1 ARRGTKCLRREAPR 14

RESULT 7
US-09-813-156-17
; Sequence 17, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-813-156-17

Query Match   100.0%;   Score 74; DB 9; Length 593;
Best Local Similarity 100.0%; Pred. No. 0.00048; Indels   0; Gaps   0;
Matches   14; Conservative   0; Mismatches   0;

Qy   1 ARRGTKCLRREAPR 14
           ||||||||||||||
Db   566 ARRGTKCLRREAPR 579

RESULT 8
US-09-824-807-17
; Sequence 17, Application US/09824807
; Patent No. US20020094966A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04

; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-824-807-17

Query Match   100.0%;   Score 74; DB 9; Length 593;
Best Local Similarity 100.0%; Pred. No. 0.00048; Indels   0; Gaps   0;
Matches   14; Conservative   0; Mismatches   0;

Qy   1 ARRGTKCLRREAPR 14
           ||||||||||||||
Db   566 ARRGTKCLRREAPR 579

RESULT 9
US-09-824-647-17
; Sequence 17, Application US/09824647
; Publication NO. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-824-647-17

Query Match   100.0%;   Score 74; DB 9; Length 593;
Best Local Similarity 100.0%; Pred. No. 0.00048; Indels   0; Gaps   0;
Matches   14; Conservative   0; Mismatches   0;

Qy   1 ARRGTKCLRREAPR 14
           ||||||||||||||
Db   566 ARRGTKCLRREAPR 579

RESULT 10
US-10-218-509-17
; Sequence 17, Application US/10218509
; Publication.NO.US20030092661A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-10-218-509-17

```
Query Match             100.0%;  Score 74;  DB 14;  Length 593;
Best Local Similarity   100.0%;  Pred. No. 0.00048;
Matches   14;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        1 ARRGTKCLRREAPR 14
            ||||||||||||||
Db      566 ARRGTKCLRREAPR 579

RESULT 11
US-10-281-160-17
; Sequence 17, Application US/10281160
; Publication No. US2003010895 0A1
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/10/281,160
;  CURRENT FILING DATE:  2002-10-28
;  PRIOR APPLICATION NUMBER: US/08/991,862
;  PRIOR FILING DATE:  1998-08-17
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE:  1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 17
;    LENGTH: 593
;    TYPE: PRT
;    ORGANISM: Human GP88 cDNA
US-10-281-160-17

Query Match             100.0%;  Score 74;  DB 14;  Length 593;
Best Local Similarity   100.0%;  Pred. No. 0.00048;
Matches   14;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        1 ARRGTKCLRREAPR 14
            ||||||||||||||
Db      566 ARRGTKCLRREAPR 579

RESULT 12
US-10-321-587-17
; Sequence 17, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/10/321,587
;  CURRENT FILING DATE:  2002-12-18
;  PRIOR APPLICATION NUMBER: US/08/991,862      PRIOR FILING DATE: 1998-08-17
;  PRIOR FILING DATE: PRIOR       FILING DATE: 08/863,862
;  PRIOR APPLICATION NUMBER: 08/863,862  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 17
;    LENGTH: 593
;    TYPE: PRT
;    ORGANISM: Human GP88 cDNA
US-10-321-587-17

Query Match             100.0%;  Score 74;  DB 15;  Length 593;
Best Local Similarity   100.0%;  Pred. No. 0.00048;
Matches   14;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy        1 ARRGTKCLRREAPR 14
            ||||||||||||||
Db      566 ARRGTKCLRREAPR 579

RESULT 13
```

```
US-10-262-473-6
; Sequence 6, Application US/10262473
; Publication No. US20030199442A1
; GENERAL INFORMATION:
;  APPLICANT: Alsobrook, John,
;  APPLICANT: Burgess, Catherine,
;  APPLICANT: Gorman, Linda,
;  APPLICANT: Guo, Xiaojia,
;  APPLICANT: Lepley, Denise,
;  APPLICANT: Paturajan, Meera,
;  APPLICANT: Rastelli, Luca,
;  APPLICANT: Reiger, Daniel,
;  APPLICANT: Spytek, Kimberly,
;  APPLICANT: Zhong, Mei
;  TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHO
;  FILE REFERENCE: 21402-462B
;  CURRENT APPLICATION NUMBER: US/10/262,473
;  CURRENT FILING DATE:  2003-01-28
;  PRIOR APPLICATION NUMBER: 60/327,917
;  PRIOR FILING DATE:  2001-10-09
;  PRIOR APPLICATION NUMBER: 60/328,029
;  PRIOR FILING DATE:  2001-10-09
;  PRIOR APPLICATION NUMBER: 60/328,056
;  PRIOR FILING DATE:  2001-10-09
;  PRIOR APPLICATION NUMBER: 60/349,575
;  PRIOR FILING DATE:  2001-10-29
;  PRIOR APPLICATION NUMBER: 60/381,038
;  PRIOR FILING DATE:  2002-05-16
;  NUMBER OF SEQ ID NOS: 22
;  SOFTWARE: CuraSeqlist version 0.1
;  SEQ ID NO 6
;    LENGTH: 593
;    TYPE: PRT
;    ORGANISM: Homo sapiens
US-10-262-473-6

Query Match              91.9%;  Score 68;  DB 14;  Length 593;
Best Local Similarity    92.9%;  Pred. No. 0.0048;
Matches   13;  Conservative    0;  Mismatches    1;  Indels    0;  Gaps    0;

Qy        1 ARRGTKCLRREAPR 14
            | |||||||||||||
Db      566 AARGTKCLRREAPR 579

RESULT 14
US-09-925-301-1416
; Sequence 1416, Application US/09925301
; Patent No. US20020052308A1
; GENERAL INFORMATION:
;  APPLICANT: Rosen et al.
;  TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
;  FILE REFERENCE: PA106
;  CURRENT APPLICATION NUMBER: US/09/925,301
;  CURRENT FILING DATE:  2001-08-10
;  PRIOR APPLICATION NUMBER: PCT/US00/05882
;  PRIOR FILING DATE:  2000-03-08
;  PRIOR APPLICATION NUMBER: 60/124,270
;  PRIOR FILING DATE:  1999-03-12
;  NUMBER OF SEQ ID NOS: 1694
;  SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 1416
;    LENGTH: 621
;    TYPE: PRT
;    ORGANISM: Homo sapiens
US-09-925-301-1416

Query Match              91.9%;  Score 68;  DB 9;  Length 621;
Best Local Similarity    92.9%;  Pred. No. 0.005;
Matches   13;  Conservative    0;  Mismatches    1;  Indels    0;  Gaps    0;

Qy        1 ARRGTKCLRREAPR 14
            | |||||||||||||
```

Db   594 AARGTKCLRREAPR 607

RESULT 15
US-09-813-156-5
; Sequence 5, Application US/09813156
; Patent No. US2002006185A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
;   LENGTH: 14
;   TYPE: PRT
;   ORGANISM: mouse granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(14)
;   OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;   OTHER INFORMATION: antisera against the GP88 used in the
;   OTHER INFORMATION: immunoaffinity step.
US-09-813-156-5

Query Match   71.6%; Score 53; DB 9; Length 14;
Best Local Similarity   75.0%; Pred. No. 0.041;
Matches   9; Conservative 2; Mismatches 2; Indels 1; Gaps 0;

Qy   3 RGTKCLRREAPR 14
            |||||||::.||
Db   3 RGTKCLRKKIPR 14

Search completed: March 26, 2004, 12:48:35
Job time : 31.4308 secs

```
              GenCore version 5.1.6
       Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:    March 26, 2004, 12:27:45 ; Search time 42.3846 seconds
                                      (without alignments)
                                      117.297 Million cell updates/sec

Title:          US-09-824-647-6
Perfect score:  98
Sequence:       1 EKAPAHLSLPDPQALKRDV 19

Scoring table:  BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched:       1065169 seqs, 26166801 residues

Total number of hits satisfying chosen parameters:    1065169

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :  Published_Applications_AA:*
     1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
     2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
     3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
     4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
     5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
     6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
     7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
     8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
     9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
    10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
    11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
    12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
    13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
    14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
    15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
    16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
    17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
    18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	98	100.0	19	9	US-09-813-156-6	Sequence 6, Appli
2	98	100.0	19	9	US-09-824-807-6	Sequence 6, Appli
3	98	100.0	19	9	US-09-824-647-6	Sequence 6, Appli
4	98	100.0	19	14	US-10-218-509-6	Sequence 6, Appli
5	98	100.0	19	14	US-10-281-160-6	Sequence 6, Appli
6	98	100.0	19	15	US-10-321-587-6	Sequence 6, Appli
7	98	100.0	593	9	US-09-813-156-17	Sequence 17, Appl
8	98	100.0	593	9	US-09-824-807-17	Sequence 17, Appl
9	98	100.0	593	9	US-09-824-647-17	Sequence 17, Appl
10	98	100.0	593	14	US-10-218-509-17	Sequence 17, Appl
11	98	100.0	593	14	US-10-281-160-17	Sequence 17, Appl
12	98	100.0	593	14	US-10-262-473-6	Sequence 6, Appli
13	98	100.0	593	15	US-10-321-587-17	Sequence 17, Appl
14	98	100.0	621	9	US-09-925-301-1416	Sequence 1416, Ap
15	50	51.0	589	9	US-09-813-156-2	Sequence 2, Appli
16	50	51.0	589	9	US-09-824-807-2	Sequence 2, Appli
17	50	51.0	589	9	US-09-824-647-2	Sequence 2, Appli
18	50	51.0	589	14	US-10-218-509-2	Sequence 2, Appli
19	50	51.0	589	14	US-10-281-160-2	Sequence 2, Appli
20	49	50.0	589	15	US-10-321-587-2	Sequence 2, Appli
21	48	49.0	795	15	US-10-369-493-8226	Sequence 8226, Ap
22	48	48.0	116	14	US-10-029-386-34157	Sequence 34157, A
23	47	48.0	712	9	US-09-364-847-51	Sequence 51, Appl
24	47	48.0	828	15	US-10-144-194A-96	Sequence 96, Appl
25	47	48.0	917	12	US-10-412-699B-1657	Sequence 1657, Ap
26	47	48.0	917	15	US-10-374-780A-1624	Sequence 1624, Ap
27	46.5	48.0	2677	15	US-10-144-194A-22	Sequence 22, Appl
28	46	47.4	422	15	US-10-369-493-3307	Sequence 3307, Ap
29	46	46.9	833	12	US-10-282-122A-68007	Sequence 68007, A
30	46	46.9	833	15	US-10-369-493-14004	Sequence 14004, A
31	46	46.9	2115	14	US-10-208-948-4	Sequence 4, Appli
32	46	46.9	2150	14	US-10-208-948-27	Sequence 27, Appl
33	45	45.9	59	9	US-09-864-761-34773	Sequence 34773, A
34	45	45.9	551	15	US-10-369-493-15697	Sequence 15697, A
35	45	45.9	551	15	US-10-369-493-16088	Sequence 16088, A
36	45	45.9	624	15	US-10-369-493-15330	Sequence 15330, A
37	44.5	45.4	439	8	US-08-973-363-19	Sequence 19, Appl
38	44.5	45.4	1434	8	US-08-973-363-20	Sequence 20, Appl
39	44.5	45.4	1795	8	US-08-973-363-17	Sequence 17, Appl
40	44	44.9	19	9	US-09-813-156-3	Sequence 3, Appli
41	44	44.9	19	9	US-09-824-807-3	Sequence 3, Appli
42	44	44.9	19	9	US-09-824-647-3	Sequence 3, Appli
43	44	44.9	19	14	US-10-218-509-3	Sequence 3, Appli
44	44	44.9	19	14	US-10-281-160-3	Sequence 3, Appli
45	44	44.9	19	15	US-10-321-587-3	Sequence 3, Appli

ALIGNMENTS

```
RESULT 1
US-09-813-156-6
; Sequence 6, Application US/09813156
; Patent No. US2002061859A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-813-156-6

Query Match             100.0%;  Score 98;  DB 9;  Length 19;
Best Local Similarity   100.0%;  Pred. No. 5.2e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1 EKAPAHLSLPDPQALKRDV 19
         |||||||||||||||||||
Db    1 EKAPAHLSLPDPQALKRDV 19

RESULT 2
US-09-824-807-6
```

; Sequence 6, Application US/09824807
; Patent No. US20020094966A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-824-807-6

Query Match   100.0%; Score 98; DB 9; Length 19;
Best Local Similarity   100.0%; Pred. No. 5.2e-08;
Matches 19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
             ||||||||||||||||||
Db   1 EKAPAHLSLPDPQALKRDV 19

RESULT 3
US-09-824-647-6
; Sequence 6, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-824-647-6

Query Match   100.0%; Score 98; DB 9; Length 19;
Best Local Similarity   100.0%; Pred. No. 5.2e-08;
Matches 19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
             ||||||||||||||||||
Db   1 EKAPAHLSLPDPQALKRDV 19

RESULT 4
US-10-218-509-6
; Sequence 6, Application US/10218509

; Publication No. US20030092661A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-10-218-509-6

Query Match   100.0%; Score 98; DB 14; Length 19;
Best Local Similarity   100.0%; Pred. No. 5.2e-08;
Matches 19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
             ||||||||||||||||||
Db   1 EKAPAHLSLPDPQALKRDV 19

RESULT 5
US-10-281-160-6
; Sequence 6, Application US/10281160
; Publication No. US20030108950A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/281,160
; CURRENT FILING DATE: 2002-10-28
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-10-281-160-6

Query Match   100.0%; Score 98; DB 14; Length 19;
Best Local Similarity   100.0%; Pred. No. 5.2e-08;
Matches 19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
             ||||||||||||||||||
Db   1 EKAPAHLSLPDPQALKRDV 19

RESULT 6
US-10-321-587-6
; Sequence 6, Application US/10321587
; Publication No. US20030215445A1

; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: 29996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/321,587
; CURRENT FILING DATE: 2002-12-18
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: PRIOR   FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: PRIOR   FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-10-321-587-6

Query Match   100.0%;   Score 98; DB 15; Length 19;
Best Local Similarity   100.0%; Pred. No. 5.2e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
           ||||||||||||||||||
Db   1 EKAPAHLSLPDPQALKRDV 19

RESULT 7
US-09-813-156-17
; Sequence 17, Application US/09813156
; Patent No. US2002006185A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: 29996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-813-156-17

Query Match   100.0%;   Score 98; DB 9; Length 593;
Best Local Similarity   100.0%; Pred. No. 1.9e-06;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
           ||||||||||||||||||
Db   346 EKAPAHLSLPDPQALKRDV 364

RESULT 8
US-09-824-807-17
; Sequence 17, Application US/09824807
; Patent No. US2002009496A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: 29996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04

; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-824-807-17

Query Match   100.0%;   Score 98; DB 9; Length 593;
Best Local Similarity   100.0%; Pred. No. 1.9e-06;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
           ||||||||||||||||||
Db   346 EKAPAHLSLPDPQALKRDV 364

RESULT 9
US-09-824-647-17
; Sequence 17, Application US/09824647
; Publication No. US2002018370A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: 29996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-09-824-647-17

Query Match   100.0%;   Score 98; DB 9; Length 593;
Best Local Similarity   100.0%; Pred. No. 1.9e-06;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
           ||||||||||||||||||
Db   346 EKAPAHLSLPDPQALKRDV 364

RESULT 10
US-10-218-509-17
; Sequence 17, Application US/10218509
; Publication No. US2003009266I A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: 29996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-10-218-509-17

```
Query Match           100.0%;   Score 98;  DB 14;  Length 593;
Best Local Similarity 100.0%;   Pred. No. 1.9e-06;
Matches   19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV  19
         |||||||||||||||||||
Db  346  EKAPAHLSLPDPQALKRDV 364
```

RESULT 11
US-10-281-160-17
; Sequence 17, Application US/10281160
; Publication No. US20030108950A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/281,160
; CURRENT FILING DATE: 2002-10-28
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
;
SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-10-281-160-17

```
Query Match           100.0%;   Score 98;  DB 14;  Length 593;
Best Local Similarity 100.0%;   Pred. No. 1.9e-06;
Matches   19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV  19
         |||||||||||||||||||
Db  346  EKAPAHLSLPDPQALKRDV 364
```

RESULT 12
US-10-262-473-6
; Sequence 6, Application US/10262473
; Publication No. US20030199442A1
; GENERAL INFORMATION:
; APPLICANT: Alsobrook, John,
; APPLICANT: Burgess, Catherine,
; APPLICANT: Gorman, Linda,
; APPLICANT: Guo, Xiaojia,
; APPLICANT: Lepley, Denise,
; APPLICANT: Patturajan, Meera,
; APPLICANT: Rastelli, Luca,
; APPLICANT: Reiger, Daniel,
; APPLICANT: Spytek, Kimberly,
; APPLICANT: Zhong, Mei
; TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHODS
; FILE REFERENCE: 21402-462B
; CURRENT APPLICATION NUMBER: US/10/262,473
; CURRENT FILING DATE: 2003-01-28
; PRIOR APPLICATION NUMBER: 60/327,917
; PRIOR FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/328,029
; PRIOR FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/328,056
; PRIOR FILING DATE: 2001-10-09
; PRIOR APPLICATION NUMBER: 60/349,575
; PRIOR FILING DATE: 2001-10-29
; PRIOR APPLICATION NUMBER: 60/381,038
; PRIOR FILING DATE: 2002-05-16
; NUMBER OF SEQ ID NOS: 22
; SOFTWARE: CuraSeqlist version 0.1
;
SEQ ID NO 6
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-262-473-6

```
Query Match           100.0%;   Score 98;  DB 14;  Length 593;
Best Local Similarity 100.0%;   Pred. No. 1.9e-06;
Matches   19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV  19
         |||||||||||||||||||
Db  346  EKAPAHLSLPDPQALKRDV 364
```

RESULT 13
US-10-321-587-17
; Sequence 17, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/321,587
; CURRENT FILING DATE: 2002-12-18
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
;
SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-10-321-587-17

```
Query Match           100.0%;   Score 98;  DB 15;  Length 593;
Best Local Similarity 100.0%;   Pred. No. 1.9e-06;
Matches   19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV  19
         |||||||||||||||||||
Db  346  EKAPAHLSLPDPQALKRDV 364
```

RESULT 14
US-09-925-301-1416
; Sequence 1416, Application US/09925301
; Patent No. US2002052308A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
; FILE REFERENCE: PA106
; CURRENT APPLICATION NUMBER: US/09/925,301
; CURRENT FILING DATE: 2001-08-10
; PRIOR APPLICATION NUMBER: PCT/US00/05882
; PRIOR FILING DATE: 2000-03-08
; PRIOR APPLICATION NUMBER: 60/124,270
; PRIOR FILING DATE: 1999-03-12
; NUMBER OF SEQ ID NOS: 1694
; SOFTWARE: PatentIn Ver. 2.0
;
SEQ ID NO 1416
; LENGTH: 621
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-925-301-1416

```
Query Match           100.0%;   Score 98;  DB 9;  Length 621;
Best Local Similarity 100.0%;   Pred. No. 2e-06;
Matches   19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV  19
         |||||||||||||||||||
```

Db   374 EKAPAHLSLPDPQALKRDV 392

RESULT 15
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match   51.0%; Score 50; DB 9; Length 589;
Best Local Similarity   61.1%; Pred. No. 35;
Matches   11; Conservative   1; Mismatches   6; Indels   0; Gaps   0;

Qy   1 EKAPAHLSLPDPQALKRD 18
         : ||||||||||||||||
Db 344 KKVIAPLRLPDPQILKSD 361

Search completed: March 26, 2004, 12:48:35
Job time : 43.5846 secs

```
                    GenCore version 5.1.6
          Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:    March 26, 2004, 12:27:45 ; Search time 31.2308 Seconds
                                 (without alignments)
                                 117.297 Million cell updates/sec

Title:         US-09-824-647-5
Perfect score: 73
Sequence:      1 SARGTKCLRKKIPR 14

Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

Searched:      1065169 seqs, 26166801 residues

Total number of hits satisfying chosen parameters:    1065169

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Published Applications AA:*
    1:  /cgn2_6/ptcdata/2/pubpaa/US07_PUBCOMB.pep:*
    2:  /cgn2_6/ptcdata/2/pubpaa/PCT_NEW_PUB.pep:*
    3:  /cgn2_6/ptcdata/2/pubpaa/US06_NEW_PUB.pep:*
    4:  /cgn2_6/ptcdata/2/pubpaa/US06_PUBCOMB.pep:*
    5:  /cgn2_6/ptcdata/2/pubpaa/US07_NEW_PUB.pep:*
    6:  /cgn2_6/ptcdata/2/pubpaa/PCTUS_PUBCOMB.pep:*
    7:  /cgn2_6/ptcdata/2/pubpaa/US08_NEW_PUB.pep:*
    8:  /cgn2_6/ptcdata/2/pubpaa/US08_PUBCOMB.pep:*
    9:  /cgn2_6/ptcdata/2/pubpaa/US09A_PUBCOMB.pep:*
   10:  /cgn2_6/ptcdata/2/pubpaa/US09B_PUBCOMB.pep:*
   11:  /cgn2_6/ptcdata/2/pubpaa/US09C_PUBCOMB.pep:*
   12:  /cgn2_6/ptcdata/2/pubpaa/US09_NEW_PUB.pep:*
   13:  /cgn2_6/ptcdata/2/pubpaa/US10A_PUBCOMB.pep:*
   14:  /cgn2_6/ptcdata/2/pubpaa/US10B_PUBCOMB.pep:*
   15:  /cgn2_6/ptcdata/2/pubpaa/US10C_PUBCOMB.pep:*
   16:  /cgn2_6/ptcdata/2/pubpaa/US10_NEW_PUB.pep:*
   17:  /cgn2_6/ptcdata/2/pubpaa/US60_NEW_PUB.pep:*
   18:  /cgn2_6/ptcdata/2/pubpaa/US60_PUBCOMB.pep:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	73	100.0	14	9	US-09-813-156-5	Sequence 5, Appli
2	73	100.0	14	9	US-09-824-807-5	Sequence 5, Appli
3	73	100.0	14	9	US-09-824-647-5	Sequence 5, Appli
4	73	100.0	14	14	US-10-218-509-5	Sequence 5, Appli
5	73	100.0	14	14	US-10-281-160-5	Sequence 5, Appli
6	73	100.0	14	15	US-10-321-587-5	Sequence 5, Appli
7	73	100.0	589	9	US-09-813-156-2	Sequence 2, Appli
8	73	100.0	589	9	US-09-824-807-2	Sequence 2, Appli
9	73	100.0	589	9	US-09-824-647-2	Sequence 2, Appli
10	73	100.0	589	14	US-10-218-509-2	Sequence 2, Appli
11	73	100.0	589	14	US-10-281-160-2	Sequence 2, Appli
12	73	100.0	589	15	US-10-321-587-2	Sequence 2, Appli
13	58	79.5	593	14	US-10-262-473-6	Sequence 6, Appli
14	58	79.5	621	9	US-09-925-301-1416	Sequence 1416, Ap
15	53	72.6	14	9	US-09-813-156-7	Sequence 7, Appli
16	53	72.6	14	9	US-09-824-807-7	Sequence 7, Appli
17	53	72.6	14	9	US-09-824-647-7	Sequence 7, Appli
18	53	72.6	14	14	US-10-218-509-7	Sequence 7, Appli
19	53	72.6	14	14	US-10-281-160-7	Sequence 7, Appli
20	53	72.6	14	15	US-10-321-587-7	Sequence 7, Appli
21	53	72.6	593	9	US-09-813-156-17	Sequence 17, Appl
22	53	72.6	593	9	US-09-824-807-17	Sequence 17, Appl
23	53	72.6	593	9	US-09-824-647-17	Sequence 17, Appl
24	53	72.6	593	14	US-10-218-509-17	Sequence 17, Appl
25	53	72.6	593	14	US-10-281-160-17	Sequence 17, Appl
26	53	72.6	593	15	US-10-321-587-17	Sequence 17, Appl
27	43	58.9	51	11	US-10-864-408A-6484	Sequence 6484, Ap
28	40	54.8	89	12	US-10-424-599-255221	Sequence 255221,
29	40	54.8	255	10	US-10-866-050A-692	Sequence 692, App
30	40	54.8	255	10	US-09-852-472-24	Sequence 24, Appl
31	40	54.8	275	9	US-09-790-264-15	Sequence 15, Appl
32	40	54.8	275	14	US-10-269-353-15	Sequence 15, Appl
33	40	54.8	278	10	US-09-852-472-19	Sequence 19, Appl
34	40	54.8	555	12	US-10-282-122A-77997	Sequence 77997, A
35	39	53.4	29	14	US-10-091-166B-15	Sequence 15, Appl
36	39	53.4	29	14	US-10-272-121-15	Sequence 15, Appl
37	39	53.4	29	14	US-10-409-366-15	Sequence 15, Appl
38	39	53.4	29	14	US-10-409-532-15	Sequence 16, Appl
39	39	53.4	30	14	US-10-091-166B-16	Sequence 16, Appl
40	39	53.4	30	14	US-10-091-166B-72	Sequence 72, Appl
41	39	53.4	30	14	US-10-272-121-16	Sequence 16, Appl
42	39	53.4	30	14	US-10-272-121-72	Sequence 72, Appl
43	39	53.4	30	14	US-10-409-366-16	Sequence 16, Appl
44	39	53.4	30	14	US-10-409-366-72	Sequence 72, Appl
45	39	53.4	30	14	US-10-409-532-16	Sequence 16, Appl

ALIGNMENTS

```
RESULT 1
US-09-813-156-5
; Sequence 5, Application US/09813156
; Patent No. US2002006185A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
;  LENGTH: 14
;  TYPE: PRT
;  ORGANISM: mouse granulin
;  FEATURE:
;  NAME/KEY: PEPTIDE
;  LOCATION: (1)..(14)
;  OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;  OTHER INFORMATION: antisera against the GP88 used in the
;  OTHER INFORMATION: immunoaffinity step.
US-09-813-156-5

Query Match             100.0%;  Score 73;  DB 9;  Length 14;
Best Local Similarity   100.0%;  Pred. No. 6.9e-06;
Matches   14;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy       1 SARGTKCLRKKIPR 14
           ||||||||||||||
Db       1 SARGTKCLRKKIPR 14

RESULT 2
```

US-09-824-807-5
; Sequence 5, Application US/09824807
; Patent No. US2002009496A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
; LENGTH: 14
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-824-807-5

Query Match   100.0%; Score 73; DB 9; Length 14;
Best Local Similarity 100.0%; Pred. No. 6.9e-06;
Matches 14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db   1 SARGTKCLRKKIPR 14

RESULT 3
US-09-824-647-5
; Sequence 5, Application US/09824647
; Publication No. US2002018327OA1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
; LENGTH: 14
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-824-647-5

Query Match   100.0%; Score 73; DB 9; Length 14;
Best Local Similarity 100.0%; Pred. No. 6.9e-06;
Matches 14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db   1 SARGTKCLRKKIPR 14

RESULT 4
US-10-218-509-5
; Sequence 5, Application US/10218509
; Publication No. US2003009261A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
; LENGTH: 14
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-218-509-5

Query Match   100.0%; Score 73; DB 14; Length 14;
Best Local Similarity 100.0%; Pred. No. 6.9e-06;
Matches 14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db   1 SARGTKCLRKKIPR 14

RESULT 5
US-10-281-160-5
; Sequence 5, Application US/10281160
; Publication No. US2003010895OA1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/281,160
; CURRENT FILING DATE: 2002-10-28
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
; LENGTH: 14
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-281-160-5

Query Match   100.0%; Score 73; DB 14; Length 14;
Best Local Similarity 100.0%; Pred. No. 6.9e-06;
Matches 14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db   1 SARGTKCLRKKIPR 14

RESULT 6
US-10-321-587-5
; Sequence 5, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/321,587
; CURRENT FILING DATE: 2002-12-18
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
; LENGTH: 14
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-321-587-5

Query Match   100.0%; Score 73; DB 15; Length 14;
Best Local Similarity 100.0%; Pred. No. 6.9e-06;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
        ||||||||||||||
Db   1 SARGTKCLRKKIPR 14

RESULT 7
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match   100.0%; Score 73; DB 9; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.00027;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
        ||||||||||||||
Db 562 SARGTKCLRKKIPR 575

RESULT 8
US-09-824-807-2
; Sequence 2, Application US/09824807
; Patent No. US20020094966A1

; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-824-807-2

Query Match   100.0%; Score 73; DB 9; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.00027;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
        ||||||||||||||
Db 562 SARGTKCLRKKIPR 575

RESULT 9
US-09-824-647-2
; Sequence 2, Application US/09824647
; Publication NO. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-824-647-2

Query Match   100.0%; Score 73; DB 9; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.00027;
Matches   14; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
        ||||||||||||||
Db 562 SARGTKCLRKKIPR 575

RESULT 10
US-10-218-509-2
; Sequence 2, Application US/10218509
; Publication No. US20030092661A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17

```
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-10-218-509-2

Query Match     100.0%;  Score 73;  DB 14;  Length 589;
Best Local Similarity   100.0%;  Pred. No. 0.00027;
Matches   14;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        1  SARGTKCLRKKIPR 14
             ||||||||||||||
Db      562  SARGTKCLRKKIPR 575


RESULT 11
US-10-281-160-2
;   Sequence 2, Application US/10281160
;   Publication No. US20030108950A1
;   GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERNCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/281,160
;   CURRENT FILING DATE:   2002-10-28
;   PRIOR APPLICATION NUMBER: US/08/991,862
;   PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-10-281-160-2

Query Match     100.0%;  Score 73;  DB 14;  Length 589;
Best Local Similarity   100.0%;  Pred. No. 0.00027;
Matches   14;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy        1  SARGTKCLRKKIPR 14
             ||||||||||||||
Db      562  SARGTKCLRKKIPR 575


RESULT 12
US-10-321-587-2
;   Sequence 2, Application US/10321587
;   Publication No. US20030215445A1
;   GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/321,587
;   CURRENT FILING DATE:   2002-12-18
;   PRIOR APPLICATION NUMBER: US/08/991,862
;   PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-10-321-587-2

Query Match     100.0%;  Score 73;  DB 15;  Length 589;
Best Local Similarity   100.0%;  Pred. No. 0.00027;
Matches   14;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;
```

```
Qy        1  SARGTKCLRKKIPR 14
             ||||||||||||||
Db      562  SARGTKCLRKKIPR 575


RESULT 13
US-10-262-473-6
;   Sequence 6, Application US/10262473
;   Publication No. US20030199442A1
;   GENERAL INFORMATION:
;   APPLICANT: Alsobrook, John,
;   APPLICANT:  Burgess, Catherine,
;   APPLICANT:  Gorman, Linda,
;   APPLICANT:  Guo, Xiaojia,
;   APPLICANT:  Lepley, Denise,
;   APPLICANT:  Patturajan, Meera,
;   APPLICANT:  Rastelli, Luca,
;   APPLICANT:  Reiger, Daniel,
;   APPLICANT:  Spytek, Kimberly,
;   APPLICANT:  Zhong, Mei
;   TITLE OF INVENTION: THERAPEUTIC POLYPEPTIDES, NUCLEIC ACIDS ENCODING SAME, AND METHOD
;   FILE REFERENCE: 21402-462B
;   CURRENT APPLICATION NUMBER: US/10/262,473
;   CURRENT FILING DATE:  2003-01-28
;   PRIOR APPLICATION NUMBER: 60/327,917
;   PRIOR FILING DATE: 2001-10-09
;   PRIOR APPLICATION NUMBER: 60/328,029
;   PRIOR FILING DATE: 2001-10-09
;   PRIOR APPLICATION NUMBER: 60/328,056
;   PRIOR FILING DATE: 2001-10-09
;   PRIOR APPLICATION NUMBER: 60/349,575
;   PRIOR FILING DATE: 2001-10-29
;   PRIOR APPLICATION NUMBER: 60/381,038
;   PRIOR FILING DATE: 2002-05-16
;   NUMBER OF SEQ ID NOS: 22
;   SOFTWARE: CuraSeqlist version 0.1
;   SEQ ID NO 6
;   LENGTH: 593
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-262-473-6

Query Match      79.5%;   Score 58;  DB 14;  Length 593;
Best Local Similarity   71.4%;  Pred. No. 0.11;
Matches   10;  Conservative   3;  Mismatches   3;  Indels   1;  Gaps   0;

Qy        1  SARGTKCLRKKIPR 14
             ||||||||||:::||
Db      566  AARGTKCLRREAPR 579


RESULT 14
US-09-925-301-1416
;   Sequence 1416, Application US/09925301
;   Patent No. US20020052308A1
;   GENERAL INFORMATION:
;   APPLICANT: Rosen et al.
;   TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
;   FILE REFERENCE: PA106
;   CURRENT APPLICATION NUMBER: US/09/925,301
;   CURRENT FILING DATE:   2001-08-10
;   PRIOR APPLICATION NUMBER: PCT/US00/05882
;   PRIOR FILING DATE: 2000-03-08
;   PRIOR APPLICATION NUMBER: 60/124,270
;   PRIOR FILING DATE: 1999-03-12
;   NUMBER OF SEQ ID NOS: 1694
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 1416
;   LENGTH: 621
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-925-301-1416
```

```
Query Match          79.5%;    Score 58;  DB 9;  Length 621;
Best Local Similarity 71.4%;   Pred. No. 0.12;
Matches    10; Conservative    3;  Mismatches    1;  Indels    0;  Gaps    0;

Qy       1 SARGTKCLRKKIPR 14
           :|||||||||::|
Db     594 AARGTKCLRREAPR 607


RESULT 15
US-09-813-156-7
; Sequence 7, Application US/09813156
; Patent No. US2002061859A1
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: 29996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/09/813,156
;  CURRENT FILING DATE:  2001-03-21
;  PRIOR APPLICATION NUMBER: 08/991,862
;  PRIOR FILING DATE: 1997-12-16
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
;  LENGTH: 14
;  TYPE: PRT
;  ORGANISM: Human granulin
;  FEATURE:
;  NAME/KEY: PEPTIDE
;  LOCATION: (1)..(14)
;  OTHER INFORMATION: Internal peptide of human GP88 used to develop
;  OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-813-156-7

Query Match          72.6%;    Score 53;  DB 9;  Length 14;
Best Local Similarity 75.0%;   Pred. No. 0.021;
Matches    9; Conservative    2;  Mismatches    2;  Indels    1;  Gaps    0;

Qy       3 RGTKCLRKKIPR 14
           ||||||||::|
Db       3 RGTKCLRREAPR 14


Search completed: March 26, 2004, 12:48:34
Job time : 31.4308 secs
```

OM protein - protein search, using sw model

Copyright GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: March 26, 2004, 12:27:45 ; Search time 26.7692 Seconds
                                         (without alignments)
                                         117.297 Million cell updates/sec

Title: US-09-824-647-4
Perfect score: 69
Sequence: 1 PDAKTQCPDDST 12

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1065169 seqs, 26166.801 residues

Total number of hits satisfying chosen parameters: 1065169

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database : Published_Applications_AA:*
  1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
  2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
  3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
  4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
  5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
  6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
  7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
  8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
  9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
 10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
 11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
 12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
 13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
 14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
 15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
 16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
 17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
 18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	69	100.0	12	9	US-09-813-156-4	Sequence 4, Appli
2	69	100.0	12	9	US-09-824-807-4	Sequence 4, Appli
3	69	100.0	12	9	US-09-824-647-4	Sequence 4, Appli
4	69	100.0	12	14	US-10-218-509-4	Sequence 4, Appli
5	69	100.0	12	14	US-10-281-160-4	Sequence 4, Appli
6	69	100.0	12	15	US-10-321-587-4	Sequence 4, Appli
7	69	100.0	589	9	US-09-813-156-2	Sequence 2, Appli
8	69	100.0	589	9	US-09-824-807-2	Sequence 2, Appli
9	69	100.0	589	9	US-09-824-647-2	Sequence 2, Appli
10	69	100.0	589	14	US-10-218-509-2	Sequence 2, Appli
11	69	100.0	589	14	US-10-281-160-2	Sequence 2, Appli
12	69	100.0	589	15	US-10-321-587-2	Sequence 2, Appli
13	51	73.9	593	9	US-09-813-156-17	Sequence 17, Appl
14	51	73.9	593	9	US-09-824-807-17	Sequence 17, Appl
15	51	73.9	593	9	US-09-824-647-17	Sequence 17, Appl
16	51	73.9	593	14	US-10-218-509-17	Sequence 17, Appl
17	51	73.9	593	14	US-10-281-160-17	Sequence 17, Appl
18	51	73.9	593	14	US-10-262-473-6	Sequence 6, Appli
19	51	73.9	593	15	US-10-321-587-17	Sequence 17, Appl
20	51	73.9	621	9	US-09-925-301-1416	Sequence 1416, Ap
21	44	63.8	364	15	US-10-369-493-19208	Sequence 19208, A
22	43	62.3	189	14	US-10-262-473-8	Sequence 8, Appli
23	43	62.3	318	15	US-10-369-493-5246	Sequence 5246, Ap
24	40	58.0	779	12	US-10-282-122A-61669	Sequence 61669, A
25	38	55.1	37	9	US-09-864-761-44137	Sequence 4437, A
26	38	55.1	93	12	US-10-424-599-176853	Sequence 176853,
27	38	55.1	94	9	US-09-789-561-129	Sequence 129, App
28	38	55.1	94	11	US-09-833-245-2115	Sequence 215, Ap
29	38	55.1	706	15	US-10-369-493-17066	Sequence 17066, A
30	38	55.1	726	12	US-10-425-114-54008	Sequence 54008, A
31	38	55.1	1283	15	US-10-369-493-6817	Sequence 6817, Ap
32	37	53.6	79	12	US-10-424-599-169801	Sequence 169801,
33	37	53.6	115	12	US-10-424-599-231113	Sequence 231113,
34	37	53.6	118	15	US-10-393-840-130	Sequence 130, App
35	37	53.6	193	12	US-10-425-114-46784	Sequence 46784, A
36	37	53.6	398	9	US-09-864-761-37818	Sequence 37818, A
37	37	53.6	416	14	US-10-029-386-33414	Sequence 33414, A
38	37	53.6	418	12	US-10-424-599-186411	Sequence 186411,
39	37	53.6	431	12	US-10-425-114-51428	Sequence 51428, A
40	37	53.6	791	12	US-10-282-122A-61149	Sequence 61149, A
41	37	53.6	791	15	US-10-104-047-2307	Sequence 2307, Ap
42	37	53.6	1220	15	US-10-168-659-13	Sequence 13, Appl
43	36.5	52.9	356	15	US-10-369-493-10419	Sequence 10419, A
44	36	52.2	38	14	US-10-133-128-145	Sequence 145, App
45	36	52.2	38	14	US-10-289-660-145	Sequence 145, App

ALIGNMENTS

RESULT 1
US-09-813-156-4
; Sequence 4, Application US/09813156
; Patent No. US2002006185A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: 29996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR APPLICATION NUMBER: 1997-12-16
; PRIOR FILING DATE: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-813-156-4

Query Match   100.0%; Score 69; DB 9; Length 12;
Best Local Similarity 100.0%; Pred. No. 9.2e-05;
Matches   12; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 PDAKTQCPDDST 12
             ||||||||||||
Db   1 PDAKTQCPDDST 12

RESULT 2

US-09-824-807-4
; Sequence 4, Application US/09824807
; Patent No. US20020094966A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-824-807-4

Query Match   100.0%; Score 69; DB 9; Length 12;
Best Local Similarity 100.0%; Pred. No. 9.2e-05;
Matches 12; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 PDAKTQCPDDST 12
        ||||||||||||
Db   1 PDAKTQCPDDST 12

RESULT 3
US-09-824-647-4
; Sequence 4, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-824-647-4

Query Match   100.0%; Score 69; DB 9; Length 12;
Best Local Similarity 100.0%; Pred. No. 9.2e-05;
Matches 12; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 PDAKTQCPDDST 12
        ||||||||||||
Db   1 PDAKTQCPDDST 12

RESULT 4
US-10-218-509-4
; Sequence 4, Application US/10218509
; Publication No. US20030092661A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-218-509-4

Query Match   100.0%; Score 69; DB 14; Length 12;
Best Local Similarity 100.0%; Pred. No. 9.2e-05;
Matches 12; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 PDAKTQCPDDST 12
        ||||||||||||
Db   1 PDAKTQCPDDST 12

RESULT 5
US-10-281-160-4
; Sequence 4, Application US/10281160
; Publication No. US20030108950A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/281,160
; CURRENT FILING DATE: 2002-10-28
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-281-160-4

Query Match   100.0%; Score 69; DB 14; Length 12;
Best Local Similarity 100.0%; Pred. No. 9.2e-05;
Matches 12; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 PDAKTQCPDDST 12
        ||||||||||||
Db   1 PDAKTQCPDDST 12

RESULT 6
US-10-321-587-4
; Sequence 4, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/321,587
; CURRENT FILING DATE: 2002-12-18
; PRIOR APPLICATION NUMBER: US/08/991,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
US-10-321-587-4
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-321-587-4

Query Match   100.0%;   Score 69;   DB 15;   Length 12;
Best Local Similarity   100.0%;   Pred. No. 9.2e-05;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy     1 PDAKTQCPDDST 12
         ||||||||||||
Db     1 PDAKTQCPDDST 12
```

RESULT 7
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match   100.0%;   Score 69;   DB 9;   Length 589;
Best Local Similarity   100.0%;   Pred. No. 0.0053;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy     1 PDAKTQCPDDST 12
         ||||||||||||
Db   208 PDAKTQCPDDST 219
```

RESULT 8
US-09-824-807-2
; Sequence 2, Application US/09824807
; Patent No. US20020094966A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-824-807-2

Query Match   100.0%;   Score 69;   DB 9;   Length 589;
Best Local Similarity   100.0%;   Pred. No. 0.0053;   Mismatches   0;   Indels   0;   Gaps   0;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy     1 PDAKTQCPDDST 12
         ||||||||||||
Db   208 PDAKTQCPDDST 219
```

RESULT 9
US-09-824-647-2
; Sequence 2, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-09-824-647-2

Query Match   100.0%;   Score 69;   DB 9;   Length 589;
Best Local Similarity   100.0%;   Pred. No. 0.0053;   Mismatches   0;   Indels   0;   Gaps   0;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy     1 PDAKTQCPDDST 12
         ||||||||||||
Db   208 PDAKTQCPDDST 219
```

RESULT 10
US-10-218-509-2
; Sequence 2, Application US/10218509
; Publication No. US20030092661A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17

```
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-10-218-509-2

Query Match             100.0%;   Score 69;   DB 14;   Length 589;
Best Local Similarity   100.0%;   Pred. No. 0.0053;
Matches    12;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy    1 PDAKTQCPDDST 12
        ||||||||||||
Db  208 PDAKTQCPDDST 219

RESULT 11
US-10-281-160-2
; Sequence 2, Application US/10281160
; Publication No. US2003010895 0A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/281,160
;   CURRENT FILING DATE:  2002-10-28
;   PRIOR APPLICATION NUMBER: US/08/991,862
;   PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-10-281-160-2

Query Match             100.0%;   Score 69;   DB 14;   Length 589;
Best Local Similarity   100.0%;   Pred. No. 0.0053;
Matches    12;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy    1 PDAKTQCPDDST 12
        ||||||||||||
Db  208 PDAKTQCPDDST 219

RESULT 12
US-10-321-587-2
; Sequence 2, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/321,587
;   CURRENT FILING DATE:  2002-12-18
;   PRIOR APPLICATION NUMBER: US/08/991,862
;   PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 589
; TYPE: PRT
; ORGANISM: Mouse epithelin/granulin
US-10-321-587-2

Query Match             100.0%;   Score 69;   DB 15;   Length 589;
Best Local Similarity   100.0%;   Pred. No. 0.0053;
Matches    12;   Conservative    0;   Mismatches    0;   Indels    0;   Gaps    0;

Qy    1 PDAKTQCPDDST 12
        ||||||||||||
Db  208 PDAKTQCPDDST 219

RESULT 13
US-09-813-156-17
; Sequence 17, Application US/09813156
; Patent No. US2002061859A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE:  2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
;   LENGTH: 593
;   TYPE: PRT
;   ORGANISM: Human GP88 cDNA
US-09-813-156-17

Query Match             73.9%;   Score 51;   DB 9;   Length 593;
Best Local Similarity   66.7%;   Pred. No. 4.6;
Matches     8;   Conservative    3;   Mismatches    3;   Indels    1;   Gaps    0;

Qy    1 PDAKTQCPDDST 12
        ||| ::|||
Db  209 PDARSRCPDGST 220

RESULT 14
US-09-824-807-17
; Sequence 17, Application US/09824807
; Patent No. US2002009495 6A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/824,807
;   CURRENT FILING DATE:  2001-04-04
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
;   LENGTH: 593
;   TYPE: PRT
;   ORGANISM: Human GP88 cDNA
US-09-824-807-17

Query Match             73.9%;   Score 51;   DB 9;   Length 593;
Best Local Similarity   66.7%;   Pred. No. 4.6;
Matches     8;   Conservative    3;   Mismatches    3;   Indels    1;   Gaps    0;

Qy    1 PDAKTQCPDDST 12
        ||| ::|||
Db  209 PDARSRCPDGST 220

RESULT 15
US-09-824-647-17
; Sequence 17, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
```

; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
;   LENGTH: 593
;   TYPE: PRT
;   ORGANISM: Human GP88 cDNA
US-09-824-647-17

Query Match   73.9%;   Score 51;   DB 9;   Length 593;
Best Local Similarity   66.7%;   Pred. No. 4.6;
Matches   8;   Conservative   3;   Mismatches   1;   Indels   0;   Gaps   0;

Qy   1 PDAKTQCPDDST 12
            ||| ::||||
Db   209 PDARSRCPDGST 220

Search completed: March 26, 2004, 12:48:34
Job time : 27.9692 secs

```
            GenCore version 5.1.6
     Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:    March 26, 2004, 12:27:45 ; Search time 42.3846 Seconds
                                       (without alignments)
                                       117.297 Million cell updates/sec

Title:           US-09-824-647-3
Perfect score:   96
Sequence:        1 KKVIAPRRLPDPQILKSDT 19

Scoring table:   BLOSUM62
                 Gapop 10.0 , Gapext 0.5

Searched:        1065169 seqs, 261661801 residues

Total number of hits satisfying chosen parameters:     1065169

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :    Published Applications AA:*
          1:  /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
          2:  /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
          3:  /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
          4:  /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
          5:  /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
          6:  /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
          7:  /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
          8:  /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
          9:  /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
         10:  /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
         11:  /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
         12:  /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
         13:  /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
         14:  /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
         15:  /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
         16:  /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
         17:  /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
         18:  /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	96	100.0	19	9	US-09-813-156-3	Sequence 3, Appli
2	96	100.0	19	9	US-09-824-807-3	Sequence 3, Appli
3	96	100.0	19	9	US-09-824-647-3	Sequence 3, Appli
4	96	100.0	19	14	US-10-218-509-3	Sequence 3, Appli
5	96	100.0	19	14	US-10-281-160-3	Sequence 3, Appli
6	96	100.0	19	15	US-10-321-587-3	Sequence 3, Appli
7	89	92.7	589	9	US-09-813-156-2	Sequence 2, Appli
8	89	92.7	589	9	US-09-824-807-2	Sequence 2, Appli
9	89	92.7	589	9	US-09-824-647-2	Sequence 2, Appli
10	89	92.7	589	14	US-10-218-509-2	Sequence 2, Appli
11	89	92.7	589	14	US-10-281-160-2	Sequence 2, Appli
12	89	92.7	589	15	US-10-321-587-2	Sequence 2, Appli
13	47	49.0	92	12	US-09-800-971-11	Sequence 11, Appli
14	47	49.0	189	12	US-10-425-114-60601	Sequence 60601, A
15	46	47.9	824	14	US-10-226-844-1	Sequence 1, Appli
16	46	47.9	824	14	US-10-210-951-58	Sequence 58, Appl
17	46	47.9	824	14	US-10-211-884-58	Sequence 58, Appl
18	44	45.8	19	9	US-09-813-156-6	Sequence 6, Appli
19	44	45.8	19	9	US-09-824-807-6	Sequence 6, Appli
20	44	45.8	19	9	US-09-824-647-6	Sequence 6, Appli
21	44	45.8	19	14	US-10-218-509-6	Sequence 6, Appli
22	44	45.8	19	14	US-10-281-160-6	Sequence 6, Appli
23	44	45.8	19	15	US-10-321-587-6	Sequence 6, Appli
24	44	45.8	319	14	US-10-156-761-11112	Sequence 11112, A
25	44	45.8	593	9	US-09-813-156-17	Sequence 17, Appl
26	44	45.8	593	9	US-09-824-807-17	Sequence 17, Appl
27	44	45.8	593	9	US-09-824-647-17	Sequence 17, Appl
28	44	45.8	593	14	US-10-218-509-17	Sequence 17, Appl
29	44	45.8	593	14	US-10-281-160-17	Sequence 17, Appl
30	44	45.8	593	14	US-10-262-473-6	Sequence 6, Appli
31	44	45.8	593	15	US-10-321-587-17	Sequence 17, Ap
32	44	45.8	593	15	US-10-369-493-3753	Sequence 3753, Ap
33	44	45.8	621	9	US-09-925-301-1416	Sequence 1416, Ap
34	44	45.8	753	12	US-10-425-114-58733	Sequence 58733, A
35	43	44.8	238	12	US-10-425-114-59562	Sequence 59562, A
36	43	44.8	434	12	US-10-425-114-70140	Sequence 70140, A
37	43	44.8	439	12	US-10-425-114-65495	Sequence 65495, A
38	43	44.8	444	12	US-10-425-114-71267	Sequence 71267, A
39	43	44.8	560	15	US-10-369-493-2184	Sequence 2184, Ap
40	43	44.8	595	10	US-09-849-138-2	Sequence 2, Appli
41	43	44.8	595	10	US-09-849-138-4	Sequence 4, Appli
42	43	44.8	595	10	US-09-849-138-6	Sequence 6, Appli
43	43	44.8	596	9	US-09-797-039-8	Sequence 8, Appli
44	43	44.8	596	10	US-09-849-138-8	Sequence 8, Appli
45	43	44.8	596	10	US-09-849-138-31	Sequence 31, Appl

ALIGNMENTS

```
RESULT 1
US-09-813-156-3
; Sequence 3, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE:  2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
;  LENGTH: 19
;  TYPE: PRT
;  ORGANISM: mouse granulin
;  FEATURE:
;  NAME/KEY: PEPTIDE
;  LOCATION: (1)..(19)
;  OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;  OTHER INFORMATION: antisera against the GP88 used in the
;  OTHER INFORMATION: immunoaffinity step.
US-09-813-156-3

  Query Match             100.0%;  Score 96;  DB 9;  Length 19;
  Best Local Similarity   100.0%;  Pred. No. 5e-08;
  Matches  19;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy     1 KKVIAPRRLPDPQILKSDT 19
           |||||||||||||||||||
Db     1 KKVIAPRRLPDPQILKSDT 19

RESULT 2
```

US-09-824-807-3
; Sequence 3, Application US/09824807
; Patent No. US20020094966A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,807
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 19
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-824-807-3

Query Match   100.0%;   Score 96;   DB 9;   Length 19;
Best Local Similarity 100.0%;   Pred. No. 5e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
        |||||||||||||||||||
Db   1 KKVIAPRRLPDPQILKSDT 19

RESULT 3
US-09-824-647-3
; Sequence 3, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/824,647
; CURRENT FILING DATE: 2001-04-04
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 19
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-824-647-3

Query Match   100.0%;   Score 96;   DB 9;   Length 19;
Best Local Similarity 100.0%;   Pred. No. 5e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
        |||||||||||||||||||
Db   1 KKVIAPRRLPDPQILKSDT 19

RESULT 4
US-10-218-509-3
; Sequence 3, Application US/10218509
; Publication No. US2003009261A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/218,509
; CURRENT FILING DATE: 2002-08-15
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 19
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-218-509-3

Query Match   100.0%;   Score 96;   DB 14;   Length 19;
Best Local Similarity 100.0%;   Pred. No. 5e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
        |||||||||||||||||||
Db   1 KKVIAPRRLPDPQILKSDT 19

RESULT 5
US-10-281-160-3
; Sequence 3, Application US/10281160
; Publication No. US20030108950A1
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/10/281,160
; CURRENT FILING DATE: 2002-10-28
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1998-08-17
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 19
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-10-281-160-3

Query Match   100.0%;   Score 96;   DB 14;   Length 19;
Best Local Similarity 100.0%;   Pred. No. 5e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
        |||||||||||||||||||
Db   1 KKVIAPRRLPDPQILKSDT 19

RESULT 6
US-10-321-587-3
; Sequence 3, Application US/10321587
; Publication No. US20030215445A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/321,587
;   CURRENT FILING DATE: 2002-12-18
;   PRIOR APPLICATION NUMBER: US/08/991,862
;   PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 3
;   LENGTH: 19
;   TYPE: PRT
;   ORGANISM: mouse granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(19)
;   OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;   OTHER INFORMATION: antisera against the GP88 used in the
;   OTHER INFORMATION: immunoaffinity step.
US-10-321-587-3

Query Match   100.0%;   Score 96; DB 15; Length 19;
Best Local Similarity   100.0%;   Pred. No. 5e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              |||||||||||||||||||
Db   1 KKVIAPRRLPDPQILKSDT 19

RESULT 7
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. US20020061859A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match   92.7%;   Score 89; DB 9; Length 589;
Best Local Similarity   94.7%;   Pred. No. 2.1e-05;
Matches   18; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              ||||| |||||||||||||
Db   344 KKVIAPLRLPDPQILKSDT 362

RESULT 8
US-09-824-807-2
; Sequence 2, Application US/09824807
; Patent No. US20020094966A1

; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/824,807
;   CURRENT FILING DATE: 2001-04-04
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-824-807-2

Query Match   92.7%;   Score 89; DB 9; Length 589;
Best Local Similarity   94.7%;   Pred. No. 2.1e-05;
Matches   18; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              ||||| |||||||||||||
Db   344 KKVIAPLRLPDPQILKSDT 362

RESULT 9
US-09-824-647-2
; Sequence 2, Application US/09824647
; Publication No. US20020183270A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/824,647
;   CURRENT FILING DATE: 2001-04-04
;   PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: EARLIER FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: EARLIER FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-824-647-2

Query Match   92.7%;   Score 89; DB 9; Length 589;
Best Local Similarity   94.7%;   Pred. No. 2.1e-05;
Matches   18; Conservative   0; Mismatches   0; Indels   1; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              ||||| |||||||||||||
Db   344 KKVIAPLRLPDPQILKSDT 362

RESULT 10
US-10-218-509-2
; Sequence 2, Application US/10218509
; Publication No. US20030092661A1
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/10/218,509
;   CURRENT FILING DATE: 2002-08-15
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1998-08-17
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17

```
;  SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 2
;  LENGTH: 589
;  TYPE: PRT
;  ORGANISM: Mouse epithelin/granulin
US-10-218-509-2

Query Match             92.7%;  Score 89;  DB 14;  Length 589;
Best Local Similarity   94.7%;  Pred. No. 2.1e-05;
Matches   18;  Conservative   0;  Mismatches   1;  Indels   0;  Gaps   0;

Qy          1 KKVIAPRRLPDPQILKSDT 19
              |||||| ||||||||||
Db        344 KKVIAPLRLPDPQILKSDT 362


RESULT 11
US-10-281-160-2
;  Sequence 2, Application US/10281160
;  Publication No. US20030108950A1
;  GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/10/281,160
;  CURRENT FILING DATE: 2002-10-28
;  PRIOR APPLICATION NUMBER: US/08/991,862
;  PRIOR FILING DATE: 1998-08-17
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SEQ ID NO 2
;  LENGTH: 589
;  TYPE: PRT
;  SOFTWARE: PatentIn Ver. 2.0
;  ORGANISM: Mouse epithelin/granulin
US-10-281-160-2

Query Match             92.7%;  Score 89;  DB 14;  Length 589;
Best Local Similarity   94.7%;  Pred. No. 2.1e-05;
Matches   18;  Conservative   0;  Mismatches   1;  Indels   0;  Gaps   0;

Qy          1 KKVIAPRRLPDPQILKSDT 19
              |||||| ||||||||||
Db        344 KKVIAPLRLPDPQILKSDT 362


RESULT 12
US-10-321-587-2
;  Sequence 2, Application US/10321587
;  Publication No. US20030215445A1
;  GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/10/321,587
;  CURRENT FILING DATE: 2002-12-18
;  PRIOR APPLICATION NUMBER: US/08/991,862
;  PRIOR FILING DATE: PRIOR FILING DATE: 1998-08-17
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 2
;  LENGTH: 589
;  TYPE: PRT
;  ORGANISM: Mouse epithelin/granulin
US-10-321-587-2

Query Match             92.7%;  Score 89;  DB 15;  Length 589;
Best Local Similarity   94.7%;  Pred. No. 2.1e-05;
Matches   18;  Conservative   0;  Mismatches   1;  Indels   0;  Gaps   0;
```

```
Qy          1 KKVIAPRRLPDPQILKSDT 19
              |||||| ||||||||||
Db        344 KKVIAPLRLPDPQILKSDT 362


RESULT 13
US-09-800-971-11
;  Sequence 11, Application US/09800971
;  Patent No. US20020098577A1
;  GENERAL INFORMATION:
;  APPLICANT: Rachel A. Meyers
;  TITLE OF INVENTION: 16835, A NOVEL HUMAN PHOSPHOLIPASE C
;  TITLE OF INVENTION: FAMILY MEMBER AND USES THEREOF
;  FILE REFERENCE: 10448-023001
;  CURRENT APPLICATION NUMBER: US/09/800,971
;  CURRENT FILING DATE: 2001-03-06
;  PRIOR APPLICATION NUMBER: 60/187,453
;  PRIOR FILING DATE: 2000-03-07
;  PRIOR APPLICATION NUMBER: 60/188,032
;  PRIOR FILING DATE: 2000-03-09
;  NUMBER OF SEQ ID NOS: 11
;  SOFTWARE: FastSEQ for Windows Version 4.0
;  SEQ ID NO 11
;  LENGTH: 92
;  TYPE: PRT
;  ORGANISM: Artificial Sequence
;  FEATURE:
;  OTHER INFORMATION: consensus sequence
US-09-800-971-11

Query Match             49.0%;  Score 47;  DB 9;  Length 92;
Best Local Similarity   50.0%;  Pred. No. 10;
Matches    9;  Conservative   3;  Mismatches   3;  Indels   6;  Gaps   0;

Qy          2 KVIAPRRLPDPQILKSDT 19
              |:|:||||||||||:|||:
Db          5 KIISARNLPDPYVKVSKT 22


RESULT 14
US-10-425-114-60601
;  Sequence 60601, Application US/10425114
;  Publication No. US20040034888A1
;  GENERAL INFORMATION:
;  APPLICANT: Liu, Jingdong
;  APPLICANT: Zhou, Yihua
;  APPLICANT: Kovalic, David K.
;  APPLICANT: Screen, Steven E
;  APPLICANT: Tabaska, Jack E
;  APPLICANT: Cao, Yongwei
;  TITLE OF INVENTION: Nucleic Acid Molecules and Other Molecules Associated With
;  TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement
;  FILE REFERENCE: 38-21(53313)B
;  CURRENT APPLICATION NUMBER: US/10/425,114
;  CURRENT FILING DATE: 2003-04-28
;  NUMBER OF SEQ ID NOS: 73128
;  SEQ ID NO 60601
;  LENGTH: 189
;  TYPE: PRT
;  ORGANISM: Zea mays
;  FEATURE:
;  OTHER INFORMATION: Clone ID: LIB3597-065-F8_FLI.pep
US-10-425-114-60601

Query Match             49.0%;  Score 47;  DB 12;  Length 189;
Best Local Similarity   47.1%;  Pred. No. 21;
Matches    8;  Conservative   5;  Mismatches   5;  Indels   4;  Gaps   0;

Qy          1 KKVIAPRRLPDPQILKS 17
              ::|||||||||||:  .::
Db        160 QRVCAPTRTPDPEALQA 176
```

RESULT 15
US-10-226-844-1
; Sequence 1, Application US/10226844
; Publication No. US20030113764A1
; GENERAL INFORMATION:
; APPLICANT: Bodary, Sarah C.
; APPLICANT: Fisher, Karen L.
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE TREATMENT OF TUMORS
; FILE REFERENCE: P1773R1
; CURRENT APPLICATION NUMBER: US/10/226,844
; CURRENT FILING DATE: 2002-08-22
; PRIOR APPLICATION NUMBER: US/09/627,202
; PRIOR FILING DATE: 2000-07-27
; PRIOR APPLICATION NUMBER: US 60/146,217
; PRIOR FILING DATE: 1999-07-28
; NUMBER OF SEQ ID NOS: 22
; SEQ ID NO 1
; LENGTH: 824
; TYPE: PRT
; ORGANISM: Homo sapien
US-10-226-844-1

Query Match   47.9%; Score 46; DB 14; Length 824;
Best Local Similarity 43.8%; Pred No. 1.4e+02;
Matches   7; Conservative   6; Mismatches   3; Indels   0; Gaps   0;

Qy   2 KVIAPRRLPPPQILKS 17
        :|: ||||| |::.::
Db   30 EVVLPRRLPGPRVRRA 45

Search completed: March 26, 2004, 12:48:33
Job time : 42.5846 secs

```
                    GenCore version 5.1.6
         Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:     March 26, 2004, 12:23:20 ; Search time 15.5897 Seconds
                                        (without alignments)
                                   62.919 Million cell updates/sec

Title:          US-09-824-647-6
Perfect score:  98
Sequence:       1 EKAPAHLSLPDPQALKRDV 19

Scoring table:  BLOSUM62
                Gapop 10.0 , Gapext 0.5

Searched:       389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters:     389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Issued_Patents_AA:*
          1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
          2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
          3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
          4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
          5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
          6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Match	Query Length	DB	ID	Description
1	98	100.0	19	4	US-08-991-862-6	Sequence 6, Appli
2	98	100.0	19	4	US-09-813-156-6	Sequence 6, Appli
3	98	100.0	593	1	US-07-668-648-4	Sequence 4, Appli
4	98	100.0	593	2	US-08-429-998-4	Sequence 4, Appli
5	98	100.0	593	2	US-08-431-333-4	Sequence 4, Appli
6	98	100.0	593	4	US-08-991-862-17	Sequence 17, Appl
7	98	100.0	593	4	US-09-813-156-17	Sequence 17, Appl
8	98	100.0	593	1	PCT-US91-02321-4	Sequence 4, Appli
9	63	64.3	589	2	US-07-668-648-2	Sequence 2, Appli
10	63	64.3	589	2	US-08-429-998-2	Sequence 2, Appli
11	63	64.3	589	2	US-08-431-333-2	Sequence 2, Appli
12	63	64.3	589	5	PCT-US91-02321-2	Sequence 2, Appli
13	53	54.1	179	1	US-07-668-648-8	Sequence 8, Appli
14	53	54.1	179	2	US-08-429-998-8	Sequence 8, Appli
15	53	54.1	179	2	US-08-431-333-8	Sequence 8, Appli
16	53	54.1	179	5	PCT-US91-02321-8	Sequence 8, Appli
17	50	51.0	589	4	US-08-991-862-2	Sequence 2, Appli
18	50	51.0	589	4	US-09-813-156-2	Sequence 2, Appli
19	44	44.9	19	4	US-08-991-862-3	Sequence 3, Appli
20	44	44.9	19	4	US-09-813-156-3	Sequence 3, Appli
21	44	44.9	188	4	US-09-489-039A-12034	Sequence 12034, A
22	44	44.9	238	4	US-09-489-039A-7819	Sequence 7819, Ap
23	44	44.9	493	4	US-09-252-991A-23421	Sequence 23421, A
24	44	44.9	589	1	US-07-668-648-6	Sequence 6, Appli
25	44	44.9	589	2	US-08-429-998-6	Sequence 6, Appli
26	44	44.9	589	2	US-08-431-333-6	Sequence 6, Appli
27	44	44.9	589	5	PCT-US91-02321-6	Sequence 6, Appli
28	43.5	44.4	368	4	US-09-252-991A-25012	Sequence 25012, A
29	43.5	44.4	804	4	US-09-252-991A-23789	Sequence 23789, A
30	43	43.9	55	4	US-09-621-976-5483	Sequence 5483, Ap
31	43	43.9	183	4	US-09-252-991A-23725	Sequence 23725, A
32	43	43.9	479	4	US-09-723-368-2	Sequence 2, Appli
33	43	43.9	622	4	US-09-328-352-7970	Sequence 7970, Ap
34	42	42.9	141	4	US-09-252-991A-27362	Sequence 27362, A
35	42	42.9	252	4	US-09-252-991A-24259	Sequence 24259, A
36	41.5	42.3	423	4	US-09-252-991A-22774	Sequence 22774, A
37	41	41.8	242	4	US-09-328-352-6208	Sequence 6208, Ap
38	41	41.8	297	4	US-09-489-039A-8167	Sequence 8167, Ap
39	41	41.8	409	3	US-08-807-342B-8	Sequence 8, Appli
40	41	41.8	745	1	US-08-136-277-2	Sequence 2, Appli
41	41	41.8	745	2	US-08-479-403-2	Sequence 2, Appli
42	41	41.8	745	3	US-08-835-734-2	Sequence 2, Appli
43	40.5	41.3	219	4	US-09-252-991A-29488	Sequence 29488, A
44	40.5	41.3	408	3	US-09-315-793-32	Sequence 32, Appl
45	40	40.8	110	4	US-09-540-236-2859	Sequence 2859, Ap

ALIGNMENTS

```
RESULT 1
US-08-991-862-6
; Sequence 6, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/08/991,862
; CURRENT FILING DATE: 1998-08-17
; EARLIER APPLICATION NUMBER: 08/863,862
; EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-08-991-862-6

Query Match             100.0%;  Score 98;  DB 4;  Length 19;
Best Local Similarity   100.0%;  Pred. No. 1.3e-09;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy          1 EKAPAHLSLPDPQALKRDV 19
              |||||||||||||||||||
Db          1 EKAPAHLSLPDPQALKRDV 19

RESULT 2
US-09-813-156-6
; Sequence 6, Application US/09813156,
; Patent No. 6670183
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
```

```
; SEQ ID NO 6
; LENGTH: 19
; TYPE: PRT
; ORGANISM: Human granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of human GP88 used to develop
; OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-813-156-6

Query Match          100.0%;  Score 98;  DB 4;  Length 19;
Best Local Similarity 100.0%;  Pred. No. 1.3e-09;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV 19
         |||||||||||||||||||
Db    1  EKAPAHLSLPDPQALKRDV 19

RESULT 3
US-07-668-648-4
; Sequence 4, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/668,648
; FILING DATE: 19910819
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 593 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-668-648-4

Query Match          100.0%;  Score 98;  DB 1;  Length 593;
Best Local Similarity 100.0%;  Pred. No. 7.4e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV 19
         |||||||||||||||||||
Db  346  EKAPAHLSLPDPQALKRDV 364

RESULT 4
US-08-429-998-4
; Sequence 4, Application US/08429998
```

```
; Patent No. 5885961
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/429,998
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/668,648
; FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 593 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-429-998-4

Query Match          100.0%;  Score 98;  DB 2;  Length 593;
Best Local Similarity 100.0%;  Pred. No. 7.4e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy    1  EKAPAHLSLPDPQALKRDV 19
         |||||||||||||||||||
Db  346  EKAPAHLSLPDPQALKRDV 364

RESULT 5
US-08-431-333-4
; Sequence 4, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
```

```
          APPLICATION NUMBER: US/08/431,333
          FILING DATE: 27-APR-1995
          CLASSIFICATION: 536
          PRIOR APPLICATION DATA:
          APPLICATION NUMBER: US 07/668,648
          FILING DATE: 13-MAR-1991
          ATTORNEY/AGENT INFORMATION:
          NAME: Mistock, S. Leslie
          REGISTRATION NUMBER: 18,872
          REFERENCE/DOCKET NUMBER: 5624-161-999
          TELECOMMUNICATION INFORMATION:
          TELEPHONE: (212)790-9090
          TELEFAX: (212) 869-9741
          INFORMATION FOR SEQ ID NO: 4:
          SEQUENCE CHARACTERISTICS:
          LENGTH: 593 amino acids
          TYPE: amino acid
          TOPOLOGY: linear
          MOLECULE TYPE: protein
US-08-431-333-4

Query Match     100.0%;  Score 98;  DB 2;  Length 593;
Best Local Similarity  100.0%;  Pred. No. 7.4e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      1 EKAPAHLSLPDPQALKRDV 19
          ||||||||||||||||||
Db    346 EKAPAHLSLPDPQALKRDV 364

RESULT 6
US-08-991-862-17
; Sequence 17, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/08/991,862
; CURRENT FILING DATE: 1998-08-17
; EARLIER APPLICATION NUMBER: 08/863,862
; EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-08-991-862-17

Query Match     100.0%;  Score 98;  DB 4;  Length 593;
Best Local Similarity  100.0%;  Pred. No. 7.4e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      1 EKAPAHLSLPDPQALKRDV 19
          ||||||||||||||||||
Db    346 EKAPAHLSLPDPQALKRDV 364

RESULT 7
US-09-813-156-17
; Sequence 17, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23

; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; TYPE: PRT
; LENGTH: 593
; ORGANISM: Human GP88 cDNA
US-09-813-156-17

Query Match     100.0%;  Score 98;  DB 4;  Length 593;
Best Local Similarity  100.0%;  Pred. No. 7.4e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      1 EKAPAHLSLPDPQALKRDV 19
          ||||||||||||||||||
Db    346 EKAPAHLSLPDPQALKRDV 364

RESULT 8
PCT-US91-02321-4
; Sequence 4, Application PC/TUS9102321
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Bristol-Myers Squibb Company
; STREET: 3005 First Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98121
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US91/02321
; FILING DATE: 1991403
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Poor, Brian W.
; REGISTRATION NUMBER: 32,928
; REFERENCE/DOCKET NUMBER: ON0071A-PC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206)728-4800
; TELEFAX: (206)448-4775
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 593 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US91-02321-4

Query Match     100.0%;  Score 98;  DB 5;  Length 593;
Best Local Similarity  100.0%;  Pred. No. 7.4e-08;
Matches  19;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy      1 EKAPAHLSLPDPQALKRDV 19
          ||||||||||||||||||
Db    346 EKAPAHLSLPDPQALKRDV 364

RESULT 9
US-07-668-648-2
; Sequence 2, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
```

RESULT 10
US-08-429-998-2
; Sequence 2, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/429,998
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/668,648
; FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:

; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/668,648
; FILING DATE: 19910819
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 589 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-668-648-2

Query Match   64.3%;   Score 63; DB 1; Length 589;
Best Local Similarity 68.4%; Pred. No. 0.036;
Matches 13; Conservative 1; Mismatches 5; Indels 0; Gaps 0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
         :| ||||||| || ||
Db 344 KKVTASLSLPDPQILKNDV 362

; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 589 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-429-998-2

Query Match   64.3%;   Score 63; DB 2; Length 589;
Best Local Similarity 68.4%; Pred. No. 0.036;
Matches 13; Conservative 1; Mismatches 5; Indels 0; Gaps 0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
         :| ||||||| || ||
Db 344 KKVTASLSLPDPQILKNDV 362

RESULT 11
US-08-431-333-2
; Sequence 2, Application US/08431333
; Patent No. 5955723
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/431,333
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/668,648
; FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 589 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-431-333-2

Query Match   64.3%;   Score 63; DB 2; Length 589;
Best Local Similarity 68.4%; Pred. No. 0.036;
Matches 13; Conservative 1; Mismatches 5; Indels 0; Gaps 0;

Qy   1 EKAPAHLSLPDPQALKRDV 19
         :| ||||||| || ||

```
Db    344 KKVTASLSLPDPQILKNDV 362


RESULT 12
PCT-US91-02321-2
; Sequence 2, Application PC/TUS9102321
; GENERAL INFORMATION:
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Bristol-Myers Squibb Company
;       STREET: 3005 First Avenue
;       CITY: Seattle
;       STATE: Washington
;       COUNTRY: USA
;       ZIP: 98121
;    COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: PCT/US91/02321
;       FILING DATE: 19910403
;       CLASSIFICATION: 514
;    ATTORNEY/AGENT INFORMATION:
;       NAME: Poor, Brian W.
;       REGISTRATION NUMBER: 32,928
;       REFERENCE/DOCKET NUMBER: ON0071A-PC
;    TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (206)728-4800
;       TELEFAX: (206)448-4775
; INFORMATION FOR SEQ ID NO: 2:
;    SEQUENCE CHARACTERISTICS:
;       LENGTH: 589 amino acids
;       TYPE: AMINO ACID
;       TOPOLOGY: linear
;       MOLECULE TYPE: protein
PCT-US91-02321-2

Query Match       64.3%;      Score 63;  DB 5;  Length 589;
Best Local Similarity   68.4%;    Pred. No. 0.036;
Matches  13;  Conservative  1;  Mismatches  1;  Indels  5;  Gaps  0;

Qy    1 EKAPAHLSLPDPQALKRDV 19
        :|||||||||  ||||||||
Db  344 KKVTASLSLPDPQILKNDV 362


RESULT 13
US-07-668-648-8
; Sequence 8, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Pennie & Edmonds
;       STREET: 1155 Avenue of the Americas
;       CITY: New York
;       STATE: New York
;       COUNTRY: USA
;       ZIP: 10036
;    COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/07/668,648
;       FILING DATE: 19910819
;       CLASSIFICATION: 514
;    ATTORNEY/AGENT INFORMATION:
;       NAME: Misrock, S. Leslie
;       REGISTRATION NUMBER: 18,872
;       REFERENCE/DOCKET NUMBER: 5624-161-999
;    TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (212)790-9090
;       TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 8:
;    SEQUENCE CHARACTERISTICS:
;       LENGTH: 179 amino acids
;       TYPE: AMINO ACID
;       TOPOLOGY: linear
;       MOLECULE TYPE: protein
US-07-668-648-8

Query Match       54.1%;      Score 53;  DB 1;  Length 179;
Best Local Similarity   63.2%;    Pred. No. 0.38;
Matches  12;  Conservative  3;  Mismatches  4;  Indels  0;  Gaps  0;

Qy    1 EKAPAHLSLPDPQALKRDV 19
        :|||||||  |:: ||
Db  118 KKAPAHLSLLDLGAVEGDV 136


RESULT 14
US-08-429-998-8
; Sequence 8, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Pennie & Edmonds
;       STREET: 1155 Avenue of the Americas
;       CITY: New York
;       STATE: New York
;       COUNTRY: USA
;       ZIP: 10036
;    COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/08/429,998
;       FILING DATE: 27-APR-1995
;       CLASSIFICATION: 514
;    PRIOR APPLICATION DATA:
;       APPLICATION NUMBER: US 07/668,648
;       FILING DATE: 13-MAR-1991
;    ATTORNEY/AGENT INFORMATION:
;       NAME: Misrock, S. Leslie
;       REGISTRATION NUMBER: 18,872
;       REFERENCE/DOCKET NUMBER: 5624-161-999
;    TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (212)790-9090
;       TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 8:
;    SEQUENCE CHARACTERISTICS:
;       LENGTH: 179 amino acids
;       TYPE: amino acid
;       TOPOLOGY: linear
;       MOLECULE TYPE: protein
US-08-429-998-8
```

```
Query Match          54.1%;  Score 53;  DB 2;  Length 179;
Best Local Similarity 63.2%;  Pred. No. 0.38;
Matches   12;  Conservative   3;  Mismatches   4;  Indels   0;  Gaps   0;

Qy    1 EKAPAHLSLPDPQALKRDV 19
        :|||||||| |::||
Db  118 KKAPAHLSLLDLGAVEGDV 136

RESULT 15
US-08-431-333-8
; Sequence 8, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;      APPLICANT:  Shoyab, Mohammed
;      APPLICANT:  Plowman, Gregory D.
;      TITLE OF INVENTION:  EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;      TITLE OF INVENTION:  MODULATING PROTEINS
;      NUMBER OF SEQUENCES:  12
;      CORRESPONDENCE ADDRESS:
;         ADDRESSEE:  Pennie & Edmonds
;         STREET:  1155 Avenue of the Americas
;         CITY:  New York
;         STATE:  New York
;         COUNTRY:  USA
;         ZIP:  10036
;      COMPUTER READABLE FORM:
;         MEDIUM TYPE:  Floppy disk
;         COMPUTER:  IBM PC compatible
;         OPERATING SYSTEM:  PC-DOS/MS-DOS
;         SOFTWARE:  PatentIn Release #1.0, Version #1.25
;      CURRENT APPLICATION DATA:
;         APPLICATION NUMBER:  US/08/431,333
;         FILING DATE:  27-APR-1995
;         CLASSIFICATION:  536
;      PRIOR APPLICATION DATA:
;         APPLICATION NUMBER:  US 07/668,648
;         FILING DATE:  13-MAR-1991
;      ATTORNEY/AGENT INFORMATION:
;         NAME:  Misrock, S. Leslie
;         REGISTRATION NUMBER:  18,872
;         REFERENCE/DOCKET NUMBER:  5624-161-999
;      TELECOMMUNICATION INFORMATION:
;         TELEPHONE:  (212)790-9090
;         TELEFAX:  (212) 869-9741
;      INFORMATION FOR SEQ ID NO:  8:
;         SEQUENCE CHARACTERISTICS:
;         LENGTH:  179 amino acids
;         TYPE:  amino acid
;         TOPOLOGY:  linear
;         MOLECULE TYPE:  protein
US-08-431-333-8

Query Match          54.1%;  Score 53;  DB 2;  Length 179;
Best Local Similarity 63.2%;  Pred. No. 0.38;
Matches   12;  Conservative   3;  Mismatches   4;  Indels   0;  Gaps   0;

Qy    1 EKAPAHLSLPDPQALKRDV 19
        :|||||||| |::||
Db  118 KKAPAHLSLLDLGAVEGDV 136

Search completed: March 26, 2004, 12:29:50
Job time : 16.5897 secs
```

```
                GenCore version 5.1.6
      Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:  March 26, 2004, 12:23:20 ; Search time 11.4872 Seconds
                                      (without alignments)
                                      62.919 Million cell updates/sec

Title:          US-09-824-647-7
Perfect score:  74
Sequence:       1 ARRGTKCLRREAPR 14

Scoring table:  BLOSUM62
                Gapop 10.0 , Gapext 0.5

Searched:       389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters:      389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :  Issued Patents AA:*
            1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
            2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
            3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
            4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
            5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
            6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID	Description
1	74	100.0	14	4	US-08-991-862-7	Sequence 7, Appli
2	74	100.0	14	4	US-09-813-156-7	Sequence 7, Appli
3	74	100.0	593	4	US-08-991-862-17	Sequence 17, Appli
4	74	100.0	593	4	US-09-813-156-17	Sequence 17, Appli
5	68	91.9	593	1	US-07-668-648-4	Sequence 4, Appli
6	68	91.9	593	2	US-08-429-998-4	Sequence 4, Appli
7	68	91.9	593	5	PCT-US91-02321-4	Sequence 4, Appli
8	68	91.9	593	5	US-08-431-333-4	Sequence 4, Appli
9	53	71.6	14	4	US-09-813-156-5	Sequence 5, Appli
10	53	71.6	14	4	US-08-991-862-5	Sequence 5, Appli
11	53	71.6	589	1	US-07-668-648-6	Sequence 6, Appli
12	53	71.6	589	2	US-08-429-998-6	Sequence 6, Appli
13	53	71.6	589	2	US-08-431-333-6	Sequence 6, Appli
14	53	71.6	589	4	US-08-991-862-2	Sequence 2, Appli
15	53	71.6	589	4	US-09-813-156-2	Sequence 2, Appli
16	53	71.6	589	5	PCT-US91-02321-6	Sequence 6, Appli
17	51	68.9	589	1	US-07-668-648-2	Sequence 2, Appli
18	51	68.9	589	2	US-08-429-998-2	Sequence 2, Appli
19	51	68.9	589	5	US-08-431-333-2	Sequence 2, Appli
20	51	68.9	589	5	PCT-US91-02321-2	Sequence 2, Appli
21	46	62.2	327	4	US-09-252-991A-16720	Sequence 16720, A
22	44	59.5	261	4	US-09-252-991A-33140	Sequence 33140, A
23	43	58.1	145	4	US-09-252-991A-18653	Sequence 18653, A
24	42	56.8	236	4	US-09-252-991A-29311	Sequence 29311, A
25	42	56.8	551	4	US-09-252-991A-26416	Sequence 26416, A
26	41	55.4	107	4	US-09-489-039A-11041	Sequence 11041, A
27	41	55.4	113	4	US-09-199-637A-307	Sequence 307, App
28	41	55.4	252	4	US-09-252-991A-19905	Sequence 19905, A
29	41	55.4	301	3	US-09-230-421-2	Sequence 11, Appli
30	41	55.4	1083	4	US-09-394-272-11	Sequence 11, Appli
31	40	54.1	121	4	US-09-252-991A-30495	Sequence 30495, A
32	40	54.1	151	4	US-09-252-991A-32108	Sequence 32108, A
33	40	54.1	218	4	US-09-252-991A-29904	Sequence 29904, A
34	40	54.1	299	4	US-09-252-991A-21789	Sequence 21789, A
35	40	54.1	326	4	US-09-252-991A-21574	Sequence 21574, A
36	40	54.1	341	4	US-09-252-991A-32656	Sequence 32656, A
37	40	54.1	369	4	US-09-252-991A-32123	Sequence 32123, A
38	40	54.1	422	2	US-08-712-072C-2	Sequence 2, Appli
39	40	54.1	481	4	US-09-252-991A-25586	Sequence 25586, A
40	40	54.1	490	4	US-09-252-991A-16991	Sequence 16991, A
41	40	54.1	775	4	US-09-252-991A-22300	Sequence 22300, A
42	40	54.1	1156	3	US-08-996-083-1	Sequence 1, Appli
43	40	54.1	1156	3	US-09-429-516-1	Sequence 1, Appli
44	40	54.1	1156	3	US-09-429-516-3	Sequence 3, Appli
45	40	54.1	1238	4	US-09-252-991A-26363	Sequence 26363, A

ALIGNMENTS

```
RESULT 1
US-08-991-862-7
; Sequence 7, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: 29996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/08/991,862
;  CURRENT FILING DATE: 1998-08-17
;  EARLIER APPLICATION NUMBER: 08/863,862
;  EARLIER FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 7
;  LENGTH: 14
;  TYPE: PRT
;  ORGANISM: Human granulin
;  FEATURE:
;  NAME/KEY: PEPTIDE
;  LOCATION: (1)..(14)
;  OTHER INFORMATION: Internal peptide of human GP88 used to develop
;  OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-08-991-862-7

Query Match             100.0%;  Score 74;  DB 4;  Length 14;
Best Local Similarity   100.0%;  Pred. No. 1.6e-06;
Matches   14;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 ARRGTKCLRREAPR 14
              ||||||||||||||
Db          1 ARRGTKCLRREAPR 14

RESULT 2
US-09-813-156-7
; Sequence 7, Application US/0981315 6
; Patent No. 6670183
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: 29996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/09/813,156
;  CURRENT FILING DATE: 2001-03-21
;  PRIOR APPLICATION NUMBER: 08/991,862
;  PRIOR FILING DATE: 1997-12-16
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
```

Matches   14;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
          ||||||||||||||
Db   566 ARRGTKCLRREAPR 579

RESULT 5
US-07-668-648-4
; Sequence 4, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/668,648
;   FILING DATE: 19910819
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-07-668-648-4

Query Match   91.9%; Score 68; DB 1; Length 593;
Best Local Similarity 92.9%; Pred. No. 0.0007;
Matches   13;   Conservative   0;   Mismatches   0;   Indels   1;   Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
          ||||||||:|||||
Db   566 AARGTKCLRREAPR 579

RESULT 6
US-08-429-998-4
; Sequence 4, Application US/08429998
; Patent No. 5585961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA

; SEQ ID NO 7
;   LENGTH: 14
;   TYPE: PRT
;   ORGANISM: Human granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(14)
;   OTHER INFORMATION: Internal peptide of human GP88 used to develop
;   OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-09-813-156-7

Query Match   100.0%; Score 74; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 1.6e-06;
Matches   14;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
          ||||||||||||||
Db   1 ARRGTKCLRREAPR 14

RESULT 3
US-08-991-862-17
; Sequence 17, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/08/991,862
;   CURRENT FILING DATE: 1998-08-17
;   EARLIER APPLICATION NUMBER: 08/863,862
;   EARLIER FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
;   LENGTH: 593
;   TYPE: PRT
;   ORGANISM: Human GP88 cDNA
US-08-991-862-17

Query Match   100.0%; Score 74; DB 4; Length 593;
Best Local Similarity 100.0%; Pred. No. 6.5e-05;
Matches   14;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1 ARRGTKCLRREAPR 14
          ||||||||||||||
Db   566 AARGTKCLRREAPR 579

RESULT 4
US-09-813-156-17
; Sequence 17, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
;   TYPE: PRT
;   ORGANISM: Human GP88 cDNA
US-09-813-156-17

Query Match   100.0%; Score 74; DB 4; Length 593;
Best Local Similarity 100.0%; Pred. No. 6.5e-05;

```
          ZIP: 10036
COMPUTER READABLE FORM:
     MEDIUM TYPE: Floppy disk
     COMPUTER: IBM PC compatible
     OPERATING SYSTEM: PC-DOS/MS-DOS
     SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
     APPLICATION NUMBER: US/08/429,998
     FILING DATE: 27-APR-1995
     CLASSIFICATION: 514
PRIOR APPLICATION DATA:
     APPLICATION NUMBER: US 07/668,648
     FILING DATE: 13-MAR-1991
ATTORNEY/AGENT INFORMATION:
     NAME: Misrock, S. Leslie
     REGISTRATION NUMBER: 18,872
     REFERENCE/DOCKET NUMBER: 5624-161-999
TELECOMMUNICATION INFORMATION:
     TELEPHONE: (212)790-9090
     TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
     LENGTH: 593 amino acids
     TYPE: amino acid
     TOPOLOGY: linear
     MOLECULE TYPE: protein
US-08-429-998-4

Query Match             91.9%;  Score 68;  DB 2;  Length 593;
Best Local Similarity   92.9%;  Pred. No. 0.0007;
Matches   13;  Conservative   0;  Mismatches   0;  Indels   1;  Gaps   0;

Qy     1 ARRGTKCLRREAPR 14
           |||||||||||||
Db   566 AARGTKCLRREAPR 579

RESULT 7
US-08-431-333-4
; Sequence 4, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;  APPLICANT: Shoyab, Mohammed
;  APPLICANT: Plowman, Gregory D.
;  TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;  TITLE OF INVENTION: MODULATING PROTEINS
;  NUMBER OF SEQUENCES: 12
;  CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;  COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;  CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/431,333
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 536
;  PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;  ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;  TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
```

```
; INFORMATION FOR SEQ ID NO: 4:
;  SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-431-333-4

Query Match             91.9%;  Score 68;  DB 2;  Length 593;
Best Local Similarity   92.9%;  Pred. No. 0.0007;
Matches   13;  Conservative   0;  Mismatches   0;  Indels   1;  Gaps   0;

Qy     1 ARRGTKCLRREAPR 14
           |||||||||||||
Db   566 AARGTKCLRREAPR 579

RESULT 8
PCT-US91-02321-4
; Sequence 4, Application PC/TUS9102321
; GENERAL INFORMATION:
;  APPLICANT: Shoyab, Mohammed
;  APPLICANT: Plowman, Gregory D.
;  TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;  TITLE OF INVENTION: MODULATING PROTEINS
;  NUMBER OF SEQUENCES: 12
;  CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Bristol-Myers Squibb Company
;   STREET: 3005 First Avenue
;   CITY: Seattle
;   STATE: Washington
;   COUNTRY: USA
;   ZIP: 98121
;  COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;  CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: PCT/US91/02321
;   FILING DATE: 19910403
;   CLASSIFICATION: 514
;  ATTORNEY/AGENT INFORMATION:
;   NAME: Poor, Brian W.
;   REGISTRATION NUMBER: 32,928
;   REFERENCE/DOCKET NUMBER: ON0071A-PC
;  TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (206)728-4800
;   TELEFAX: (206)448-4775
; INFORMATION FOR SEQ ID NO: 4:
;  SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
PCT-US91-02321-4

Query Match             91.9%;  Score 68;  DB 5;  Length 593;
Best Local Similarity   92.9%;  Pred. No. 0.0007;
Matches   13;  Conservative   0;  Mismatches   0;  Indels   1;  Gaps   0;

Qy     1 ARRGTKCLRREAPR 14
           |||||||||||||
Db   566 AARGTKCLRREAPR 579

RESULT 9
US-08-991-862-5
; Sequence 5, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
```

```
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/08/991,862
;   CURRENT FILING DATE: 1998-08-17
;   EARLIER APPLICATION NUMBER: 08/863,862
;   EARLIER FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 5
;   LENGTH: 14
;   TYPE: PRT
;   ORGANISM: mouse granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(14)
;   OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;   OTHER INFORMATION: antisera against the GP88 used in the
;   OTHER INFORMATION: immunoaffinity step.
US-08-991-862-5

  Query Match           71.6%;  Score 53;  DB 4;  Length 14;
  Best Local Similarity 75.0%;  Pred. No. 0.0065;
  Matches    9;  Conservative    2;  Mismatches 1;  Indels  0;  Gaps  0;

Qy    3 RGTKCLRREAPR 14
          |||||||::||
Db    3 RGTKCLRKKIPR 14

RESULT 10
US-09-813-156-5
; Sequence 5, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 5
;   TYPE: PRT
;   LENGTH: 14
;   ORGANISM: mouse granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(14)
;   OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;   OTHER INFORMATION: antisera against the GP88 used in the
;   OTHER INFORMATION: immunoaffinity step.
US-09-813-156-5

  Query Match           71.6%;  Score 53;  DB 4;  Length 14;
  Best Local Similarity 75.0%;  Pred. No. 0.0065;
  Matches    9;  Conservative    2;  Mismatches 1;  Indels  0;  Gaps  0;

Qy    3 RGTKCLRREAPR 14
          |||||||::||
Db    3 RGTKCLRKKIPR 14

RESULT 11
US-07-668-648-6
; Sequence 6, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Pennie & Edmonds
;     STREET: 1155 Avenue of the Americas
;     CITY: New York
;     STATE: New York
;     COUNTRY: USA
;     ZIP: 10036
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/07/668,648
;     FILING DATE: 19910819
;     CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Misrock, S. Leslie
;     REGISTRATION NUMBER: 18,872
;     REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (212)790-9090
;     TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 6:
  SEQUENCE CHARACTERISTICS:
    LENGTH: 589 amino acids
    TYPE: AMINO ACID
    TOPOLOGY: linear
  MOLECULE TYPE: protein
US-07-668-648-6

  Query Match           71.6%;  Score 53;  DB 1;  Length 589;
  Best Local Similarity 75.0%;  Pred. No. 0.27;
  Matches    9;  Conservative    2;  Mismatches 2;  Indels  1;  Gaps  0;

Qy    3 RGTKCLRREAPR 14
          |||||||::||
Db  564 RGTKCLRKKIPR 575

RESULT 12
US-08-429-998-6
; Sequence 6, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Pennie & Edmonds
;     STREET: 1155 Avenue of the Americas
;     CITY: New York
;     STATE: New York
;     COUNTRY: USA
;     ZIP: 10036
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/429,998
;     FILING DATE: 27-APR-1995
;     CLASSIFICATION: 514
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US 07/668,648
;     FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Misrock, S. Leslie
```

```
;    REGISTRATION NUMBER:  18,872
;    REFERENCE/DOCKET NUMBER:  5624-161-999
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)790-9090
;      TELEFAX:  (212) 869-9741
;  INFORMATION FOR SEQ ID NO: 6:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  589 amino acids
;      TYPE: amino acid
;      TOPOLOGY: linear
;    MOLECULE TYPE: protein
US-08-429-998-6

Query Match          71.6%;   Score 53;  DB 2;  Length 589;
Best Local Similarity  75.0%;  Pred. No. 0.27;
Matches   9;  Conservative   2;  Mismatches   1;  Indels   0;  Gaps   0;

Qy       3 RGTKCLRREAPR 14
           ||||||:: ||
Db     564 RGTKCLRKKIPR 575


RESULT 13
US-08-431-333-6
; Sequence 6, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;  APPLICANT: Shoyab, Mohammed
;  APPLICANT: Plowman, Gregory D.
;  TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;  TITLE OF INVENTION: MODULATING PROTEINS
;  NUMBER OF SEQUENCES: 12
;  CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;  COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;  CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/431,333
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 536
;  PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;  ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;  TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
;  SEQUENCE CHARACTERISTICS:
;    LENGTH: 589 amino acids
;    TYPE: amino acid
;    TOPOLOGY: linear
;  MOLECULE TYPE: protein
US-08-431-333-6

Query Match          71.6%;   Score 53;  DB 2;  Length 589;
Best Local Similarity  75.0%;  Pred. No. 0.27;
Matches   9;  Conservative   2;  Mismatches   1;  Indels   0;  Gaps   0;

Qy       3 RGTKCLRREAPR 14
           ||||||:: ||
Db     564 RGTKCLRKKIPR 575


RESULT 14
US-08-991-862-2
; Sequence 2, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/08/991,862
;  CURRENT FILING DATE: 1998-08-17
;  EARLIER APPLICATION NUMBER: 08/863,862
;  EARLIER FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;  LENGTH: 589
;  TYPE: PRT
;  ORGANISM: Mouse epithelin/granulin
US-08-991-862-2

Query Match          71.6%;   Score 53;  DB 4;  Length 589;
Best Local Similarity  75.0%;  Pred. No. 0.27;
Matches   9;  Conservative   2;  Mismatches   1;  Indels   0;  Gaps   0;

Qy       3 RGTKCLRREAPR 14
           ||||||:: ||
Db     564 RGTKCLRKKIPR 575


RESULT 15
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/09/813,156
;  CURRENT FILING DATE: 2001-03-21
;  PRIOR APPLICATION NUMBER: 08/991,862
;  PRIOR FILING DATE: 1997-12-16
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;  LENGTH: 589
;  TYPE: PRT
;  ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match          71.6%;   Score 53;  DB 4;  Length 589;
Best Local Similarity  75.0%;  Pred. No. 0.27;
Matches   9;  Conservative   2;  Mismatches   1;  Indels   0;  Gaps   0;

Qy       3 RGTKCLRREAPR 14
           ||||||:: ||
Db     564 RGTKCLRKKIPR 575


Search completed: March 26, 2004, 12:29:51
Job time : 12.4872 secs
```

```
                    Copyright (c) 1993 - 2004 Compugen Ltd.

         GenCore version 5.1.6

OM protein - protein search, using sw model

Run on:       March 26, 2004, 12:23:20 ; Search time 11.4872 Seconds
                                          (without alignments)
                                          62.919 Million cell updates/sec

Title:         US-09-824-647-5
Perfect score: 73
Sequence:      1 SARGTKCLRKKIPR 14

Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

Searched:      389414 seqs, 5125971 residues

Total number of hits satisfying chosen parameters:    389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :      Issued_Patents_AA:*
                1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
                2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
                3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
                4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
                5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
                6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	73	100.0	14	4	US-08-991-862-5	Sequence 5, Appli
2	73	100.0	14	4	US-09-813-156-5	Sequence 5, Appli
3	73	100.0	589	1	US-07-668-648-6	Sequence 6, Appli
4	73	100.0	589	2	US-08-429-998-6	Sequence 6, Appli
5	73	100.0	589	2	US-08-431-333-6	Sequence 6, Appli
6	73	100.0	589	4	US-08-991-862-2	Sequence 2, Appli
7	73	100.0	589	4	US-09-813-156-2	Sequence 2, Appli
8	73	100.0	589	5	PCT-US91-02321-6	Sequence 6, Appli
9	65	89.0	589	1	US-07-668-648-2	Sequence 2, Appli
10	65	89.0	589	2	US-08-429-998-2	Sequence 2, Appli
11	65	89.0	589	2	US-08-431-333-2	Sequence 2, Appli
12	65	89.0	589	5	PCT-US91-02321-2	Sequence 2, Appli
13	58	79.5	593	1	US-07-668-648-4	Sequence 4, Appli
14	58	79.5	593	2	US-08-429-998-4	Sequence 4, Appli
15	58	79.5	593	2	US-08-431-333-4	Sequence 4, Appli
16	58	79.5	593	5	PCT-US91-02321-4	Sequence 4, Appli
17	53	72.6	593	7	US-08-991-862-7	Sequence 7, Appli
18	53	72.6	14	4	US-09-813-156-7	Sequence 7, Appli
19	53	72.6	593	4	US-08-991-862-17	Sequence 17, Appl
20	53	72.6	593	4	US-09-813-156-17	Sequence 17, Appl
21	42	57.5	490	4	US-09-252-991A-16991	Sequence 16991, A
22	40	54.8	278	4	US-09-724-864-52	Sequence 52, Appl
23	39	53.4	29	4	US-09-636-399A-15	Sequence 15, Appl
24	39	53.4	30	4	US-09-636-399A-16	Sequence 16, Appl
25	39	53.4	30	4	US-09-636-399A-72	Sequence 72, Appl
26	39	53.4	31	4	US-09-636-399A-70	Sequence 70, Appl
27	39	53.4	31	4	US-09-636-399A-71	Sequence 71, Appl
28	39	53.4	32	4	US-09-636-399A-68	Sequence 68, Appl
29	39	53.4	32	4	US-09-636-399A-69	Sequence 69, Appl
30	39	53.4	33	4	US-09-636-399A-66	Sequence 66, Appl
31	39	53.4	33	4	US-09-636-399A-67	Sequence 67, Appl
32	39	53.4	34	4	US-09-636-399A-64	Sequence 64, Appl
33	39	53.4	34	4	US-09-636-399A-65	Sequence 65, Appl
34	39	53.4	35	4	US-09-636-399A-62	Sequence 62, Appl
35	39	53.4	35	4	US-09-636-399A-63	Sequence 63, Appl
36	39	53.4	36	4	US-09-636-399A-60	Sequence 60, Appl
37	39	53.4	37	4	US-09-636-399A-61	Sequence 61, Appl
38	39	53.4	37	4	US-09-636-399A-58	Sequence 58, Appl
39	39	53.4	38	4	US-09-636-399A-59	Sequence 59, Appl
40	39	53.4	38	4	US-09-636-399A-56	Sequence 56, Appl
41	39	53.4	38	4	US-09-636-399A-57	Sequence 57, Appl
42	39	53.4	39	4	US-09-636-399A-54	Sequence 54, Appl
43	39	53.4	39	4	US-09-636-399A-55	Sequence 55, Appl
44	39	53.4	40	4	US-09-636-399A-52	Sequence 52, Appl
45	39	53.4	40	4	US-09-636-399A-53	Sequence 53, Appl

ALIGNMENTS

```
RESULT 1
US-08-991-862-5
; Sequence 5, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z8996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/08/991,862
;   CURRENT FILING DATE: 1998-08-17
;   EARLIER APPLICATION NUMBER: 08/863,862
;   EARLIER FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 5
;   LENGTH: 14
;   TYPE: PRT
;   ORGANISM: mouse granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(14)
;   OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;   OTHER INFORMATION: antisera against the GP88 used in the
;   OTHER INFORMATION: immunoaffinity step.
US-08-991-862-5

  Query Match             100.0%;  Score 73;  DB 4;  Length 14;
  Best Local Similarity   100.0%;  Pred. No. 3.1e-06;
  Matches   14;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy          1 SARGTKCLRKKIPR 14
              ||||||||||||||
Db          1 SARGTKCLRKKIPR 14


RESULT 2
US-09-813-156-5
; Sequence 5, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z8996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
```

; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 5
; LENGTH: 14
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(14)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-813-156-5

Query Match   100.0%; Score 73; DB 4; Length 14;
Best Local Similarity 100.0%; Pred. No. 3.1e-06;
Matches 14; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db   1 SARGTKCLRKKIPR 14

RESULT 3
US-07-668-648-6
; Sequence 6, Application US/07768648
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/668,648
;   FILING DATE: 19910819
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Mistrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-07-668-648-6

Query Match   100.0%; Score 73; DB 1; Length 589;
Best Local Similarity 100.0%; Pred. No. 9.5e-05;
Matches 14; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db 562 SARGTKCLRKKIPR 575

RESULT 4

US-08-429-998-6
; Sequence 6, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/429,998
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 514
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Mistrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-429-998-6

Query Match   100.0%; Score 73; DB 2; Length 589;
Best Local Similarity 100.0%; Pred. No. 9.5e-05;
Matches 14; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 SARGTKCLRKKIPR 14
         ||||||||||||||
Db 562 SARGTKCLRKKIPR 575

RESULT 5
US-08-431-333-6
; Sequence 6, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS

```
;       SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/08/431,333
;       FILING DATE: 27-APR-1995
;       CLASSIFICATION: 536
;   PRIOR APPLICATION DATA:
;       APPLICATION NUMBER: US 07/668,648
;       FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;       NAME: Misrock, S. Leslie
;       REGISTRATION NUMBER: 18,872
;       REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (212)790-9090
;       TELEFAX: (212) 869-9741
;   INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;       LENGTH: 589 amino acids
;       TYPE: amino acid
;       TOPOLOGY: linear
;       MOLECULE TYPE: protein
US-08-431-333-6

Query Match          100.0%;  Score 73;  DB 2;  Length 589;
Best Local Similarity 100.0%;  Pred. No. 9.5e-05;
Matches   14;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy       1 SARGTKCLRKKIPR 14
           ||||||||||||||
Db     562 SARGTKCLRKKIPR 575


RESULT 6
US-08-991-862-2
; Sequence 2, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/08/991,862
;   CURRENT FILING DATE: 1998-08-17
;   EARLIER APPLICATION NUMBER: 08/863,862
;   EARLIER FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-08-991-862-2

Query Match          100.0%;  Score 73;  DB 4;  Length 589;
Best Local Similarity 100.0%;  Pred. No. 9.5e-05;
Matches   14;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy       1 SARGTKCLRKKIPR 14
           ||||||||||||||
Db     562 SARGTKCLRKKIPR 575


RESULT 7
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/09/813,156
;   CURRENT FILING DATE: 2001-03-21
;   PRIOR APPLICATION NUMBER: 08/991,862
;   PRIOR FILING DATE: 1997-12-16
```

```
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match          100.0%;  Score 73;  DB 4;  Length 589;
Best Local Similarity 100.0%;  Pred. No. 9.5e-05;
Matches   14;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy       1 SARGTKCLRKKIPR 14
           ||||||||||||||
Db     562 SARGTKCLRKKIPR 575


RESULT 8
PCT-US91-02321-6
; Sequence 6, Application PC/TUS9102321
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Bristol-Myers Squibb Company
;     STREET: 3005 First Avenue
;     CITY: Seattle
;     STATE: Washington
;     COUNTRY: USA
;     ZIP: 98121
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: PCT/US91/02321
;     FILING DATE: 19910403
;     CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Poor, Brian W.
;     REGISTRATION NUMBER: 32,928
;     REFERENCE/DOCKET NUMBER: ON0071A-PC
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (206)728-4800
;     TELEFAX: (206)448-4775
;   INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 589 amino acids
;     TYPE: AMINO ACID
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
PCT-US91-02321-6

Query Match          100.0%;  Score 73;  DB 5;  Length 589;
Best Local Similarity 100.0%;  Pred. No. 9.5e-05;
Matches   14;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy       1 SARGTKCLRKKIPR 14
           ||||||||||||||
Db     562 SARGTKCLRKKIPR 575


RESULT 9
US-07-668-648-2
; Sequence 2, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
```

```
;   PRIOR APPLICATION NUMBER: 08/863,862
;   PRIOR FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
;   LENGTH: 589
;   TYPE: PRT
;   ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match          100.0%;  Score 73;  DB 4;  Length 589;
Best Local Similarity 100.0%;  Pred. No. 9.5e-05;
Matches   14;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;

Qy       1 SARGTKCLRKKIPR 14
           ||||||||||||||
Db     562 SARGTKCLRKKIPR 575
```

```
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE: Pennie & Edmonds
;      STREET: 1155 Avenue of the Americas
;      CITY: New York
;      STATE: New York
;      COUNTRY: USA
;      ZIP: 10036
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE: Floppy disk
;      COMPUTER: IBM PC compatible
;      OPERATING SYSTEM: PC-DOS/MS-DOS
;      SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER: US/07/668,648
;      FILING DATE: 19910819
;      CLASSIFICATION: 514
;    ATTORNEY/AGENT INFORMATION:
;      NAME: Misrock, S. Leslie
;      REGISTRATION NUMBER: 18,872
;      REFERENCE/DOCKET NUMBER: 5624-161-999
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE: (212)790-9090
;      TELEFAX: (212) 869-9741
;    INFORMATION FOR SEQ ID NO: 2:
;      SEQUENCE CHARACTERISTICS:
;        LENGTH: 589 amino acids
;        TYPE: AMINO ACID
;        TOPOLOGY: linear
;      MOLECULE TYPE: protein
US-07-668-648-2

Query Match            89.0%;    Score 65;    DB 1;    Length 589;
Best Local Similarity  85.7%;    Pred. No. 0.0022;
Matches   12;    Conservative   1;    Mismatches   1;    Indels   0;    Gaps   0;

Qy      1  SARGTKCLRKKIPR  14
           ||:|||||||| ||
Db    562  SAKGTKCLRKKTPR  575

RESULT 10
US-08-429-999-2
; Sequence 2, Application US/0842998
; Patent No. 5885961
; GENERAL INFORMATION:
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE: Pennie & Edmonds
;      STREET: 1155 Avenue of the Americas
;      CITY: New York
;      STATE: New York
;      COUNTRY: USA
;      ZIP: 10036
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE: Floppy disk
;      COMPUTER: IBM PC compatible
;      OPERATING SYSTEM: PC-DOS/MS-DOS
;      SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER: US/08/429,998
;      FILING DATE: 27-APR-1995
;      CLASSIFICATION: 514
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER: US 07/668,648
```

```
;      FILING DATE: 13-MAR-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME: Misrock, S. Leslie
;      REGISTRATION NUMBER: 18,872
;      REFERENCE/DOCKET NUMBER: 5624-161-999
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE: (212)790-9090
;      TELEFAX: (212) 869-9741
;    INFORMATION FOR SEQ ID NO: 2:
;      SEQUENCE CHARACTERISTICS:
;        LENGTH: 589 amino acids
;        TYPE: amino acid
;        TOPOLOGY: linear
;      MOLECULE TYPE: protein
US-08-429-998-2

Query Match            89.0%;    Score 65;    DB 2;    Length 589;
Best Local Similarity  85.7%;    Pred. No. 0.0022;
Matches   12;    Conservative   1;    Mismatches   1;    Indels   0;    Gaps   0;

Qy      1  SARGTKCLRKKIPR  14
           ||:|||||||| ||
Db    562  SAKGTKCLRKKTPR  575

RESULT 11
US-08-431-333-2
; Sequence 2, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE: Pennie & Edmonds
;      STREET: 1155 Avenue of the Americas
;      CITY: New York
;      STATE: New York
;      COUNTRY: USA
;      ZIP: 10036
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE: Floppy disk
;      COMPUTER: IBM PC compatible
;      OPERATING SYSTEM: PC-DOS/MS-DOS
;      SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER: US/08/431,333
;      FILING DATE: 27-APR-1995
;      CLASSIFICATION: 536
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER: US 07/668,648
;      FILING DATE: 13-MAR-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME: Misrock, S. Leslie
;      REGISTRATION NUMBER: 18,872
;      REFERENCE/DOCKET NUMBER: 5624-161-999
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE: (212)790-9090
;      TELEFAX: (212) 869-9741
;    INFORMATION FOR SEQ ID NO: 2:
;      SEQUENCE CHARACTERISTICS:
;        LENGTH: 589 amino acids
;        TYPE: amino acid
;        TOPOLOGY: linear
;      MOLECULE TYPE: protein
US-08-431-333-2

Query Match            89.0%;    Score 65;    DB 2;    Length 589;
Best Local Similarity  85.7%;    Pred. No. 0.0022;
Matches   12;    Conservative   1;    Mismatches   1;    Indels   0;    Gaps   0;
```

```
Qy    1 SARGTKCLRKKIPR 14
        |:||||||
Db  562 SAKGTKCLRKKTPR 575
```

RESULT 12
PCT-US91-02321-2
; Sequence 2, Application PC/TUS9102321
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Bristol-Myers Squibb Company
; STREET: 3005 First Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98121
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US91/02321
; FILING DATE: 19910403
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Poor, Brian W.
; REGISTRATION NUMBER: 32,928
; REFERENCE/DOCKET NUMBER: ON0071A-PC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206)728-4800
; TELEFAX: (206)448-4775
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 589 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US91-02321-2

Query Match   89.0%; Score 65; DB 5; Length 589;
Best Local Similarity 85.7%; Pred. No. 0.0022;
Matches 12; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```
Qy    1 SARGTKCLRKKIPR 14
        |:||||||:||
Db  562 SAKGTKCLRKKTPR 575
```

RESULT 13
US-07-668-648-4
; Sequence 4, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/668,648
; FILING DATE: 19910819
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 593 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-668-648-4

Query Match   79.5%; Score 58; DB 1; Length 593;
Best Local Similarity 71.4%; Pred. No. 0.036;
Matches 10; Conservative 3; Mismatches 3; Indels 1; Gaps 0;

```
Qy    1 SARGTKCLRKKIPR 14
        :|||||||:: ||
Db  566 AARGTKCLRREAPR 579
```

RESULT 14
US-08-429-998-4
; Sequence 4, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/429,998
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/668,648
; FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 593 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein

US-08-429-998-4

Query Match   79.5%; Score 58; DB 2; Length 593;
Best Local Similarity 71.4%; Pred. No. 0.036;
Matches   10; Conservative   3; Mismatches   1; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
          :||||||||::||
Db   566 AARGTKCLRREAPR 579

RESULT 15
US-08-431-333-4
; Sequence 4, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/431,333
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-431-333-4

Query Match   79.5%; Score 58; DB 2; Length 593;
Best Local Similarity 71.4%; Pred. No. 0.036;
Matches   10; Conservative   3; Mismatches   1; Indels   0; Gaps   0;

Qy   1 SARGTKCLRKKIPR 14
          :||||||||::||
Db   566 AARGTKCLRREAPR 579

Search completed: March 26, 2004, 12:29:49
Job time : 11.4872 secs

```
                    GenCore version 5.1.6
              Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:      March 26, 2004, 12:23:20 ; Search time 9.84615 Seconds
                                         (without alignments)
                                         62.919 Million cell updates/sec

Title:           US-09-824-647-4
Perfect score:   69
Sequence:        1 PDAKTQCPDDST 12
Scoring table:   BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched:    389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters:    389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :  Issued Patents AA:*
    1:  /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
    2:  /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
    3:  /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
    4:  /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
    5:  /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
    6:  /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	69	100.0	12	4	US-08-991-862-4	Sequence 4, Appli
2	69	100.0	12	4	US-09-813-156-4	Sequence 4, Appli
3	69	100.0	589	1	US-07-668-648-2	Sequence 2, Appli
4	69	100.0	589	1	US-07-668-648-6	Sequence 6, Appli
5	69	100.0	589	2	US-08-429-998-2	Sequence 2, Appli
6	69	100.0	589	2	US-08-429-998-6	Sequence 6, Appli
7	69	100.0	589	2	US-08-431-333-2	Sequence 2, Appli
8	69	100.0	589	4	US-08-431-333-6	Sequence 6, Appli
9	69	100.0	589	4	US-08-991-862-2	Sequence 2, Appli
10	69	100.0	589	5	US-09-813-156-2	Sequence 2, Appli
11	69	100.0	589	5	PCT-US91-02321-2	Sequence 2, Appli
12	69	100.0	589	5	PCT-US91-02321-6	Sequence 6, Appli
13	51	73.9	593	1	US-07-668-648-4	Sequence 4, Appli
14	51	73.9	593	2	US-08-429-998-4	Sequence 4, Appli
15	51	73.9	593	2	US-08-431-333-4	Sequence 4, Appli
16	51	73.9	593	4	US-08-991-862-17	Sequence 17, Appl
17	51	73.9	593	4	US-09-813-156-17	Sequence 17, Appl
18	51	73.9	593	5	PCT-US91-02321-4	Sequence 4, Appli
19	40	58.0	268	4	US-09-489-039A-8094	Sequence 8094, Ap
20	38	55.1	343	1	US-08-336-891-2	Sequence 2, Appli
21	38	55.1	343	5	PCT-US95-13795-4	Sequence 4, Appli
22	37	53.6	179	1	US-07-668-648-8	Sequence 8, Appli
23	37	53.6	179	2	US-08-429-998-8	Sequence 8, Appli
24	37	53.6	179	2	US-08-431-333-8	Sequence 8, Appli
25	37	53.6	179	5	PCT-US91-02321-8	Sequence 8, Appli
26	36	52.2	197	5	US-09-480-297A-23	Sequence 23, Appl
27	36	52.2	197	4	US-09-747-259-4	Sequence 4, Appli
28	36	52.2	197	4	US-09-816-744-4	Sequence 4, Appli
29	36	52.2	399	4	US-09-252-991A-31028	Sequence 31028, A
30	36	52.2	452	4	US-09-463-712C-8	Sequence 8, Appli
31	36	52.2	452	3	US-09-865-415-6	Sequence 6, Appli
32	36	52.2	561	4	US-09-233-989-5	Sequence 5, Appli
33	36	52.2	1040	4	US-09-564-805-238	Sequence 238, App
34	36	52.2	1480	3	US-09-191-647-7	Sequence 7, Appli
35	36	52.2	1480	3	US-09-540-245A-7	Sequence 7, Appli
36	36	52.2	1480	3	US-09-540-153-7	Sequence 7, Appli
37	36	52.2	1480	5	US-09-182-024A-5	Sequence 5, Appli
38	36	52.2	.1480	5	PCT-US91-09055-2	Sequence 2, Appli
39	35.5	51.4	35	1	US-08-190-802A-220	Sequence 220, App
40	35.5	51.4	35	4	US-08-477-346-220	Sequence 220, App
41	35.5	51.4	35	4	US-08-473-089-220	Sequence 220, App
42	35.5	51.4	35	4	US-08-487-072A-220	Sequence 220, App
43	35.5	51.4	216	4	US-09-543-681A-5719	Sequence 5719, Ap
44	35.5	51.4	223	4	US-09-489-039A-8078	Sequence 8078, Ap
45	35.5	51.4	488	1	US-08-190-802A-60	Sequence 60, Appl

ALIGNMENTS

```
RESULT 1
US-08-991-862-4
; Sequence 4, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/08/991,862
; CURRENT FILING DATE: 1998-08-17
; EARLIER APPLICATION NUMBER: 08/863,862
; EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
;
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-08-991-862-4

Query Match             100.0%;  Score 69;  DB 4;  Length 12;
Best Local Similarity   100.0%;  Pred. No. 1.6e-05;
Matches   12;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 PDAKTQCPDDST 12
              ||||||||||||
Db          1 PDAKTQCPDDST 12


RESULT 2
US-09-813-156-4
; Sequence 4, Application US/09811156
; Patent No. 6670183
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
```

; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
; LENGTH: 12
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(12)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-813-156-4

Query Match   100.0%; Score 69; DB 4; Length 12;
Best Local Similarity 100.0%; Pred. No. 1.6e-05;
Matches   12; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 PDAKTQCPDDST 12
              ||||||||||||
Db   1 PDAKTQCPDDST 12

RESULT 3
US-07-668-648-2
; Sequence 2, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/668,648
;   FILING DATE: 19910819
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-07-668-648-2

Query Match   100.0%; Score 69; DB 1; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches   12; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 PDAKTQCPDDST 12
              ||||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 4

US-07-668-648-6
; Sequence 6, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/668,648
;   FILING DATE: 19910819
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-07-668-648-6

Query Match   100.0%; Score 69; DB 1; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches   12; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 PDAKTQCPDDST 12
              ||||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 5
US-08-429-998-2
; Sequence 2, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/429,998

RESULT 6
US-08-429-998-6
; Sequence 6, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/429,998
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 514
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-429-998-6

Query Match   100.0%;   Score 69; DB 2; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches   12; Conservative   0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 PDAKTQCPDDST 12
        ||||||||||||
Db 208 PDAKTQCPDDST 219

RESULT 7
US-08-431-333-2
; Sequence 2, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/431,333
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 536
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-431-333-2

Query Match   100.0%;   Score 69; DB 2; Length 589;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches   12; Conservative   0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 PDAKTQCPDDST 12
        ||||||||||||
Db 208 PDAKTQCPDDST 219

RESULT 8
US-08-431-333-6
; Sequence 6, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:

```
          ADDRESSEE: Pennie & Edmonds
          STREET: 1155 Avenue of the Americas
          CITY: New York
          STATE: New York
          COUNTRY: USA
          ZIP: 10036
       COMPUTER READABLE FORM:
          MEDIUM TYPE: Floppy disk
          COMPUTER: IBM PC compatible
          OPERATING SYSTEM: PC-DOS/MS-DOS
          SOFTWARE: PatentIn Release #1.0, Version #1.25
       CURRENT APPLICATION DATA:
          APPLICATION NUMBER: US/08/431,333
          FILING DATE: 27-APR-1995
          CLASSIFICATION: 536
       PRIOR APPLICATION DATA:
          APPLICATION NUMBER: US 07/668,648
          FILING DATE: 13-MAR-1991
       ATTORNEY/AGENT INFORMATION:
          NAME: Misrock, S. Leslie
          REGISTRATION NUMBER: 18,872
          REFERENCE/DOCKET NUMBER: 5624-161-999
       TELECOMMUNICATION INFORMATION:
          TELEPHONE: (212)790-9090
          TELEFAX: (212) 869-9741
    INFORMATION FOR SEQ ID NO: 6:
       SEQUENCE CHARACTERISTICS:
          LENGTH: 589 amino acids
          TYPE: amino acid
          TOPOLOGY: linear
       MOLECULE TYPE: protein
US-08-431-333-6

Query Match          100.0%;    Score 69;   DB 2;   Length 589;
Best Local Similarity 100.0%;   Pred. No. 0.0011;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy     1 PDAKTQCPDDST 12
         |||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 9
US-08-991-862-2
;  Sequence 2, Application US/08991862
;  Patent No. 6309826
;  GENERAL INFORMATION:
;     APPLICANT: Serrero, Ginette
;     TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;     FILE REFERENCE: Z9996.488/P001-A
;     CURRENT APPLICATION NUMBER: US/08/991,862
;     CURRENT FILING DATE: 1998-08-17
;     EARLIER APPLICATION NUMBER: 08/863,862
;     EARLIER FILING DATE: 1997-05-23
;     NUMBER OF SEQ ID NOS: 17
;     SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 2
;     LENGTH: 589
;     TYPE: PRT
;     ORGANISM: Mouse epithelin/granulin
US-08-991-862-2

Query Match          100.0%;    Score 69;   DB 4;   Length 589;
Best Local Similarity 100.0%;   Pred. No. 0.0011;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy     1 PDAKTQCPDDST 12
         |||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 10
US-09-813-156-2
```

```
;  Sequence 2, Application US/09813156
;  Patent No. 6670183
;  GENERAL INFORMATION:
;     APPLICANT: Serrero, Ginette
;     TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;     FILE REFERENCE: Z9996.488/P001-A
;     CURRENT APPLICATION NUMBER: US/09/813,156
;     CURRENT FILING DATE: 2001-03-21
;     PRIOR APPLICATION NUMBER: 08/991,862
;     PRIOR FILING DATE: 1997-12-16
;     PRIOR APPLICATION NUMBER: 08/863,862
;     PRIOR FILING DATE: 1997-05-23
;     NUMBER OF SEQ ID NOS: 17
;     SOFTWARE: PatentIn Ver. 2.0
;  SEQ ID NO 2
;     LENGTH: 589
;     TYPE: PRT
;     ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match          100.0%;    Score 69;   DB 4;   Length 589;
Best Local Similarity 100.0%;   Pred. No. 0.0011;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy     1 PDAKTQCPDDST 12
         |||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 11
PCT-US91-02321-2
;  Sequence 2, Application PC/TUS9102321
;  GENERAL INFORMATION:
;     APPLICANT: Shoyab, Mohammed
;     APPLICANT: Plowman, Gregory D.
;     TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;     TITLE OF INVENTION: MODULATING PROTEINS
;     NUMBER OF SEQUENCES: 12
;     CORRESPONDENCE ADDRESS:
;        ADDRESSEE: Bristol-Myers Squibb Company
;        STREET: 3005 First Avenue
;        CITY: Seattle
;        STATE: Washington
;        COUNTRY: USA
;        ZIP: 98121
;     COMPUTER READABLE FORM:
;        MEDIUM TYPE: Floppy disk
;        COMPUTER: IBM PC compatible
;        OPERATING SYSTEM: PC-DOS/MS-DOS
;        SOFTWARE: PatentIn Release #1.0, Version #1.25
;     CURRENT APPLICATION DATA:
;        APPLICATION NUMBER: PCT/US91/02321
;        FILING DATE: 19910403
;        CLASSIFICATION: 514
;     ATTORNEY/AGENT INFORMATION:
;        NAME: Poor, Brian W.
;        REGISTRATION NUMBER: 32,928
;        REFERENCE/DOCKET NUMBER: ON0071A-PC
;     TELECOMMUNICATION INFORMATION:
;        TELEPHONE: (206)728-4800
;        TELEFAX: (206)448-4775
;  INFORMATION FOR SEQ ID NO: 2:
;     SEQUENCE CHARACTERISTICS:
;        LENGTH: 589 amino acids
;        TYPE: AMINO ACID
;        TOPOLOGY: linear
;     MOLECULE TYPE: protein
PCT-US91-02321-2

Query Match          100.0%;    Score 69;   DB 5;   Length 589;
Best Local Similarity 100.0%;   Pred. No. 0.0011;
Matches   12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;
```

Qy   1 PDAKTQCPDDST 12
            ||||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 12
PCT-US91-02321-6
; Sequence 6, Application PC/TUS9102321
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Briscol-Myers Squibb Company
;   STREET: 3005 First Avenue
;   CITY: Seattle
;   STATE: Washington
;   COUNTRY: USA
;   ZIP: 98121
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: PCT/US91/02321
;   FILING DATE: 19910403
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Poor, Brian W.
;   REGISTRATION NUMBER: 32,928
;   REFERENCE/DOCKET NUMBER: ON0071A-PC
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (206)728-4800
;   TELEFAX: (206)448-4775
;   INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
PCT-US91-02321-6

Query Match   100.0%;   Score 69; DB 5;   Length 589;
Best Local Similarity 100.0%;   Pred. No. 0.0011;
Matches 12;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1 PDAKTQCPDDST 12
            ||||||||||||
Db   208 PDAKTQCPDDST 219

RESULT 13
US-07-668-648-4
; Sequence 4, Application US/0766848
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/668,648
FILING DATE: 19910819
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Mistrock, S. Leslie
REGISTRATION NUMBER: 18,872
REFERENCE/DOCKET NUMBER: 5624-161-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212)790-9090
TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 593 amino acids
TYPE: AMINO ACID
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-668-648-4

Query Match   73.9%;   Score 51; DB 1;   Length 593;
Best Local Similarity 66.7%;   Pred. No. 1.1;
Matches   8;   Conservative   3;   Mismatches   3;   Indels   1;   Gaps   0;

Qy   1 PDAKTQCPDDST 12
            ||||:|||||||
Db   209 PDARSRCPDGST 220

RESULT 14
US-08-429-998-4
; Sequence 4, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/429,998
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 514
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Mistrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
;   INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein

US-08-429-998-4

Query Match   73.9%;   Score 51; DB 2; Length 593;
Best Local Similarity   66.7%;   Pred. No. 1.1;
Matches   8; Conservative   3; Mismatches   1; Indels   0; Gaps   0;

Qy   1 PDAKTQCPDDST 12
           |||::|:|||||
Db   209 PDARSRCPDGST 220

RESULT 15
US-08-431-333-4
; Sequence 4, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/431,333
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 536
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-431-333-4

Query Match   73.9%;   Score 51; DB 2; Length 593;
Best Local Similarity   66.7%;   Pred. No. 1.1;
Matches   8; Conservative   3; Mismatches   1; Indels   0; Gaps   0;

Qy   1 PDAKTQCPDDST 12
           |||::|:|||||
Db   209 PDARSRCPDGST 220

Search completed: March 26, 2004, 12:29:49
Job time : 10.8462 secs

```
                    GenCore version 5.1.6
         Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:   March 26, 2004, 12:23:20 ; Search time 15.5897 Seconds
                                      (without alignments)
                                      62.919 Million cell updates/sec

Title:        US-09-824-647-3
Perfect score: 96
Sequence:     1 KKVIAPRRLPDPQILKSDT 19

Scoring table:  BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched:      389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters:    389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :  Issued_Patents_AA:*
            1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
            2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
            3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
            4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
            5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
            6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

                              SUMMARIES
```

Result No.	Score	% Query Match	Length	DB	ID	Description
1	96	100.0	19	4	US-08-991-862-3	Sequence 3, Appli
2	96	100.0	19	4	US-09-813-156-3	Sequence 3, Appli
3	96	100.0	589	2	US-07-668-648-6	Sequence 6, Appli
4	96	100.0	589	2	US-08-429-998-6	Sequence 6, Appli
5	96	100.0	589	5	US-08-431-333-6	Sequence 6, Appli
6	96	100.0	589	5	PCT-US91-02321-6	Sequence 6, Appli
7	89	92.7	589	4	US-08-991-862-2	Sequence 2, Appli
8	89	92.7	589	2	US-09-813-156-2	Sequence 2, Appli
9	62	64.6	589	1	US-07-668-648-2	Sequence 2, Appli
10	62	64.6	589	2	US-08-429-998-2	Sequence 2, Appli
11	62	64.6	589	2	US-08-431-333-2	Sequence 2, Appli
12	62	64.6	589	5	PCT-US91-02321-2	Sequence 2, Appli
13	47	49.0	92	4	US-09-800-971-11	Sequence 11, Appl
14	44.5	46.4	277	4	US-09-252-991A-28167	Sequence 28167, A
15	44	45.8	19	4	US-08-991-862-6	Sequence 6, Appli
16	44	45.8	19	4	US-09-813-156-6	Sequence 6, Appli
17	44	45.8	593	2	US-07-668-648-4	Sequence 4, Appli
18	44	45.8	593	2	US-08-429-998-4	Sequence 4, Appli
19	44	45.8	593	5	US-08-431-333-4	Sequence 4, Appli
20	44	45.8	593	4	US-08-991-862-17	Sequence 17, Appl
21	44	45.8	593	4	US-09-813-156-17	Sequence 17, Appl
22	44	45.8	593	5	PCT-US91-02321-4	Sequence 4, Appli
23	42	43.8	416	4	US-09-430-221-13	Sequence 13, Appl
24	42	43.8	505	4	US-09-717-364A-5	Sequence 5, Appli
25	42	43.8	556	4	US-08-505-377-1	Sequence 1, Appli
26	42	43.8	556	3	US-08-798-269-1	Sequence 1, Appli
27	42	43.8	556	4	US-09-055-210-1	Sequence 1, Appli
28	42	43.8	556	4	US-09-298-924-8	Sequence 8, Appli
29	42	43.8	820	2	US-08-380-182-23	Sequence 23, Appl
30	41.5	43.8	835	4	US-09-489-039A-8740	Sequence 8740, Ap
31	41	43.2	485	4	US-09-252-991A-17170	Sequence 17170, A
32	41	42.7	273	4	US-09-252-991A-32405	Sequence 32405, A
33	41	42.7	381	4	US-09-252-991A-28320	Sequence 28330, A
34	41	42.7	798	4	US-09-533-029-48	Sequence 48, Appl
35	41	42.7	803	2	US-08-907-166-4	Sequence 4, Appli
36	40	41.7	803	4	US-08-391-340-4	Sequence 4, Appli
37	40	41.7	304	4	US-09-107-532A-7162	Sequence 7162, Ap
38	40	41.7	335	4	US-09-152-060-64	Sequence 64, Appl
39	40	41.7	480	4	US-09-252-991A-23424	Sequence 23424, A
40	40	41.7	572	4	US-09-252-991A-23996	Sequence 23996, A
41	40	41.7	860	4	US-09-252-991A-28607	Sequence 28607, A
42	39	40.6	134	4	US-09-252-991A-16588	Sequence 16588, A
43	39	40.6	138	4	US-09-252-991A-27704	Sequence 27704, A
44	39	40.6	325	4	US-09-252-991A-32561	Sequence 32561, A
45	39	40.6	369	4	US-09-252-991A-27583	Sequence 27583, A

```
                              ALIGNMENTS

RESULT 1
US-08-991-862-3
; Sequence 3, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/08/991,862
;  CURRENT FILING DATE: 1998-08-17
;  EARLIER APPLICATION NUMBER: 08/863,862
;  EARLIER FILING DATE: 1997-05-23
;  NUMBER OF SEQ ID NOS: 17
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
;  LENGTH: 19
;  TYPE: PRT
;  ORGANISM: mouse granulin
;  FEATURE:
;  NAME/KEY: PEPTIDE
;  LOCATION: (1)..(19)
;  OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
;  OTHER INFORMATION: antisera against the GP88 used in the
;  OTHER INFORMATION: immunoaffinity step.
US-08-991-862-3

   Query Match        100.0%;  Score 96;  DB 4;  Length 19;
   Best Local Similarity  100.0%;  Pred. No. 1.8e-09;
   Matches 19;  Conservative  0;  Mismatches 0;  Indels  0;  Gaps  0;

Qy    1 KKVIAPRRLPDPQILKSDT 19
          |||||||||||||||||||
Db    1 KKVIAPRRLPDPQILKSDT 19


RESULT 2
US-09-813-156-3
; Sequence 3, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
;  APPLICANT: Serrero, Ginette
;  TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;  FILE REFERENCE: Z9996.488/P001-A
;  CURRENT APPLICATION NUMBER: US/09/813,156
;  CURRENT FILING DATE: 2001-03-21
;  PRIOR APPLICATION NUMBER: 08/991,862
;  PRIOR FILING DATE: 1997-12-16
;  PRIOR APPLICATION NUMBER: 08/863,862
;  PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
```

; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
; LENGTH: 19
; TYPE: PRT
; ORGANISM: mouse granulin
; FEATURE:
; NAME/KEY: PEPTIDE
; LOCATION: (1)..(19)
; OTHER INFORMATION: Internal peptide of mouse GP88 used to raise the
; OTHER INFORMATION: antisera against the GP88 used in the
; OTHER INFORMATION: immunoaffinity step.
US-09-813-156-3

Query Match   100.0%; Score 96; DB 4; Length 19;
Best Local Similarity   100.0%; Pred. No. 1.8e-09;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              |||||||||||||||||||
Db   1 KKVIAPRRLPDPQILKSDT 19

RESULT 3
US-07-668-648-6
; Sequence 6, Application US/0768648
; Patent No. 5416192
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/668,648
; FILING DATE: 19910819
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 589 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-668-648-6

Query Match   100.0%; Score 96; DB 1; Length 589;
Best Local Similarity   100.0%; Pred. No. 9.2e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              |||||||||||||||||||
Db   344 KKVIAPRRLPDPQILKSDT 362

RESULT 4

US-08-429-998-6
; Sequence 6, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/429,998
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/668, 648
; FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 589 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-429-998-6

Query Match   100.0%; Score 96; DB 2; Length 589;
Best Local Similarity   100.0%; Pred. No. 9.2e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSDT 19
              |||||||||||||||||||
Db   344 KKVIAPRRLPDPQILKSDT 362

RESULT 5
US-08-431-333-6
; Sequence 6, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS

```
        SOFTWARE: PatentIn Release #1.0, Version #1.25
   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/431,333
;     FILING DATE: 27-APR-1995
;     CLASSIFICATION: 536
   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US 07/668,648
;     FILING DATE: 13-MAR-1991
   ATTORNEY/AGENT INFORMATION:
;     NAME: Misrock, S. Leslie
;     REGISTRATION NUMBER: 18,872
;     REFERENCE/DOCKET NUMBER: 5624-161-999
   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (212)790-9090
;     TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 6:
   SEQUENCE CHARACTERISTICS:
;     LENGTH: 589 amino acids
;     TYPE: amino acid
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
US-08-431-333-6

Query Match       100.0%;    Score 96;  DB 2;  Length 589;
Best Local Similarity 100.0%;   Pred. No. 9.2e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy      1 KKVIAPRRLPDPQILKSDT 19
            |||||||||||||||||||
Db    344 KKVIAPRRLPDPQILKSDT 362

RESULT 6
PCT-US91-02321-6
; Sequence 6, Application PC/TUS9102321
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Bristol-Myers Squibb Company
; STREET: 3005 First Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98121
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US91/02321
; FILING DATE: 19910403
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Poor, Brian W.
; REGISTRATION NUMBER: 32,928
; REFERENCE/DOCKET NUMBER: ONO071A-PC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206)728-4800
; TELEFAX: (206)448-4775
INFORMATION FOR SEQ ID NO: 6:
   SEQUENCE CHARACTERISTICS:
;     LENGTH: 589 amino acids
;     TYPE: AMINO ACID
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
PCT-US91-02321-6

Query Match       100.0%;    Score 96;  DB 5;  Length 589;
```

```
Best Local Similarity  100.0%;   Pred. No. 9.2e-08;
Matches   19; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy      1 KKVIAPRRLPDPQILKSDT 19
            |||||||||||||||||||
Db    344 KKVIAPRRLPDPQILKSDT 362

RESULT 7
US-08-991-862-2
; Sequence 2, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/08/991,862
; CURRENT FILING DATE: 1998-08-17
; EARLIER APPLICATION NUMBER: 08/863,862
; EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 2
;     LENGTH: 589
;     TYPE: PRT
;     ORGANISM: Mouse epithelin/granulin
US-08-991-862-2

Query Match       92.7%;    Score 89;  DB 4;  Length 589;
Best local similarity  94.7%;  Pred. No. 1.3e-06;
Matches   18; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy      1 KKVIAPRRLPDPQILKSDT 19
            ||||||||||||||||||
Db    344 KKVIAPRRLPDPQILKSDT 362

RESULT 8
US-09-813-156-2
; Sequence 2, Application US/09813156
; Patent No. 6670183
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/09/813,156
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: 08/991,862
; PRIOR FILING DATE: 1997-12-16
; PRIOR APPLICATION NUMBER: 08/863,862
; PRIOR FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 2
;     LENGTH: 589
;     TYPE: PRT
;     ORGANISM: Mouse epithelin/granulin
US-09-813-156-2

Query Match       92.7%;    Score 89;  DB 4;  Length 589;
Best Local Similarity  94.7%;  Pred. No. 1.3e-06;
Matches   18; Conservative   0; Mismatches   1; Indels   0; Gaps   0;

Qy      1 KKVIAPRRLPDPQILKSDT 19
            ||||||||||||||||||
Db    344 KKVIAPLRLPDPQILKSDT 362

RESULT 9
US-07-668-648-2
; Sequence 2, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
```

```
 APPLICANT: Shoyab, Mohammed
 APPLICANT: Plowman, Gregory D.
 TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
 TITLE OF INVENTION: MODULATING PROTEINS
 NUMBER OF SEQUENCES: 12
 CORRESPONDENCE ADDRESS:
   ADDRESSEE: Pennie & Edmonds
   STREET: 1155 Avenue of the Americas
   CITY: New York
   STATE: New York
   COUNTRY: USA
   ZIP: 10036
 COMPUTER READABLE FORM:
   MEDIUM TYPE: Floppy disk
   COMPUTER: IBM PC compatible
   OPERATING SYSTEM: PC-DOS/MS-DOS
   SOFTWARE: PatentIn Release #1.0, Version #1.25
 CURRENT APPLICATION DATA:
   APPLICATION NUMBER: US/07/668,648
   FILING DATE: 19910819
   CLASSIFICATION: 514
 ATTORNEY/AGENT INFORMATION:
   NAME: Misrock, S. Leslie
   REGISTRATION NUMBER: 18,872
   REFERENCE/DOCKET NUMBER: 5624-161-999
 TELECOMMUNICATION INFORMATION:
   TELEPHONE: (212)790-9090
   TELEFAX: (212) 869-9741
 INFORMATION FOR SEQ ID NO: 2:
 SEQUENCE CHARACTERISTICS:
   LENGTH: 589 amino acids
   TYPE: AMINO ACID
   TOPOLOGY: linear
   MOLECULE TYPE: protein
 US-07-668-648-2

Query Match       64.6%;    Score 62;  DB 1;  Length 589;
Best Local Similarity   72.2%;  Pred. No. 0.037;
Matches  13;  Conservative  1;  Mismatches  4;  Indels  0;  Gaps  0;

Qy    1 KKVIAPRRLPDPQILKSD 18
          |||||  |||||||:|
Db  344 KKVTASLSLPDPQILKND 361

RESULT 10
US-08-429-998-2
; Sequence 2, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
   APPLICANT: Shoyab, Mohammed
   APPLICANT: Plowman, Gregory D.
   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
   TITLE OF INVENTION: MODULATING PROTEINS
   NUMBER OF SEQUENCES: 12
   CORRESPONDENCE ADDRESS:
     ADDRESSEE: Pennie & Edmonds
     STREET: 1155 Avenue of the Americas
     CITY: New York
     STATE: New York
     COUNTRY: USA
     ZIP: 10036
   COMPUTER READABLE FORM:
     MEDIUM TYPE: Floppy disk
     COMPUTER: IBM PC compatible
     OPERATING SYSTEM: PC-DOS/MS-DOS
     SOFTWARE: PatentIn Release #1.0, Version #1.25
   CURRENT APPLICATION DATA:
     APPLICATION NUMBER: US/08/429,998
     FILING DATE: 27-APR-1995
     CLASSIFICATION: 514
   PRIOR APPLICATION DATA:
     APPLICATION NUMBER: US 07/668,648
     FILING DATE: 13-MAR-1991
 ATTORNEY/AGENT INFORMATION:
   NAME: Misrock, S. Leslie
   REGISTRATION NUMBER: 18,872
   REFERENCE/DOCKET NUMBER: 5624-161-999
 TELECOMMUNICATION INFORMATION:
   TELEPHONE: (212)790-9090
   TELEFAX: (212) 869-9741
 INFORMATION FOR SEQ ID NO: 2:
 SEQUENCE CHARACTERISTICS:
   LENGTH: 589 amino acids
   TYPE: amino acid
   TOPOLOGY: linear
   MOLECULE TYPE: protein
 US-08-429-998-2

Query Match       64.6%;    Score 62;  DB 2;  Length 589;
Best Local Similarity   72.2%;  Pred. No. 0.037;
Matches  13;  Conservative  1;  Mismatches  4;  Indels  0;  Gaps  0;

Qy    1 KKVIAPRRLPDPQILKSD 18
          |||||  |||||||:|
Db  344 KKVTASLSLPDPQILKND 361

RESULT 11
US-08-431-333-2
; Sequence 2, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
   APPLICANT: Shoyab, Mohammed
   APPLICANT: Plowman, Gregory D.
   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
   TITLE OF INVENTION: MODULATING PROTEINS
   NUMBER OF SEQUENCES: 12
   CORRESPONDENCE ADDRESS:
     ADDRESSEE: Pennie & Edmonds
     STREET: 1155 Avenue of the Americas
     CITY: New York
     STATE: New York
     COUNTRY: USA
     ZIP: 10036
   COMPUTER READABLE FORM:
     MEDIUM TYPE: Floppy disk
     COMPUTER: IBM PC compatible
     OPERATING SYSTEM: PC-DOS/MS-DOS
     SOFTWARE: PatentIn Release #1.0, Version #1.25
   CURRENT APPLICATION DATA:
     APPLICATION NUMBER: US/08/431,333
     FILING DATE: 27-APR-1995
     CLASSIFICATION: 536
   PRIOR APPLICATION DATA:
     APPLICATION NUMBER: US 07/668,648
     FILING DATE: 13-MAR-1991
   ATTORNEY/AGENT INFORMATION:
     NAME: Misrock, S. Leslie
     REGISTRATION NUMBER: 18,872
     REFERENCE/DOCKET NUMBER: 5624-161-999
   TELECOMMUNICATION INFORMATION:
     TELEPHONE: (212)790-9090
     TELEFAX: (212) 869-9741
   INFORMATION FOR SEQ ID NO: 2:
   SEQUENCE CHARACTERISTICS:
     LENGTH: 589 amino acids
     TYPE: amino acid
     TOPOLOGY: linear
     MOLECULE TYPE: protein
 US-08-431-333-2

Query Match       64.6%;    Score 62;  DB 2;  Length 589;
Best Local Similarity   72.2%;  Pred. No. 0.037;
Matches  13;  Conservative  1;  Mismatches  4;  Indels  0;  Gaps  0;
```

us-09-824-647-3.rai

Qy   1 KKVIAPRRLPDPQILKSD 18
             ||| |||||||||:|
Db   344 KKVTASLSLPDPQILKND 361

RESULT 12
PCT-US91-02321-2
; Sequence 2, Application PC/TUS9102321
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Bristol-Myers Squibb Company
;   STREET: 3005 First Avenue
;   CITY: Seattle
;   STATE: Washington
;   COUNTRY: USA
;   ZIP: 98121
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: PCT/US91/02321
;   FILING DATE: 19910403
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Poor, Brian W.
;   REGISTRATION NUMBER: 32,928
;   REFERENCE/DOCKET NUMBER: ONO071A-PC
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (206)728-4800
;   TELEFAX: (206)448-4775
; INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
PCT-US91-02321-2

Query Match   64.6%; Score 62; DB 5; Length 589;
Best Local Similarity   72.2%; Pred. No. 0.037;
Matches   13; Conservative   1; Mismatches   4; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSD 18
             ||| |||||||||:|
Db   344 KKVTASLSLPDPQILKND 361

RESULT 13
US-09-800-971-11
; Sequence 11, Application US/09800971
; Patent No. 6534301
; GENERAL INFORMATION:
;   APPLICANT: Rachel A. Meyers
;   TITLE OF INVENTION: 16835, A NOVEL HUMAN PHOSPHOLIPASE C
;   TITLE OF INVENTION: FAMILY MEMBER AND USES THEREOF
;   FILE REFERENCE: 10448-023001
;   CURRENT APPLICATION NUMBER: US/09/800,971
;   CURRENT FILING DATE: 2001-03-06
;   PRIOR APPLICATION NUMBER: 60/187,453
;   PRIOR FILING DATE: 2000-03-07
;   PRIOR APPLICATION NUMBER: 60/188,032
;   PRIOR FILING DATE: 2000-03-09
;   NUMBER OF SEQ ID NOS: 11
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 11
;   LENGTH: 92

;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: consensus sequence
US-09-800-971-11

Query Match   49.0%; Score 47; DB 4; Length 92;
Best Local Similarity   50.0%; Pred. No. 1.3;
Matches   9; Conservative   3; Mismatches   6; Indels   0; Gaps   0;

Qy   2 KVIAPRRLPDPQILKSDT 19
             |:|:|||||| ||
Db   5 KIISARNLPDPYVKVSKT 22

RESULT 14
US-09-252-991A-28167
; Sequence 28167, Application US/09252991A
; Patent No. 6551795
; GENERAL INFORMATION:
;   APPLICANT: Marc J. Rubenfield et al.
;   TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS
;   TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS
;   FILE REFERENCE: 107196.136
;   CURRENT APPLICATION NUMBER: US/09/252,991A
;   CURRENT FILING DATE: 1999-02-18
;   PRIOR APPLICATION NUMBER: US 60/074,788
;   PRIOR FILING DATE: 1998-02-18
;   PRIOR APPLICATION NUMBER: US 60/094,190
;   PRIOR FILING DATE: 1998-07-27
;   NUMBER OF SEQ ID NOS: 33142
; SEQ ID NO 28167
;   LENGTH: 277
;   TYPE: PRT
;   ORGANISM: Pseudomonas aeruginosa
US-09-252-991A-28167

Query Match   46.4%; Score 44.5; DB 4; Length 277;
Best Local Similarity   42.3%; Pred. No. 12;
Matches   11; Conservative   3; Mismatches   3; Indels   9; Gaps   1;

Qy   3 VIAPRRLP--------DPQILKSDT 19
             |||||||| |::|
Db   210 VIAPGRFPSRMTRHIANDPQALEADS 235

RESULT 15
US-08-991-862-6
; Sequence 6, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
;   APPLICANT: Serrero, Ginette
;   TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
;   FILE REFERENCE: Z9996.488/P001-A
;   CURRENT APPLICATION NUMBER: US/08/991,862
;   CURRENT FILING DATE: 1998-08-17
;   EARLIER APPLICATION NUMBER: 08/863,862
;   EARLIER FILING DATE: 1997-05-23
;   NUMBER OF SEQ ID NOS: 17
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
;   LENGTH: 19
;   TYPE: PRT
;   ORGANISM: Human granulin
;   FEATURE:
;   NAME/KEY: PEPTIDE
;   LOCATION: (1)..(19)
;   OTHER INFORMATION: Internal peptide of human GP88 used to develop
;   OTHER INFORMATION: neutralizing anti-human GP88 monoclonal antibody.
US-08-991-862-6

Query Match   45.8%; Score 44; DB 4; Length 19;
Best Local Similarity   55.6%; Pred. No. 0.68;

Fri Mar 26 17:57:08 2004

us-09-824-647-3.rai

Matches   10; Conservative   1; Mismatches   7; Indels   0; Gaps   0;

Qy   1 KKVIAPRRLPDPQILKSD 18
         :| ||||||||| |
Db   1 EKAPAHLSLPDPQALKRD 18

Search completed: March 26, 2004, 12:29:48
Job time : 15.5897 secs

GenCore version 5.1.6

Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: March 26, 2004, 12:28:40 ; Search time 24 Seconds
                                     (without alignments)
                                     9013.034 Million cell updates/sec

Title: US-09-824-647-16
Perfect score: 4103
Sequence: 1 cgcaggcagaccatgtggac..........ataagttgtcacttct 2095

Scoring table: BLOSUM62
               Xgapop 10.0 , Xgapext 0.5
               Ygapop 10.0 , Ygapext 0.5
               Fgapop   6.0 , Fgapext 7.0
               Delop   6.0 , Delext 7.0

Searched: 389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters: 778828

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Command line parameters:
-MODEL=frame+_n2p.model -DEV=xlp
-Q=/cgn2_1/USPTO_spool_p/US09824647/runat_26032004_110227_22330/app_query.fasta_1.2247
-DB=Issued_Patents_AA -QPMT=fastan -SUFFIX=rai -MINMATCH=0.1 -LOOPCL=0
-LOOPEXT=0 -UNITS=bits -START=1 -END=-1 -MATRIX=blosum62 -TRANS=human40.cdi
-LIST=45 -DOCALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15
-MODE=LOCAL -OUTFMT=bto -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09824647 @CGN 1 1 27 @runat 26032004 110227 22330 -NCPU=6 -ICPU=3
-NO_MMAP -LARGEQUERY -NEG_SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -YGAPEXT=10

Database :   Issued_Patents_AA:*
               1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
               2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
               3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
               4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
               5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
               6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Query Length	DB	ID	Description
1	3511	85.6	593	4	US-08-991-862-17	Sequence 17, Appl
2	3511	85.6	593	4	US-09-813-156-17	Sequence 17, Appl
3	3472	84.6	593	2	US-07-668-648-4	Sequence 4, Appli
4	3472	84.6	593	2	US-08-429-998-4	Sequence 4, Appl
5	3472	84.6	593	2	US-08-431-333-4	Sequence 4, Appli
6	3472	84.6	593	1	PCT-US91-02321-4	Sequence 2, Appli
7	2696	65.7	589	2	US-07-668-648-2	Sequence 2, Appli
8	2696	65.7	589	2	US-08-429-998-2	Sequence 2, Appli
9	2696	65.7	589	2	US-08-431-333-2	Sequence 2, Appli
10	2696	65.7	589	5	PCT-US91-02321-2	Sequence 2, Appli
11	2693	65.6	589	1	US-07-668-648-6	Sequence 6, Appli
12	2693	65.6	589	2	US-08-429-998-6	Sequence 6, Appli

13	2693	65.6	589	2	US-08-431-333-6	Sequence 6, Appli
14	2693	65.6	589	5	PCT-US91-02321-6	Sequence 6, Appli
15	2681	65.3	589	2	US-08-991-862-2	Sequence 2, Appli
16	2681	65.3	589	4	US-09-813-156-2	Sequence 2, Appli
17	915.5	22.3	179	1	US-07-668-648-8	Sequence 8, Appli
18	915.5	22.3	179	2	US-08-429-998-8	Sequence 8, Appli
19	915.5	22.3	179	5	US-08-431-333-8	Sequence 8, Appli
20	389.5	9.5	113	1	PCT-US91-02321-8	Sequence 8, Appli
21	389.5	9.5	113	2	US-07-668-648-10	Sequence 10, Appl
22	389.5	9.5	113	2	US-08-429-998-10	Sequence 10, Appl
23	389.5	9.5	113	2	US-08-431-333-10	Sequence 10, Appl
24	387.5	9.4	113	5	PCT-US91-02321-10,	Sequence 10, Appl
25	345	8.4	1964	4	US-09-467-997-1	Sequence 1, Appli
26	339	8.3	1345	4	US-08-977-767-3	Sequence 3, Appli
27	331.5	8.1	2321	4	US-09-230-652-2	Sequence 37, Appl
28	312.5	7.6	1400	4	US-08-630-915A-37	Sequence 3, Appl
29	306	7.5	1417	3	US-08-900-230-3	Sequence 3, Appli
30	305	7.4	1148	3	US-08-882-046-4	Sequence 4, Appli
31	304.5	7.4	2211	4	US-09-738-884-1	Sequence 1, Appli
32	301.5	7.3	2523	2	US-08-185-432-18	Sequence 18, Appl
33	301.5	7.3	2523	1	US-08-899-232-3	Sequence 3, Appli
34	299	7.3	2556	1	US-08-185-432-17	Sequence 17, Appl
35	299	7.3	2556	2	US-08-899-232-2	Sequence 2, Appli
36	298	7.3	1342	4	US-09-561-709B-13	Sequence 13, Appl
37	293	7.1	2556	1	US-08-003-590A-20	Sequence 20, Appl
38	293	7.1	2556	1	US-08-532-384-20	Sequence 20, Appl
39	291.5	7.1	1833	3	US-08-479-722B-2	Sequence 2, Appli
40	291.5	7.1	1833	3	PCT-US95-0251-18	Sequence 18, Appli
41	290.5	7.1	1055	5	US-09-855-722-2	Sequence 2, Appli
42	290.5	7.1	1055	4	US-09-855-722-2	Sequence 2, Appli
43	290.5	7.1	1065	8	US-08-400-159-8	Sequence 8, Appli
44	290.5	7.1	1212	3	US-09-214-278-3	Sequence 3, Appli
45	290.5	7.1	1212	4	US-09-855-722-3	Sequence 3, Appli

ALIGNMENTS

RESULT 1
US-08-991-862-17

; Sequence 17, Application US/08991862
; Patent No. 6309826
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/08/991,862
; CURRENT FILING DATE: 1998-08-17
; EARLIER APPLICATION NUMBER: 08/863,862
; EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 17
; LENGTH: 593
; TYPE: PRT
; ORGANISM: Human GP88 cDNA
US-08-991-862-17

Alignment Scores:
Pred. No.:   2.08e-219   Length: 593
Score: 3511.00   Matches: 593
Percent Similarity: 100.00%   Conservative: 0
Best Local Similarity: 100.00%   Mismatches: 0
Query Match: 85.57%   Indels: 0
DB: 4   Gaps: 0

US-09-824-647-16 (1-2095) x US-08-991-862-17 (1-593)

Qy   13 ATGTCGGACCCTGGTGAGCTGGGTGGCTTAACACAGAGGCTGGTGGTCGAACGCGGTGC 72
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys 20

Qy   73 CCAGATGGTCAGTTCTGCCCCTGTGACCCTGGTGCTGCGCCTGGACCCCGGAGGAGGCCGAGCCAGCTACAGC 132
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

```
Db    21 ProAspGlyGlnPheCysProValAlaCysLeuAspProGlyGlyAlaSerTyrSer 40

Qy   133 TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCGGCATCGGGTGGCCCC 192
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41 CysCysArgProLeuLeuAspLysTrpProThrThrLeuSerArgHisLeuGlyGlyPro 60

Qy   193 TGCCAGGTTGATGCCCACTGCTCTGCCGGCCACTCCTGATCTTACCGTCTCAGGGACT 252
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61 CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr 80

Qy   253 TCCAGTTGCTGCCCCTTCCAGAGGCCGTGGCATGCGGGATGGCCATCACTGCTGCCCA 312
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81 SerSerCysCysProPheProGluAlaValAlaCysGlyHisHisCysCysPro 100

Qy   313 CGGGGCTTCCACTGCAGTGCAGACGGCGATCCGGTCTTCCAAGATCAGGTAACACTCC 372
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101 ArgGlyPheHisCysSerAlaAspGlyArgSerPheGlnAspGlnSerGlyAsnAsnSer 120

Qy   373 GTGGGGTGCCATCCAGTGCCTGATAGTCAGTTCGAATGCCCGGACTTCTCCACGTGCTGT 432
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys 140

Qy   433 GTTATGGTGAGTGGCTCCTGGGGGTGCTGCCCCATGCCCCAGGCTTCCTGTGTGAAGAC 492
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141 ValMetValAspGlySerTrpTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp 160

Qy   493 AGGGTGCCACTGTGTCGCACGGTGCCTTCTGCGACCTGGTTCACACCCCGTCGATCACA 552
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr 180

Qy   553 CCCACAGGGCACCCACCCCCTGGCAAAGAAGCTCCCCAGAGACTAACAGGGCAGTG 612
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 ProThrGlyThrHisProLeuAlaLysLysLeuProLeuGlnArgThrAsnArgAlaVal 200

Qy   613 GCCTTGTCCAGCTCGGTCATGTGTCCGGACGTATGGCCCCAAATGCCCAACGCCACCTGCTGC 672
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   201 AlaLeuSerSerValMetCysProAspValTyrGlyCysCysProMetProAsnAlaThrCysCys 220

Qy   673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCCAATGCCCACCTGCTGC 732
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProThrCysCys 240

Qy   733 TCCGATCACCTGCACTGCTGCCCCAAGAACGTGTGCTGACCTGATCCAGAGTAAGTGC 792
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 SerAspHisLeuHisCysCysProLysAsnValCysAspThrValAspProSerLysSerCys 260

Qy   793 CTTCTCCAAGGAGAAACGCTACCACGGACCTACCACGACCTCCTCACTAAGCTGCCTGCGCCACCAGTGGGC 852
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   261 LeuSerLysGluAsnAlaThrThrAspLeuThrLysLeuProAlaHisThrValGly 280

Qy   853 GATGTGAAATGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCCGTCTACAG 912
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   281 AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysArgLeuGln 300

Qy   913 TCGGGGGCCTGGGGCGTGCTGCCCTTTACCCAGGCTGTGTGCTGTGAGGACCACATACAC 972
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis 320

Qy   973 TGCTGTCCCGCGGGTTACGTGTGACACGCAGAAGGGTACCTGTGAACAGGGCCCCAC 1032
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysGluGlnGlyProHis 340

Qy  1033 CAGGTGCCCCGGGGATGGAGAAGCCCCAGCTCACCTCAGCCTGCCACAAGCCTTG 1092
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   341 GlnValProAlaGlyPheMetGluLysProGlnAlaHisLeuSerLeuProAspGlnAlaLeu 360

Qy  1093 AAGAGAGATGTCCCTGTGATAAATGTCAGCAGCTGTCCCTCCTCCGGATACCTGCTGCCAA 1152
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 LysArgAspValProCysAspAspAsnValSerSerCysProSerAspSerThrCysCysGln 380

Qy  1153 CTTCACGTCTGGGAGCTGGGGGCTGCTGTCCAATCCCAGAGGCTGTCTGCTGCTCGGACCAC 1212
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   381 LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis 400
```

```
Db  1213 CAGCACTGCTGCCCCAGCGATCACACGTGTAGTAGCTGGACGGGGCAGTGTCAGGGAGGAAGC 1272
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   401 GlnHisCysCysProGlnArgTyrThrCysValAlaGlyGlnCysGlnArgGlySer 420

Db  1273 GAGATCGTGGCTGGACTGGAGAGAATGCCTGCCGCCGGTTCCTTATCCACCCAGA 1332
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   421 GluIleValAlaGlyLeuGluArgMetProAlaArgArgGlySerLeuSerHisProArg 440

Db  1333 GACATCGGCTGTGACCAGCACCAGTGCCCGGTGGGCGGGAACCTGCTGCCCAGCCAG 1392
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   441 AspIleGlyCysAspGlnHisThrSerCysProValGlyTyrThrCysCysProSerGln 460

Db  1393 GGTGGAGCTGGGCGCTGCTGCCAGTTGCCCATGCCCAGTCGTGTCGTGGAGGAGATCGCCAGCAC 1452
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   461 GlyGlySerTrpAlaCysCysGlnLeuProHisAlaAlaValCysCysAspGluAspArgGlnHis 480

Db  1453 TGCTGCCCGGCTGCTACACCTGCAACCTGAAGGGTCCGATCCTGCGCAAGAAGAAGTGGTC 1512
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   481 CysCysProAlaGlyTyrThrCysAsnValLysGlyProSerCysGluLysGluValVal 500

Db  1513 TCTGCCCAGCTGCCACCTTCCTGCCCTAGCCCTCACGTGGGTGTGAAGGACGTGGAG 1572
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   501 SerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyValLysAspValGlu 520

Db  1573 TGTGGGAAGACACTTCGCCATGATAACCAGACCGCTGCCGAGACAACCAGCAGGGC 1632
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   521 CysGlyGluGluHisPheCysHisAspAsnGlnThrCysCysArgAspAsnArgGlnGly 540

Db  1633 TGGGCCTGCTGCCCTACGCCCAGGGCGTCTGTGTGCTGATCGGCGCCACTGCTGTCCT 1692
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   541 TrpAlaCysCysProTyrAlaGlnGlyValCysCysAlaAspArgArgHisCysCysPro 560

Db  1693 GCTGGCTTCCGCTGGCAGTGCTGGGCCAGCGGTACCAACAAGTGTTGGCAGGAGGCCCCGGCTGG 1752
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   561 AlaGlyPheArgCysSerAlaArgArgGlyThrLysCysLeuArgArgGluAlaProArgTrp 580

Db  1753 GACGGCCCCTTTGAGGAGGACCCAGCCTTGAGACAGCTGCTG 1791
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   581 AspAlaProLeuGluArgAspProAlaLeuArgGlnLeuLeu 593
```

```
Alignment Scores:
Pred. No.:                                                   Length:         593
Score:                     2.0e-219    3511.00               Matches:        593
Percent Similarity:        100.00%                           Conservative:   0
Best Local Similarity:     100.00%                           Mismatches:     0
Query Match:               85.57%                            Indels:         0
DB:                                                          Gaps:           0
                           4

US-09-824-647-16 (1-2095) x US-09-813-156-17 (1-593)
```

```
Qy    13  ATGTGGACCTGGTGAGCTGGGTGGTGGCCTTAACAGAGAGGGTGGTGTGCTGGAACGGCGGTGC  72
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1  MetTrpThrLeuValSerTrpValAlaLeuThrArgAlaGlyLeuValAlaGlyThrArgGlyCys  20

Qy    73  CCAGATGGTCAGTTCGCCCCTGCTGGCCTGCTGGACCCCGGAGGAGCCAGCAGCTACAGC  132
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21  ProAspGlyGlnPheCysProAlaCysLeuLeuAspProGluGlyAlaSerSerTyrSer  40

Qy   133  TGCTGCCGTCCCCTTCTGGACAAATGGCCACAACACTGAGCAGGCATCTGGGTGGCCCCC  192
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41  CysCysArgProLeuLeuAspLysTrpProGlnThrLeuSerArgHisLeuGlyGlyPro  60

Qy   193  TGCCAGGTTGATGCCCACTGCTCTGCCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr  80

Qy   253  TCCAGTTGCTGCCCCCTTCCCAGAGGCGTGCATGGCGGGATGGCCATCACTGCTGCCCA  312
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81  SerSerCysCysProPheProGluAlaValAlaAspGlyHisGlyHisHisCysCysPro  100

Qy   313  CGGGGCTTCCACTGCAGTGCAGACGGGCATGCTGCTTCCAAAGATCAGTAACAACTCC  372
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101  ArgGlyPheHisCysSerAlaAspGlyHisAlaAlaSerLysAspGlnArgSerGlyAsnAsnSer  120

Qy   373  GTGGGGCCATCCAGTGCCCGATATGGCCTCGAATGCCCCGGACTTCTCCACGTGCTGT  432
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121  ValGlyAlaIleGlnCysProAspMetAlaSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy   433  GTTATCGTGATGGCTCCTGGGGTGTCTGCCCCATGCCCCAGGCTTCCTGCTGTGAAGAC  492
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141  ValMetValAspGlySerTrpGlySerTrpGlyTyrCysCysProMetProProProAlaSerCysCysGluAsp  160

Qy   493  AGGGTGCACTGCTGTCCGACACGTGGCCTTGTCCGCACCCGCTGGTCACCGCTGCATCACA  552
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161  ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr  180

Qy   553  CCCACGCGGCCACCACCCCTGCCAAAGAAGTCCCTGCCCAGAGACTACAGGGCAGTG  612
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  ProThrThrHisHisProLeuAlaLysLysSerLeuProArgAspTyrArgAlaVal  200

Qy   613  GCCTTGTCCAGCTCGGTCATGTGTCCGGACGCCACCGTCCGGCTGCCCTGATGGTTCTACC  672
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   201  AlaLeuSerSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr  220

Qy   673  TGCTGTGAGCTGCCCAGTGGAAGTAGGATGGCCCTGCGCCCAATGCCCAACGGCCACCCTGC  732
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221  CysCysGluLeuProSerGlyLysLysTyrGlyCysTyrProMetProAsnAlaThrCysCys  240

Qy   733  TCCGATCACCTGCACTGTCTGCCCCAAGACACTGTGACCTGATCCAGAGTAAGTGC  792
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241  SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys  260

Qy   793  CTCTCCAAGGAGAACCGCTACCACGAGACCTACCACCTCCCTCACTAAGTGCTGCGCACACAGTGGGC  852
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   261  LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysLysLeuProAlaHisThrValGly  280

Qy   853  GATGTGAAAATGCAGATGGGAGGTGAGCTGCCCAGATGGCTATACCGTGCCGTCTACAG  912
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   281  AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysCysArgLeuGln  300

Qy   913  TCGGGGGCCTGGGGCTGCTGCCCTTTTACCCAGGCTGTGTGCTGTGAGACGACCATACAC  972
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301  SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy   973  TGCTGTCCCGCGGGGTTTACGTGACTGACACTGTGACCTGACGGGCCCCAC  1032
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   321  CysCysProAlaGlyPheThrCysAspAsnGlnGlyLysGlyTyrProHis  340

Qy  1033  CAGGTGCCTGATGGAGGAAGGCCCCCAGCTCACCTCCAGCCCCACAAGCCTTG  1092
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   341  GlnValProTrpMetGluLysAspAlaProAlaHisLeuSerLeuProAspProGlnAlaLeu  360

Qy  1093  AAGAGAGATGTCCCTGTGATAATGTCAGCAGTGTCCCTCCTCCGATACCTGCTGCCAA  1152
```

```
Db   361  LysArgAspValProCysAspAsnValSerSerCysProSerAspThrCysCysGln  380
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1153  CTCACGTCTGGGAGTGGGGCTGCTCCAATCCAGAGGCTGTCTGCTGCTCGGACCAC  1212

Db   381  LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis  400
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1213  CAGGACCTGTGCCCCCAGGATACACGTGTAGTAGCGGCAGTGTCGAGGGGCAGTGCGAGGAGAAGC  1272

Db   401  GlnHisCysCysProGlnArgTyrThrCysValAlaGluGluGlnCysGlnArgGlyGlySer  420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1273  GAGATCGTGGCTGGACTGGAGAGAGATGCCTGCCGCCGCGGGTTCCTATCCACCCCAGA  1332

Db   421  GluIleValAlaGlyLeuGluLysMetProAlaArgArgGlySerLeuSerHisProArg  440
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1333  GACATCGGCTGTGACCAGCACACCAGCTGCCCGTGGGCGGAACCTGCTGCCAGCCAG  1392

Db   441  AspIleGlyCysAspGlnHisThrSerCysProValGlyThrCysCysProSerGln  460
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1393  GGTGGGAGCTGGGGCCTGCTGCCAGTGCCCCATGCTGCTGTGCTGCGAGATCGGCCAGCAC  1452

Db   461  GlyGlySerTrpAlaCysCysProHisLeuProHisAlaValCysCysGluAspArgGlnHis  480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1453  TGTGTGCCCGGCTGCTACACCTGCAACGTGAAGGCTCGATCTGCGAAGGAAGTGGTC  1512

Db   481  CysCysProAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluLysGluValVal  500
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1513  TCTGGCCAGCCTGCCACCTTCCTGGCCGTAGCCCTACACGTGGGTGTGAAGGACGTGGAG  1572

Db   501  SerAlaGlnProAlaThrPheLeuAlaValAlaArgSerProHisValGlyValLysAspValGlu  520
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1573  TGTGGGAAGGAAGAGACTTCTGCCATGATAACCAGACCTGCTCCGAGACAACCGACAGGGC  1632

Db   521  CysGlyGlyGluGluThrSerCysHisHisAspAsnGlnThrCysSerArgAspAsnArgGlnGly  540
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1633  TGGGCCTGCTGTCCTCCACGGCCCCAGGGCGTCTGTTGTGTGCTCACTGCTGTCCT  1692

Db   541  TrpAlaCysCysProTyrArgGlnGlyValCysCysAlaAspArgArgHisCysCysPro  560
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1693  GCTGGCTTCCGCTGCGCAGCGAGGGTACCAAGTGTTTGCGCAGGAGCCCCGCCTG  1752

Db   561  AlaGlyPheArgCysAlaAlaArgGlyThrLysCysLeuArgArgGluArgProArgTrp  580
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1753  GACGCCCCTTTGAGGGAGGACCCAGCCTTGAGACAGCAGCTGCTG  1791

Db   581  AspAlaProLeuArgGluAspProAlaLeuArgGlnGlnLeuLeu  593
```

RESULT 3
US-07-668-648-4
; Sequence 4, Application US/07668648
; Patent No. 5416192
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/668,648
;   FILING DATE: 19910819
;   CLASSIFICATION: 514

```
ATTORNEY/AGENT INFORMATION:
  NAME: Mistrot, S. Leslie
  REGISTRATION NUMBER: 18,872
  REFERENCE/DOCKET NUMBER: 5624-161-999
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (212)790-9090
  TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
  LENGTH: 593 amino acids
  TYPE: AMINO ACID
  TOPOLOGY: linear
  MOLECULE TYPE: protein
US-07-668-648-4

Alignment Scores:
Pred. No.:              6.92e-217        Length:        593
Score:                  3472.00          Matches:       587
Percent Similarity:     98.99%           Conservative:  0
Best Local Similarity:  98.99%           Mismatches:    6
Query Match:            84.62%           Indels:        0
DB:                     1                Gaps:          1
```

US-09-824-647-16 (1-2095) x US-07-668-648-4 (1-593)

```
Qy    13 ATGTGGACCCTGGTGAGCTGGGTGCCTTAACAGACAGGAGGGCTGGTGCTGGACGCGGTGC   72
Db     1 MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys   20

Qy    73 CCAGATGGTCAGTTCTTGCCCCTTGGCCCTGCTGGCCCCGGAGGAGCCAGTACAGC  132
Db    21 ProAspGlyGlnPheCysProValAlaCysLeuAlaProGlyGlyAlaSerTyrSer   40

Qy   133 TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGCCATCTGGGTGGCCCC  192
Db    41 CysCysArgProLeuLeuAspLysTrpProThrThrLeuSerSerHisLeuGlyGlyPro   60

Qy   193 TGCCAGGTTGATGGCCACTGCTCGCCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
Db    61 CysGlnValAspAlaHisCysSerAlaGlyHisSerAlaGlyHisSerAlaGlyThr   80

Qy   253 TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGGCATGCGGGGATGGCCATCACTGCTGCCCA  312
Db    81 SerSerCysCysProPheProGluAlaValAlaCysGlyAspGlyHisHisCysCysPro  100

Qy   313 CGGGGGCCTTCCACTGCAGTGCAGACGGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
Db   101 ArgGlyPheHisCysSerAlaAspGlyAlaGlyArgSerCysPheGlnArgSerGlyAsnAsnSer  120

Qy   373 GTGGGTGGCCATCCAGTCAGTCAGTTCGAATGCCCCATGCCCCAGGCTTCTCCAGTGCTGT  432
Db   121 ValGlyAlaIleGlnCysProSerGlnPheGluCysProMetProGlnAlaSerProAspPhe  140

Qy   433 GTTATGTGTCGATGGCTCCTGGGGGTGCTGCCCATGCCCCAGGCTGTGGTGCCTGTGAAGAC  492
Db   141 ValMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysGlyGluAsp  160

Qy   493 AGGGTGCACTGCTGTCCACGGCCCTTCGCACGGTGCCTTCACACCGCCGTGCATCACA  552
Db   161 ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr  180

Qy   553 CCCACGGGCACCCACCCCCTGGCAAAGAGCTCCCTGCCAGAGGACTAACACGGGCCAGTG  612
Db   181 ProThrGlyThrHisProLeuLeuLysGluLeuProAlaGlnArgThrAsnArgAlaVal  200

Qy   613 GCCTTGTCCAGCTCGGTCATGTGCTCCGACGACGTCCCGTGCCCCTGATGGTTCTACC  672
Db   201 AlaLeuSerSerSerValMetCysProAspAspValProCysProAspGlySerThr  220

Qy   673 TGCTGTGAGCTGCCCAGCTGGGAAGTATGGCTGCTGCCCAATGCCAACCACCTGCTGC  732
Db   221 CysCysGluLeuProSerGlyLysTyrGlyCysTyrGlyCysProMetProAsnAlaThrCysCys  240
```

```
Qy   733 TCCGATCACCTGCTGCCCCAGACACTGTGTGACCTGATCCAGAGTAAGTAGC  792
Db   241 SerAspHisLeuHisCysCysProGlnAspThrValAspLeuIleGlnSerLysCys  260

Qy   793 CTCTCCAAGGAGAACGTACACGGAGACCTCCTCACTAAGCTGCCTGGCACACAGTGGGC  852
Db   261 LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysLeuProAlaHisThrValGly  280

Qy   853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGCCTATACCTCTGCGTCTACAG  912
Db   281 AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysArgLeuGln  300

Qy   913 TCGGGGGCCTGGGCGTGCTGCCCTTTACCAGGCGTGCTGCTGTGAGGACCACATACAC  972
Db   301 SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy   973 TGCTGTCCCGGGGTTACGTGACACGGAGAAGGTACCTGTGAACAGGGCCCCAC 1032
Db   321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysGlnGlyProHis  340

Qy  1033 CAGTGCCCTGGATGGAGAGGCCCAGCTCACCTCACCTCAGCCTGCCAGACCCCAACAAGCCTTG 1092
Db   341 GlnValProTrpMetGluLysAlaProLeuHisLeuSerLeuProAspProGlnAlaLeu  360

Qy  1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGTGTCCCTCCTCCGATACCTGCTGCCAA 1152
Db   361 LysArgAspValProCysAspAsnValSerSerCysProSerSerAspThrCysCysGln  380

Qy  1153 CTCACGTCGGGAGTGGGGCTGCTGTCAATCCACAGAGGCTGTCTGCTGCTCGGACCAC 1212
Db   381 LeuThrSerGlyValTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis  400

Qy  1213 CAGGACCACTGCTGCCCACGACTACACGTGTGAGCTGAGGGGCAGTTCAGCGAGGAGAGC 1272
Db   401 GlnHisCysCysProGlnLeuTyrThrCysValAlaGluGlyGlnCysGlnArgGlySer  420

Qy  1273 GAGATCGTGGCTGGACTGGAGAAGATGCTGCCCGGCCGGGTTCCTATCCCACCCCAGA 1332
Db   421 GluIleValAlaGlyLeuGluLysMetProAlaArgArgAlaSerLeuSerHisProArg  440

Qy  1333 GACATCGGCTGTGACCAGCACCAGCTGCCCCGGTGGGGCGAACCTGCTGCCCAGCCAG 1392
Db   441 AspIleGlyCysAspGlnHisHisThrSerCysProValGlyValGlnThrCysProSerLeu  460

Qy  1393 GGTGGGAGTGGGCCTGCTGCCAGTGCCCCATGCTGTGCTGCGAGGATCGCCAGCAC 1452
Db   461 GlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  480

Qy  1453 TGCTGCCCGGCTGCTACACCTGCGACAGTGAAGGCTCGATCCTGCGAGAAGGAGGTGGTC 1512
Db   481 CysCysProAlaGlyTyrThrCysAsnValLysAlaSerSerGluGluLysGluValVal  500

Qy  1513 TCTGCCCAGCTGCCATGATAACAGACTTCTGCCCATGATGCGCCGAGAACAACCGACAGAGGC 1572
Db   501 SerAlaGlnProAlaThrPheLeuLeuAlaArgSerProHisValGlyValLysAspValGlu  520

Qy  1573 TGTGGGGAAGGACACTTCTGCCATGATAACAGCCGGTGCGGGCCGCCGTGCATCACA 1632
Db   521 CysGlyGluGlyHisPheCysHisAspAsnAspGlnThrCysCysArgAspAsnArgGlnGly  540

Qy  1633 TGGGGCCTGTGTCCCTACCGCCAGGGCGTCGTTGTGTGGTCCCACTGCTGTCCT 1692
Db   541 TrpAlaCysCysProTyrArgGlnGlyValCysCysAlaAspValThrGlnSerProCysPro  560

Qy  1693 GCTTGGCTTCCGTCGCGCACGGTCCCGGTGCCCGATGGTTCTACC 1752
Db   561 AlaGlyPheArgCysAlaAlaArgGlyThrLysCysLeuArgArgGluAlaProArgTrp  580

Qy  1753 GACGCCCTTTGAGGAGCGGGAGTATGGCTGCCCAGCTCTGAGACAGCTGCTG 1791
Db   581 AspAlaProLeuArgAspProAlaLeueuArgGlnLeuLeu  593
```

RESULT 4

US-08-429-998-4
; Sequence 4, Application US/08429998
; Patent No. 5885961
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/429,998
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 514
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 593 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-429-998-4

Alignment Scores:
Pred. No.:   6.92e-217   Length: 593
Score: 3472.00   Matches: 587
Percent Similarity: 98.99%   Conservative: 0
Best Local Similarity: 98.99%   Mismatches: 6
Query Match: 84.62%   Indels: 0
DB: 2   Gaps: 0

US-09-824-647-16 (1-2095) x US-08-429-998-4 (1-593)

Qy 13 ATGGTGCACCCGGTGAGCTGGGCTGGGTGGCCTTAACACGACCAGGGCTGGTGGCTGGAACGCGGGTGC 72
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 MetTrpThrLeuValSerTrpValAlaLeuThrArgAlaGlyLeuValAlaGlyThrArgCys 20

Qy 73 CCAGATGGTCAGTTCTGCCCTGCCCTGGCCGTGCTGCCTGGACCCGGAGGAGCCAGCTACAGC 132
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 21 ProAspGlyGlnPheCysProAlaAlaCysLeuAspProGluAlaSerTyrArgSer 40

Qy 133 TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAAACACTGAGCAGGCGATCTGGGTGGCCCC 192
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 41 CysCysArgProLeuLeuAspLysTrpProThrLeuSerArgHisLeuGlyGlyPro 60

Qy 193 TGCCAGTTGATGCCCACTGCTCTGCCGGCCACTCCTGCATCTTACCGTCTCAGGGACT 252
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61 CysGlnValAspAlaHisCysSerAlaGlyHisSerCysIlePheThrValSerGlyThr 80

Qy 253 TCCAGTTGCTGCCCCTTCCCAGAGCCCGTGCATGCGGGATGGCCATCACTGCTGCCCA 312
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 81 SerSerCysCysProPheProGluAlaValAlaCysGlyAspGlyHisHisCysCysPro 100

Qy 313 CGGGGCTTCCACTGCAGTGCAGACGGGCGATCTGCTTCCAAAGATCAGGTAACAACTCC 372
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 101 ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSerGlyAsnAsnSer 120

Qy 373 GTGGGTGGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGGACTTCTCCACGTGCTGT 432
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys 140

Qy 433 GTTATGGTGATGGCTCCTGGGGGGTGCGTGCCCATGCCCCAGGGCTTCCTGCTGTGAGAC 492
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 141 ValMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp 160

Qy 493 AGGGTGCACTGCTGTCCGCACGGTGCCTTCTGCGACCTGGTCACACCCGCTCACATCACA 552
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 161 ArgValHisCysCysProHisGlyAlaPheCysAspLeuValHisThrArgCysIleThr 180

Qy 553 CCCACGGGCACCCACCCCCTGGCAAAGAAGCTCCTGCCCGCACAGAGGACTAACAGGCAGTG 612
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 ProThrGlyThrHisProLeuAlaLysLysLeuLeuProAlaGlnArgThrAsnArgAlaVal 200

Qy 613 GCCTTGTCCAGCTCGGTCATGTGCCCGGACGCGACGGTGCCTGCCTGATGGTTCTACC 672
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 201 AlaLeuSerSerSerValMetCysProAlaArgSerArgCysProAspGlySerThr 220

Qy 673 TGCTGTGAGCTGCCCAGTGGAGAGTATGGCTGCTGCCAATGCCCAACGCCCACCTGCTGC 732
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys 240

Qy 733 TCCGATCACCTGCACTGTGCCCCAGACACTGTGTGACCTGATCCAGAGTAAGTGC 792
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 260

Qy 793 CTCTTCCAAGGAGAACGCTACCACGGACCTCCTCACTAAGCTGCTGCGGCCACAGTGGGC 852
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 261 LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysLeuProAlaHisThrValGly 280

Qy 853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGTCCGTGTCACAG 912
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 281 AspValLysCysAspMetGluValSerCysProAspGlyTyrThrCysProCysArgLeuGln 300

Qy 913 TCGGGGGCCTGGGCTGCTGCCCTTTACCCAGGCTGTGTGTGTGAGGACCACATACAC 972
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 SerGlyAlaTrpAlaValCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis 320

Qy 973 TGCTGTCCCGGGGGTTACGTGCTGACACGGCAGGAAGGTACCTGTGAACAGGGGCCCAC 1032
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysGluGlnGlyProHis 340

Qy 1033 CAGGTGCCCTGGATGGAGAGGCCCCAGCTCACCTCAGCGTGCAGAGCCACAAGCCCTTG 1092
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 341 GlnValProTrpMetGluGluProLeuAlaHisLeuSerLeuProAspProGlnAlaLeu 360

Qy 1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGTGTGCCCTCCTCCGTATACCTGCTGCCAA 1152
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 LysArgAspValProCysAspAsnValSerSerCysProSerSerArgThrCysCysGln 380

Qy 1153 CTCACGTCTGGGGAGTGGGGGTCTGCTGTCAATCCAGAGGGCTGTCTGCTCGTCGGACACC 1212
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 381 LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis 400

Qy 1213 CAGCACTGCTGCCCCCAGCGATACACGGTGTAGCTGAGGGGCAGTGTCAGCGAGGAAGC 1272
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 401 GlnHisCysCysProGlnGlyTyrThrCysValAlaGluGluGlnGlnArgGlySer 420

Qy 1273 GAGATCGTGGCTGGACTGGAGAAGATGCCTGCCGCGGGTTCCTTATCCCACCCCAGA 1332
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 421 GluIleValAlaGlyLeuGluLysMetProAlaArgArgAlaSerLeuSerHisProArg 440

Qy 1333 GACATCGGCTGTGACCAGCACACCAGCTGCCCGGTGGGGGTGACCTGCTGCCCAGCCAG 1392
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 441 AspIleGlyCysAspGlnHisThrSerCysProValGlyValThrCysCysProSerLeu 460

Qy 1393 GGTGGGAGCTGGGCCTGCTGCCAGTTGCCCATGCTGTGTCGTGCGAGATCCGCCAGCAC 1452

```
Score:                 3472.00        Matches:       587
Percent Similarity:    98.99%         Conservative:    0
Best Local Similarity: 98.99%         Mismatches:      6
Query Match:           84.62%         Indels:          0
DB:                                   Gaps:            0
```

US-09-824-647-16 (1-2095) x US-08-431-333-4 (1-593)

```
Qy    13 ATGTGGACCTGTGAGTCGGTGGCTTAACAGCAGGCTGTGGTCGGAACGCGGTGC  72
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1 MetTrpThrLeuValSerTrpAlaLeuThrAlaGlyLeuValLeuAlaGlyThrArgCys  20

Qy    73 CCAGATGGTCAGTTCTGCCCTGCCGTGCCCTGGACCCCGGAGGAGCCAGCTACAGC  132
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21 ProAspGlyGlnPheCysProAlaCysProGlyProGlyLeuLeuAspProGlyAlaSerTyrSer  40

Qy   133 TGCTGCCGTCCCTTCTGGACAAATGGCCACAACACTGAGCAGGCATCTGGGTGGCCCC  192
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41 CysCysArgProLeuLeuAspLysTrpProThrThrLeuSerArgHisLeuGlyGlyPro  60

Qy   193 TGCCAGGTTGATGGCCCCACTGCTTGCCGGCCACTCCTGACGCTTTACCGTCTCAGGGACT  252
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61 CysGlnValAspAlaHisCysSerAlaGlyHisSerGluPheThrValSerGlyThr  80

Qy   253 TCCAGTTGCTGCCCCTTCCCAGAGCCCGTGGCATGGGGATGGCCATCACTGCTGCCCA  312
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81 SerSerCysProPheProGluAlaValAlaCysGlyAspHisHisCysCysPro  100

Qy   313 CGGGGCTTCCACTGCCAGTGCAGAGCGGCGATCCTGCTTCCCAAGATCAGGTAACAACTCC  372
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101 ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSerGlyAsnAsnSer  120

Qy   373 GTGGGTGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGGACTTCTCCACGTGCTGT  432
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 ValGlyAlaIleGlnCysProAspSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy   433 GTTAATGGTCGATGGCTCCTCGGGGTGCTGCCCATGCCCCAGGCTTCCTGCTGTGAAGAC  492
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141 ValMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp  160

Qy   493 AGGGTGCACTGCTGTCCGCACGGTGCCTTCTGGACCTGTTCACCCGGTCATCACA  552
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161 ArgValHisCysCysProHisGlyAlaPheCysAlaAspLeuValHisThrArgCysIleThr  180

Qy   553 CCCACGGGCACCACCCCTGCCAAAGAAGCTCCCTGCCCAGAGACTAACAGGGCAGTG  612
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 ProThrGlyThrHisProLeuAlaLysLysLeuProAlaGlnArgThrAsnArgAlaVal  200

Qy   613 GCCTTGTCCAGCTGGTCATGTGCCCAGGTGCCGACGGTCCGGTGCCCTGATGGTTCTACC  672
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   201 AlaLeuSerSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr  220

Qy   673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCCAATGCCCAACGCCACCTGCTGC  732
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys  240

Qy   733 TCCGATCACCTGCACTGCCGCCCAGAGACACTGTGTGACCTGGTCCAGAGTAAGTGC  792
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuValSerLysCys  260

Qy   793 CTCTCCAAGGAGAACGCTACCACGGACCTCCTCACTAAGTTGCCTGCCGCACACAGTGGGC  852
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   261 LeuSerLysGluAsnAlaThrThrAspLeuLeuThrLysLeuProAlaHisThrValGly  280

Qy   853 GATGTGAAATGTGACATGGAGGTGAGCTGCTATACCTGCCGTCTACAG  912
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   281 AspValLysCysAspMetGluValSerCysTyrThrCysArgLeuGln  300

Qy   913 TCGGGGCCTGGGGCGTGCTGCCCTTTACCCAGGCTGTGTGCTGTGAGGACCACATACAC  972
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 SerGlyAlaTrpAlaCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis  320

Qy   973 TGCTGTCCCGGCGGGTTTACGTGTGACACGGCAGCGAGAGGTACCTGTGAACAGGGCCCCAC 1032
```

```
Db   461 GlyGlySerTrpTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  480
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy  1453 TGCTGCCCCGGCTGGTACACCTGCACGTCGAAGGCTTCGGATCCTGCGGAAGGAAGTGGTC 1512
Db   481 CysCysProAlaGlyTyrThrCysThrCysAsnValLysSerAlaArgSerCysGluLysGluLeuValVal  500

Qy  1513 TCTGCCCAGCTGCCACCTTCCTGCCCGTAGCCCGTCACGTGGTGTGAAGGACAGACTGGAG 1572
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   501 SerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyValLysAspValGlu  520

Qy  1573 TGTGGGGAAGGACACTTCTGCCATGATAACCAGACACTGCTGCCGCGACAACGACAGGGC 1632
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   521 CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysArgArgAspAspAsnArgGlnGly  540

Qy  1633 TGGGGCCTGCTGTCGTCCACGCCCAGGGGTCTTGTTGTGTGCTGATCGGCGGCCACTGCTGTCCT 1692
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 TrpAlaCysCysProTyrArgGlnGlyValCysCysAlaAspArgArgHisCysCysPro  560

Qy  1693 GCTGGCTTCCGCTGCGCACGCAGGGGTACCAAGTGTTTGCCAGGGAGGCCCCGCCGCTGG 1752
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   561 AlaGlyPheArgCysAlaAlaArgGlyThrLysCysLeuArgArgGluArgProAlaProArgTrp  580

Qy  1753 GACGCCCCTTTGAGGACCAGCCTTGAGACAGCTGCTG 1791
         |||||||||||||||||||||||||||||||||||||
Db   581 AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu 593
```

RESULT 5
US-08-431-333-4
; Sequence 4, Application US/08431333
; Patent No.5965723
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/431,333
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/668,648
; FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Misrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)790-9090
; TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 593 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-431-333-4

Alignment Scores:
Pred. No.:   6.92e-217   Length: 593

```
COMPUTER:  IBM PC compatible
OPERATING SYSTEM:  PC-DOS/MS-DOS
SOFTWARE:  PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
  APPLICATION NUMBER:  PCT/US91/02321
  FILING DATE:  19910403
  CLASSIFICATION:  514
ATTORNEY/AGENT INFORMATION:
  NAME:  Poor, Brian W.
  REGISTRATION NUMBER:  32,928
  REFERENCE/DOCKET NUMBER:  ON0071A-PC
TELECOMMUNICATION INFORMATION:
  TELEPHONE:  (206)728-4800
  TELEFAX:  (206)448-4775
INFORMATION FOR SEQ ID NO:  4:
  SEQUENCE CHARACTERISTICS:
    LENGTH:  593 amino acids
    TYPE:  AMINO ACID
    TOPOLOGY:  linear
  MOLECULE TYPE:  protein
PCT-US91-02321-4
```

```
Alignment Scores:
Pred. No.:                         Length:          593
Score:              6.92e-217      Matches:         587
Percent Similarity: 3472.00        Conservative:      0
Best Local Similarity: 98.99%      Mismatches:        6
Query Match:        98.99%         Indels:            0
DB:                 84.62%         Gaps:              0
                    5
```

```
US-09-824-647-16 (1-2095) x PCT-US91-02321-4 (1-593)

Qy    13  ATGTGGACCCTGGTGAGCTGGGTGGCCTTAACAGCAGGCTGGTGGAACCGGTGC   72
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     1  MetTrpThrLeuValSerTrpValAlaLeuThrAlaGlyLeuValAlaGlyThrArgCys   20

Qy    73  CCAGATGGTCAGTTCTGCCCTCTGCCCTGCCCTGCCCTGCCCCGAGGAGCCAGTACAGC  132
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    21  ProAspGlyGlnPheCysProLeuProValAlaCysProLeuAspProGlyGlyAlaSerTyrSer   40

Qy   133  TGTGCCGTCCCCTTCTGGACAAATGGCCACAACACTGAGCAGGACATCTGGTGGCCCC  192
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    41  CysCysArgProLeuLeuAspLysTrpProThrThrLeuSerArgHisLeuGlyLeuGlyPro   60

Qy   193  TGCCAGGTTGATGCCACTGCTCGCCGGCCACTCCTGCCACTCCTGCCATCTTACCGTCTCAGGGACT  252
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  CysGlnValAspAlaHisCysSerAlaAdGlyHisSerCysIlePheThrValSerGlyThr   80

Qy   253  TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGGCATGGGGATGGCCATCATCACTGCTGCCCA  312
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    81  SerSerCysCysProPheProGluAlaValAlaCysGlyGlyHisHisCysCysPro  100

Qy   313  CGGGGCTTCCACTGCAGTGCAGCAGCGGGGGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   101  ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnArgSerGlyAsnAsnSer  120

Qy   373  GTGGTGGCCATCCAAGTTCCAGATGCCGTGATAGTCAGTTCGAATGCCGAGACTGCGTGT  432
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121  ValGlyAlaIleGlnCysProAspSerArgGlnPheSerGlnPheGluCysProAspPheSerThrCysCys  140

Qy   433  GTTATGGTCGATGGCCTCCTGGGGTGCGCCCATGCCCAGGCTTCCTGCTGTGAAGAC  492
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   141  ValMetValAspGlyLeuLeuGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp  160

Qy   493  AGGGTGCACTGCTGTCCACGGTGCCTTCTCCGACCTGGTTCACACCGGTTCACATCACA  552
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   161  ArgValHisCysCysProHisGlyAlaPheCysSerAspLeuValHisThrArgCysIleThr  180

Qy   553  CCCACGGGCACCCACCCCCTGGCAAAGAAGTCCCCTGGCCAGAGGACTAACAGGGCAGTG  612
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  ProThrGlyThrHisProLeuAlaLysLysProAlaGlnArgThrAsnArgAlaVal  200

Qy   613  GCCTTGTCCAGCTCGGTCATGTCCGGACGCACGGTCCCGGTCCCGATGGTTCTACC  672
```

```
Db   321  CysCysProAlaGlyPheThrCysPheThrGlnIleLysGlyGlyThrCysGluGlnGlyProHis  340

Qy  1033  CAGGTGCCCTGGACGGAGAAGGCCCCAGTCCACCTGCCGCAGACCCACAAGCCTTG  1092
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   341  GlnValProTrpMetGluLysProAlaHisLeuSerLeuProAlaHisAlaLeu  360

Qy  1093  AAGAGAGATGTCCCCTGTGATAAATGCAGAGTGTCCCCTCCGACATACCTGCTGCCAA  1152
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361  LysArgAspValProCysAspAsnValSerSerCysProSerAsnThrCysCysGln  380

Qy  1153  CTCACCTCTGGGAGTGGGGCTGCTGTCTCAATCCCAGAGGCTGTCTGCTCCGACCAC  1212
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   381  LeuThrSerGlyGluThrGlyLeuTrpGlyCysCysProIleProGluAlaValCysCysSerSerAspHis  400

Qy  1213  CAGCACTGCTGCCCCCAGGATACACGTGTGTAGCTGAGGGGCAGTGTCAGCAGGAGGAGC  1272
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   401  GlnHisCysCysProGlnGlyTyrThrCysValAlaGluGlyGlnCysGlnGlnArgGlyGlySer  420

Qy  1273  GAGATCGTGGCTGGACTGGGAGAAGATGCCTGCCCCGGCGGTTCCTTATCCCACCCAGA  1332
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421  GluIleValAlaGlyLeuGlyGluGluMetProAlaAlaArgArgAlaSerLeuSerHisProArg  440

Qy  1333  GACATCGGCTGTGACCAGCACACCAGCTGCCCGGTGGGGGGAACCTGCTGCCCGGAGCCAG  1392
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   441  AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnThrCysCysProSerLeu  460

Qy  1393  GGTGGAGCTGGGCCTGCTGCCAGTGCCCCATGCTGTGTGCTGCGGAGGATCGCCAGCAC  1452
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   461  GlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  480

Qy  1453  TGCTGCCCGGCTGCTACACCTGCGACGTGAAGGCTCGATCCTGCGAGAAGGAAGTGGTC  1512
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481  CysCysProAlaAlaGlyTyrThrCysAsnValLysAlaArgSerCysGluLysGluValVal  500

Qy  1513  TCTGCCCAGCCTGCCACCTTCCTGCCCGTAGCCCTCACGTGGGTGTGAAGGACTGGAG  1572
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   501  SerAlaGlnProAlaThrPheLeuAlaArgSerProHisGlyValGlyValLysAspValGlu  520

Qy  1573  TGTGGGAAGGACACTTCTGCCATGATAACCAGACAACACCGACAGGGC  1632
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   521  CysGlyGluGluHisPheCysHisIleAspAspArgGlnThrCysCysArgAspAsnArgGlnGly  540

Qy  1633  TGGGGCCTGCGTGTCCCTACGCCCAGGGCGTCTGTTGTGCTGATCGGCGCCACTGCTGTGTCCT  1692
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541  TrpAlaCysCysProTyrArgGlnGlyValCysCysValAlaAspArgArgHisCysCysPro  560

Qy  1693  GCTGGCTTCCGCTGCCCACGCAGCCAGGGTTTGCCAGGAGGCCCCCGCTGG  1752
          |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   561  AlaGlyPheArgCysAlaAlaAlaArgGlyThrLysLeuArgArgGluAlaProArgTrp  580

Qy  1753  GACGGCCCCTTGAGGGACCCAGCCTTGAGACAGCTGCTG  1791
          |||||||||||||||||||||||||||||||||||||||
Db   581  AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu  593
```

```
RESULT 6
PCT-US91-02321-4
; Sequence 4, Application PC/TUS9102321
GENERAL INFORMATION:
  APPLICANT:  Shoyab, Mohammed
  APPLICANT:  Plowman, Gregory D.
  TITLE OF INVENTION:  EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
  TITLE OF INVENTION:  MODULATING PROTEINS
  NUMBER OF SEQUENCES:  12
  CORRESPONDENCE ADDRESS:
    ADDRESSEE:  Bristol-Myers Squibb Company
    STREET:  3005 First Avenue
    CITY:  Seattle
    STATE:  Washington
    COUNTRY:  USA
    ZIP:  98121
  COMPUTER READABLE FORM:
    MEDIUM TYPE:  Floppy disk
```

```
Db   561 AlaGlyPheArgCysAlaAlaAlaArgGlyThrLysCysLeuArgArgGluAlaProArgTrp 580
                                     |||||||||||||||||||||
Qy  1753 GACGCCCCTTGAGGGACCAGCCTTGAGACAGCTGCTG 1791
                 ||||||||||||||||
Db   581 AspAlaProLeuArgAspProAlaLeuArgGlnLeuLeu 593
```

RESULT 7
US-07-668-648-2
; Sequence 2, Application US/07668648
; Patent No. 541619
; GENERAL INFORMATION:
;   APPLICANT: Shoyab, Mohammed
;   APPLICANT: Plowman, Gregory D.
;   TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;   TITLE OF INVENTION: MODULATING PROTEINS
;   NUMBER OF SEQUENCES: 12
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/668,648
;   FILING DATE: 19910819
;   CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: AMINO ACID
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-07-668-648-2

```
Alignment Scores:
Pred. No.:                                     Length:          589
Score:                     9.94e-167           Matches:         443
                           2696.00             Conservative:    56
Percent Similarity:        84.15%              Mismatches:      90
Best Local Similarity:     74.70%              Indels:          4
Query Match:               65.71%              Gaps:            3
DB:                        1
```

US-09-824-647-16 (1-2095) x US-07-668-648-2 (1-589)

```
Qy    13 ATGTGGACCCTGCTGAGCTGAGGGTGGCCTTAACAGCAGAGGGGTGGTGGCTGAACGGGGTGC 72
          |||||||||||||||||||||||||||||   :::||||||||
Db     1 MetTrpIleLeuValSerTrpLeuAlaLeuValAlaArgLeuValAlaGlyThrGlnCys 20

Qy    73 CCAGATGGTCAGTTCTGCCCTGTGCCCGTGGCTCTGGACCCCGGAGGAGCCAGCTACAGC 132
                ||||||||||||||||||||||||||||||   :::||||||
Db    21 ProAspGlyGlnPheCysProValAlaCysProLeuAspProGlyGlyAlaAsnTyrSer 40

Qy   133 TGCTGCCCGTCCCCTTCGGACAAATGCCCAACAACTGAGCGGTGGCCCC 192
                ||||||||||||||||||||||||||||||
Db    41 CysCysAsnProLeuLeuAspThrTrpProIleIleThrSerArgLeuAspGlySer 60

Qy   193 TGCCAGGTTGATGCCCACTGCTCTGCCCGGCCACTCCTGCATCTTACCGTCTCAGGGACT 252
                |||||||    :::||||||||
Db    61 CysGlnIleArgAspHisCysProAspGlyTyrSerCysLeuLeuThrValSerGlyThr 80
```

(continued on left panel — nucleotide/protein alignment, positions 201–1752)

```
Db   201 AlaLeuSerSerValMetCysProAspAlaArgSerArgCysProAspGlySerThr 220
Qy   673 TGCTGTGAGCTGCCCAGTGGGAGTATGGCTGCTGCCAATGCCCAAGCGCCACCTGCTGC 732
Db   221 CysCysGluLeuProSerGlyLysTyrGlyCysCysProMetProAsnAlaThrCysCys 240

Qy   733 TCCGATCACCTGCTGCCCCAAGACACTGTGTGTGACCTATCCAGAGTAAGTGC 792
Db   241 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 260

Qy   793 CTCTCCAAGGAGAACGTACCACCAGGACCTCCTCACTAAGCTGCTGCGCACACAGTGGGC 852
Db   261 LeuSerLysGluAsnAlaThrThrArgLeuLeuThrLysLeuLeuProAlaHisThrValGly 280

Qy   853 GATGTGAAAATGTGACATGGAGTGAGCTGCCCAGATGGCATAACCTGCTGCCGTCTACAG 912
Db   281 AspValLysCysAspMetGluValSerProAspGlyTyrThrCysCysArgLeuGln 300

Qy   913 TCGGGGGCCTGGGGCTGCTGCCCTTTACCCAGGCTGTGCTGTGCAGGACCACCATACAC 972
Db   301 SerGlyAlaTrpGlyCysCysProPheThrGlnAlaValCysCysGluAspHisIleHis 320

Qy   973 TGCTGTCCCGCGGGGTTACGTGACACGCAGAGGGTACCTGTGAACAGGGGCCCCAC 1032
Db   321 CysCysProAlaGlyPheThrCysAspThrGlnLysGlyThrCysGluGlnGlyProHis 340

Qy  1033 CAGGTGCCCTGATGAGAAGGCCCCAGCTCACCTCAGCCTGCAGACCCACAAGCCTTG 1092
Db   341 GlnValProTrpMetGluLysAlaProAlaHisLeuSerLeuProAspProGlnAlaLeu 360

Qy  1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGTGCGTCCCTCCTCCGATACCTGCTGCCAA 1152
Db   361 LysArgAspValProCysAspAsnValSerSerCysProSerSerAspThrCysCysGln 380

Qy  1153 CTCACGTCTGGGGAGTGGGGCTGCTGTCCAATCCCAGAGGCTGTCTGCTGTCGACCAC 1212
Db   381 LeuThrSerGlyGluTrpGlyCysCysProIleProGluAlaValCysCysSerAspHis 400

Qy  1213 CAGCACTGCTGCCCCCCAGCGATACACGTGTGAGCTGAGGGGCAGTGCAGTCAGCGAGAAGC 1272
Db   401 GlnHisCysCysProGlnGlyTyrThrCysValAlaGluGlyGlnCysGlnArgGlySer 420

Qy  1273 GAGATCGTGGCTGACTGAGAGAGATGCCTGCCCGCCGGTTCCTATCCCACCCCAGA 1332
Db   421 GluIleValAlaGlyLeuGluLysGluLysMetProAlaArgArgAlaSerLeuSerHisProArg 440

Qy  1333 GACATCGGCTGTGACCAGCACCACAGCTGCCCGGTGGCGGAACCTGCTGCCGAGCCAG 1392
Db   441 AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnThrCysProSerLeu 460

Qy  1393 GGTGGGAGCTGGGGCTGCTGCCAGTTGCCCATGCTGTGTGCTGCGAGGATCGCCAGCAC 1452
Db   461 GlyGlySerTrpAlaCysCysProValGlnProHisAlaValCysCysGluAspArgGlnHis 480

Qy  1453 TGCTGCCCGCTGGCTACACCTGCAACGTGAAGGCTGAAGGCTCGATCCTGCGGAAGAAGTGGTC 1512
Db   481 CysCysProAlaGlyTyrTyrThrCysAspAsnValLysAlaArgSerCysGluLysGluGluValVal 500

Qy  1513 TCTGCCCAGCTGCCACCTTCCTGGCCCTAGCCCTCACGTGGGTGTGAAGGACGTGGAG 1572
Db   501 SerAlaGlnProAlaThrPheLeuAlaArgSerProHisValGlyValGlyAspValGlu 520

Qy  1573 TGTGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCCCAGACAACCGACAGGGC 1632
Db   521 CysGlyGlyGlyHisPheCysHisAspAsnGlnThrCysCysArgArgAspAsnArgGlnGly 540

Qy  1633 TGGGCCTGCTGTCCTACGGCCCCAGGGCGTCGTGTTGTGCTGGTGATCGGCGCCACTGCTGTCCT 1692
Db   541 TrpAlaCysCysProTyrArgGlnGlyValCysCysAlaAspArgArgHisCysCysPro 560

Qy  1693 GCTGGCTTCCGCTGCGCACCGCCAGGGTACCCAGGGGAGGCCCCGCGTGG 1752
```

Qy 253 TCCAGTTGCTGCCCTTCCCAGAGGCCGTGGCGATGGCCATCACTGCTGCCCA 312
Db   81 SerSerCysProPheSerGluGlyValSerCysAspAspGlyHisCysProPro 100

Qy 313 CGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC 372
Db 101 ArgGlyPheHisCysSerAlaAspGlyArgSerCysPheGlnIleSer---AspSerLeu 119

Qy 373 GTGGGTGGCCATCCAGTGCCTGATAGTCAGTTCGAATGCCGGACTTCTCCACGTGCTGT 432
Db 120 LeuGlyAlaIleGlnCysProGlySerGlnPheGluCysProAspSerAlaThrCysCys 139

Qy 433 GTTATGGTGATGGCTCCTGGGGGTGCTGCCCCATGCCCCAGGCTTCTGTCTGTGAAGAC 492
Db 140 IleMetIleAspGlySerTrpGlyCysCysProMetProGlnAlaSerValCysGluAsp 159

Qy 493 AGGGGCACTGCGTGCCGCAGCGGTGCCTTCTGCGACCGGTGTTCACCACCGGTCAGCAGCA 552
Db 160 ArgValHisCysCysProHisGlyAlaSerCysAspArgCysValHisThrArgCysIleSer 179

Qy 553 CCCACGGGCACCACCCCCTGGCAAAGAAGCTCCCGGACTAACAGGGCAGTG 612
Db 180 ProThrGlyThrHisProLeuLeuLysPheProLeuIleProAlaGlnArgThrAsnArgAlaVal 199

Qy 613 GCCTTGTCCAGCTCGGTCATGTGTCCGGACGCACGGTCCGGTGCCCGATGGTTCTACC 672
Db 200 AlaPheProPheSerValCysProAspAlaLysThrGlnCysProAspAspSerProSerThr 219

Qy 673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGTGCCCAATGCCCAACACCCACCTGCTGC 732
Db 220 CysCysSerGluLeuProThrGlyLysTyrGlyCysCysProMetProAsnAlaIleCysCys 239

Qy 733 TCCGATCACTGCACTGCTGCCCCAAGACACTGTGTGTGACCTGATCCAGAGTAAGTGC 792
Db 240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 259

Qy 793 CTCTCCAAGAGAACGCTACCACGGACCTCCTCACTAAGCTGCCTGCGCGCACAGTGGGC 852
Db 260 IleSerLysAsp---TyrThrThrAspLeuMetThrLysLeuProGlyTyrProValAsn 278

Qy 853 GATGTGAAATGTGACACATGGACGTGAGCTGCCAGATGGCTATACCTGCTCCGTCTACAG 912
Db 279 GluValLysCysAspLeuValSerLysCysProAspGlyTyrThrCysTyrCysArgLeuAsn 298

Qy 913 TCGGGGCCTGGGGCTGCTCTGCCCTTTACCCAGGCTGTGTGCTGTGAGGACCACATACAC 972
Db 299 ThrGlyAlaTrpGlyCysCysProPheThrLysAlaValCysCysGluAspHisIleHis 318

Qy 973 TGCTGTCCCGGCGGGGTTTACGTGCTGACACGGAGAGGGTACCTGTGAACAGGGGCCCCAC 1032
Db 319 CysCysProAlaGlyPheGlnCysHisThrGluThrGlyThrCysGluLeuGlyValLeu 338

Qy 1033 CAGGTGCGCCCTCGGATGGAGAGGCCCCAGCTCACCTCAGCCTGCCAGACCCACAAGCCTTG 1092
Db 339 GlnValProThrMetLysLysValThrAlaSerLeuProAspProGlnIleLeuLeu 358

Qy 1093 AAGAGAGATGTCCCCTGTGATAAATGTCAGACAGTGAGTGATGGGCCAGTGTGCTGCCAA 1152
Db 359 LysAsnAspValProCysAspAspPheSerSerCysProSerAsnAsnThrCysCysArg 378

Qy 1153 CTCACGTCTGGGGAGTGGGGCTGCTGTCCAATCCCAGAGGCGTCTGCTGCCTCCGGACCAC 1212
Db 379 LeuSerSerGlyAspTrpGlyCysCysProIleProGluAlaValAlaCysCysLeuAspHis 398

Qy 1213 CAGCACTGCTGCCCCAGGCGATACACGTGTAGCTGAGGGGCAGTGTCAGCGAGGAAGC 1272
Db 399 GlnHisCysCysProGlnGlyPheLysCysMetAspGluGlyGlnTyrCysGlnLysGlyGlyAsp 418

Qy 1273 GAGATGCTGGCTGGACTGGAGAAGATGCCTGCCGCCGCCGGTTCCTTATCCCACCCCAGA 1332
Db 419 ArgMetValAlaGlyLeuGluLysMetProValArgGlnHisThrLeuLeuGlnHisGlyLeu 438

Qy 1333 GACATCGGCTGTGACCAGCACACCAGCTGCCCGGTGGGACGACCTGCCCGAGCCAG 1392

Db 439 AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnHisThrCysProSerLeu 458
Qy 1393 GGTGGGAGCTGGCGCTCCTGCCCAGTTGCCCATGTGTGTGCCGGAGATGCCAGCAC 1452

Db 459 LysGlySerTrpAlaCysLysGlnLeuProHisAlaValCysCysAspArgGlnHis 478
Qy 1453 TGCTGCCCGGCTGCTACACCTGCAACGTGAAGGCTGAAGCTCGCGAAGAAGTGGTC 1512

Db 479 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysAspAlaGly 498
Qy 1513 TCTCCCAGCTGCCACCTTCCTGCCCTGGCCTAGCCCTCACGTGGGTGTGGAGGACGTGGAG 1572

Db 499 SerValGlnProSerMetAspThrPheGlySerLysSerLysValGly-----AsnValGlu 516
Qy 1573 TGTGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCCGAGACAACCGACAGGGC 1632

Db 517 CysGlyAlaGlyHisPheCysHisAspAspAsnGlnSerCysCysLysAspSerGlnGlyGly 536
Qy 1633 TGGGCCTGCTGCCTGCCCTACGCCCAGGGGCTGCTGTGTGTGATCGGCGCACTGCTGTCCT 1692

Db 537 TrpAlaCysCysProTyrValLysGlyValCysCysSerArgAspGlyArgHisCysCysPro 556
Qy 1693 GCTGGCTTCCGCTCGCCGACGCAGGGGTACCAAGTGTTTGGGCAGGGAGGCCCCGGCTGG 1752

Db 557 IleGlyPheHisCysSerSerAlaLysGlyThrLysCysLeuArgLysLysThrProArgTrp 576
Qy 1753 GACCCCCTTGAGGGACGACCTTGAGACAGCTGCTG 1791

Db 577 AspIleLeuLeuArgAspArgProAlaProArgProLeuLeu 589

RESULT 8
US-08-429-998-2
; Sequence 2, Application US/0842998
; Patent No. 5885961
GENERAL INFORMATION:
      APPLICANT: Shoyab, Mohammed
      APPLICANT: Plowman, Gregory D.
      TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
      TITLE OF INVENTION: MODULATING PROTEINS
      NUMBER OF SEQUENCES: 12
      CORRESPONDENCE ADDRESS:
          ADDRESSEE: Pennie & Edmonds
          STREET: 1155 Avenue of the Americas
          CITY: New York
          STATE: New York
          COUNTRY: USA
          ZIP: 10036
      COMPUTER READABLE FORM:
          MEDIUM TYPE: Floppy disk
          COMPUTER: IBM PC compatible
          OPERATING SYSTEM: PC-DOS/MS-DOS
          SOFTWARE: PatentIn Release #1.0, Version #1.25
      CURRENT APPLICATION DATA:
          APPLICATION NUMBER: US/08/429,998
          FILING DATE: 27-APR-1995
          CLASSIFICATION: 514
      PRIOR APPLICATION DATA:
          APPLICATION NUMBER: US 07/668,648
          FILING DATE: 13-MAR-1991
      ATTORNEY/AGENT INFORMATION:
          NAME: Misrock, S. Leslie
          REGISTRATION NUMBER: 18,872
          REFERENCE/DOCKET NUMBER: 5624-161-999
      TELECOMMUNICATION INFORMATION:
          TELEPHONE: (212)790-9090
          TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 2:
      SEQUENCE CHARACTERISTICS:
          LENGTH: 589 amino acids
          TYPE: amino acid
          TOPOLOGY: linear
      MOLECULE TYPE: protein

US-08-429-998-2

```
Alignment Scores:
Pred. No.:
Score:                    9.94e-167
                          2696.00
Percent Similarity:       84.15%         Length:        589
Best Local Similarity:    74.70%         Matches:       443
Query Match:              65.71%         Conservative:  56
DB:                                      Mismatches:    90
                                         Indels:        4
                                         Gaps:          3
```

US-09-824-647-16 (1-2095) x US-08-429-998-2 (1-589)

```
Qy   13  ATGTGGACCCTGGTGAGCTGGGTGGCCTTAACAGACAGGGCTGGTGGCTGAACGCGGTGC   72
             ::|||||||||||||||||||:::||:
Db    1  ...MetTrpIleLeuValSerLeuAlaLeuValAlaLeuAlaArgLeuValAlaGlyThrGlnCys   20

Qy   73  CCAGATGGTCAGTTCTGCCCCTCGTCCTGCTGGACCCCGGAGGAGCCAGCTACAGAC  132
         |||||||||||||||||:::|||
Db   21  ProAspGlyGlnPheCysProValAlaCysLeuAspGlnGlyGlyAlaAsnTyrSer   40

Qy  133  TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGGCATCTGGGTGGCCCC  192
Db   41  CysCysAsnProLeuLeuAspThrTrpProIleIleThrSerArgLeuAspAspGlySer   60

Qy  193  TGCCAGTTGATGGCCCACTGCTCTGGCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
             |:||||:
Db   61  CysGlnIleIleArgAspHisCysSerProGlyTyrSerCysLeuLeuThrValSerGlyThr   80

Qy  253  TCCAGTTGCTGCTGCCCCTTCCCAGAGGCCGTGGCATGGGGATGGCCATCACTGCTGCCCA  312
             |||:|
Db   81  SerSerCysCysProPheSerGluGlyValSerGlyGlyCysSerAspAspGlyHisCysCysPro  100

Qy  313  CGGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
Db  101  ArgGlyPheHisCysSerAlaAspGlyArgSerCysGlnIleSer--AspSerLeu        119

Qy  373  GTGGGTGCCAGTCCAGTCAGTTGAATGCCCGACTTCTCCAGTGCTGT                 432
             ||||:|
Db  120  LeuGlyAlaValGlnCysProGlySerGlnLeuGluCysProAspSerAlaThrCysCys    139

Qy  433  GTTATGGTCGATGGCTGTCCTGGGGTGCTGCCCATGCCCAGGCTTCCTGCTGTGAAGAC    492
             :::::|||
Db  140  IleMetIleAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp   159

Qy  493  AGGGTGCACTGCTGTCCGCACGGTGCCTTCTGCGACCTGGTTCACACCCGCTCATCACA   552
Db  160  ArgValHisCysCysProHisGlyAlaSerCysCysSerAspGlyTyrValCysAspSer   179

Qy  553  CCCACGGGCACCCCCCCTGGAAAGAAGAGTCCCTGCCAGAGGACTAACAGGGCAGTG     612
         ::::::
Db  180  ProThrGlyThrProLeuLeuLysLysLysSerProAlaLeuArgThrAsnArgAlaVal   199

Qy  613  GCCTTGCCCAGCTCGGTCATGTGTCCGACACGGTCCCGTGCCCTGATGGTTCTACC     672
Db  200  AlaPheProPheSerValValCysProAspAlaLysThrGlnCysProAspSerThr     219

Qy  673  TGCTGTGAGCTGCCCAGTGGGAAGTATGGTGCTGCTGCCAATGCCCACCGCCACCTGCTGC   732
         |||||||||||:::|||
Db  220  CysCysGluLeuProThrGlyLysTyrGlyCysCysProMetProAsnAlaIleCysCys    239

Qy  733  TCCGATCACCTGCTGCCCCAAGAACACTGTGTGACCTGATCCAGAAGTGC             792
Db  240  SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys   259

Qy  793  CTCTCAAGGAGACGCTACCACGGACCCTCCTACTAAGCTGCCTGCGGCACACAGTGGGC    852
             ::|||
Db  260  IleSerLysAsp---TyrThrThrAspLeuMetThrLysLeuProGlyTyrProValAsn  278

Qy  853  GATGTGAAATGCAGATGGCAGGTGAGCTGCCCAGATGGCTATACCTGCCGTCTACAGG    912
         :::|||
Db  279  GluValLysCysAspLeuGluValSerCysProAspGlyTyrThrCysCysArgLeuAsn  298

Qy  913  TCGGGGGCCTGGGGCTGCTGCCCTTTACCCAGGCTGTGTGCTGTGAGGACCACATACAC   972
```

```
Db  299  ...ThrGlyAlaTrpGlyCysCysProPheThrLysValCysCysGluAspHisIleHis  318

Qy  973  TGTGTCCCGGCGGGGTTTACGTGTGACACGGACGAGAAGGTACCTGAACAGGGCCCCAC  1032
         ||||||
Db  319  CysCysProAlaGlyPheThrGlnCysHisThrGluThrGlyThrCysGluValValLeu  338

Qy 1033  CAGTGGCCTGGATGGAGAAGGGCCCCAGCTCACCTCAGCCTGCCAGCGACACCAAGCCTTG 1092
             :::::|||
Db  339  GlnValProTrpProMetLysValValThrAlaSerLeuLeuSerLeuProAspGlnIleLeu  358

Qy 1093  AAGAGAGATGTCCCCTGTGATAATGTCAGCAGCTGTCCCTCCTCCGATACCTGCTGCCAA 1152
         |||   ||||:::
Db  359  LysLysAsnAspValProCysAspAsnProPheSerSerCysProSerSerAsnThrCysCysArg  378

Qy 1153  CTCACGTCTGGGAGTGGGGCTGCTGCCCAATCCAGAGGCGTCTGCTGTCTGGACCAC    1212
         ||:::|||
Db  379  LeuSerSerGlyAspTrpGlyCysCysProIleProGluProAlaValCysCysLeuAspHis   398

Qy 1213  CAGCACTGCTGCCCCAGGGATACACGTGTAGCTGAGGGCAGTGTCAGCGAGGAGAGC    1272
         ::: ||||
Db  399  GlnHisCysCysProGlnGlyPheLysCysMetAspGlyGluGlyCysGlnLysGlyAsp   418

Qy 1273  GAGAATCGTGGCTGGACTGAGAAGATGCTGCCCGCGCCGGGTTCCTATCCCACCCCAGA  1332
         :::|||
Db  419  ArgMetValAlaGlyLysLeuGluLysMetProValAlaArgGlnThrThrLeuLeuGlnHisGly  438

Qy 1333  GACATCGGCTGCAGCAGCACCAGCTGCCCGGTGGGGGAACCTGCTGCCCAGGACCAG   1392
         ||:::|||
Db  439  AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnThrCysCysProSerLeu   458

Qy 1393  GGTGGGAGTGGGCCTGCTGCCAGTTGCCCATGCTGTGTGCTGCGAGGATCGCCAGCAC  1452
         |||:::
Db  459  LysGlyLeuSerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis  478

Qy 1453  TGCTGCCCGGCTGGCTACACCTGCAACGTGAACGTGAAGGCTCAACGTCTGGAGAAGAAGTGGTC 1512
             :::::|||
Db  479  CysCysProAlaGlyTyrThrCysAsnValLysAlaGlnThrCysGluLysAspAlaGly    498

Qy 1513  TCTGCCAGCTGCCACCTTCCTGCCCATGTGTGAGGACGTGAG                   1572
             :::|||
Db  499  SerValGlnProSerMetAspLeuThrPheGlySerLysValGly------AsnValGlu  516

Qy 1573  TGTGGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCCGAGACAACCGACAGGGC 1632
             :::|||
Db  517  CysGlyAlaGlyHisPheCysHisAspAsnAsnGlnSerCysCysLysAspSerGlnGlyGly  536

Qy 1633  TGGGCCTGCTGTCCCTACAGGCCACCAGGGGTCTGTTGCTGCGATACGCGCCCACTGCGTCCT 1692
             ::::::|||
Db  537  TrpAlaCysCysProTyrValLysGlyValCysCysSerAspSerArgAspGlyArgHisCysCysPro  556

Qy 1693  GCTGGCTTCCGCTGCGCAGCGGGTACCAAGTGTTTCGGCAGGAGGCCCCGCGCTGG    1752
             :::|||
Db  557  IleGlyPheHisCysSerAlaLysGlyThrLysCysLeuArgLysLysThrProArgTrp  576

Qy 1753  GACGCCCTTGAGGGACCCAGCCTTGAGACAGCTGCTG                       1791
         |||
Db  577  AspIleLeuLeuArgAspProAlaProArgProLeuLeu                      589
```

RESULT 9
US-08-431-333-2

```
STATE: New York
COUNTRY: USA
ZIP: 10036
COMPUTER READABLE FORM:
   MEDIUM TYPE: Floppy disk
   COMPUTER: IBM PC compatible
   OPERATING SYSTEM: PC-DOS/MS-DOS
   SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
   APPLICATION NUMBER: US/08/431,333
   FILING DATE: 27-APR-1995
   CLASSIFICATION: 536
PRIOR APPLICATION DATA:
   APPLICATION NUMBER: US 07/668,648
   FILING DATE: 13-MAR-1991
ATTORNEY/AGENT INFORMATION:
   NAME: Misrock, S. Leslie
   REGISTRATION NUMBER: 18,872
   REFERENCE/DOCKET NUMBER: 5624-161-999
TELECOMMUNICATION INFORMATION:
   TELEPHONE: (212)790-9090
   TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 2:
   SEQUENCE CHARACTERISTICS:
      LENGTH: 589 amino acids
      TYPE: amino acid
      TOPOLOGY: linear
   MOLECULE TYPE: protein
US-08-431-333-2
```

```
Alignment Scores:
Pred. No.:             9.94e-167
Score:                 2696.00
Percent Similarity:    84.15%
Best Local Similarity: 74.70%
Query Match:           65.71%
DB:                    2

Length:        589
Matches:       443
Conservative:   56
Mismatches:     90
Indels:          4
Gaps:            3
```

US-09-824-647-16 (1-2095) x US-08-431-333-2 (1-589)

```
Qy   13 ATGTGGACCCTGGTGAGCTGGGTGCCTTAACAGCAGGCTGGTGCTGGAACGCGGGTGC   72
         |||||||||||||||||||||  ::|||||    ||||    || :::||
Db    1 MetTrpIleLeuValSerTrpLeuAlaLeuValAlaArgLeuValAlaArgLeuThrGlnTyr   20

Qy   73 CCAGATGGTCAGTTCTGCCCTGCCTGGTGCCCTGCCTGGAGACCCCGGAGGAGCAGCTACAGC  132
         |||||||||||||||||  :::|||  ||||||
Db   21 ProAspGlyGlnPheCysProValAlaCysLeuAlaTrpCysProIleProGlyGlnGlyAlaAsnTyrSer   40

Qy  133 TGCTGCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGGCATCTGGGTGGCCCC  192
         ||||||||||||  |||||||||
Db   41 CysCysAsnProLeuLeuAspThrTrpProIleIleThrSerArgLeuAspAspGlySer   60

Qy  193 TGCCAGGTTGATGCCCACTGCTCTGCCGGCCACTCTTTACCGTCTCAGGGACT  252
         |||||||||||||     ::|||
Db   61 CysGlnIleArgAspHisCysProGlyTyrSerCysLeuLeuThrValSerGlyThr   80

Qy  253 TCCCAGTTGCTGCCCCCTTCCCAGAGGCCGTGGCATGCGGGGGATGGCCATCACTGCTGCCCA  312
         |||||||||||||||||     ::|||
Db   81 SerSerCysProPheSerGluCysValGlyValSerProValAlaCysSerLeuAlaSerGlnGlyAlaAsnTyrSer  100

Qy  313 CGGGGCTTCCACTGACTGCAGACGCGGCCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
         ||||||||||||||||  :::|||
Db  101 ArgGlyPheHisCysSerAlaAspGlyLysSerCysSerGlnIleSer---AspSerLeu  119

Qy  373 GTGGGTGCCATCCAGTGCCCTGATAGTAGTCAGTTCAGGCCCCATGCCCGGACTTCTCCACGTGCTGT  432
         |||||||||||||||||     ::|||
Db  120 LeuGlyAlaValGlnCysProGlySerTrpIleGlySerTrpPheGluGlyPheGluGluGlyAla  139

Qy  433 GTTATGTGCCGATGGCCTCCTCGGGGGTGCTGCCCATGCCCCAGGCTTCCACCGTGCTGGT  492
         |||||||||||||||||     ::|||
Db  140 IleMetIleLeuAspGlySerTrpGlyTrpGlyThrPheGlySerTyrCysProGlnAla  159

Qy  493 AGGGTGCACTGCGTCTCCGACGCGGTGCCTTCTGCGACCTGGTTCACCCGCTGCATCACA  552
         |||||||||||||||||     ::|||
Db  160 ArgValHisCysCysProHisGlyAlaSerGlyValAlaSerLeuValHisThrArgCysIleSer  179

Qy  553 CCCACGGGCACCCACCCCCTGGCCAAAGAAGAGTCCCTGCCCAGAGGACTAACAGGGCAGTG  612
         |||||||||||||||||     ::|||
Db  180 ProThrGlyThrHisProLeuLeuLysLysPheProLeuLysProAlaGlnArgThrAsnArgAlaVal  199

Qy  613 GCCTTGTCCAGCTCGGTCATGTCTCCGACGACGCGGTCCGGTGCCCGATGGTTCTACC  672
         |||||||||||||  :::|||
Db  200 AlaPheProPheSerValValCysProAlaLysThrGlnArgCysProAspAspAspSerThr  219

Qy  673 TGCTGTGAGCTGCCAGTGGGAAGTATGGCTGCTGCCAATGCCAACGCCACCCTGCTGC  732
         |||||||||||||||||     ::|||
Db  220 CysCysGluLeuProThrGlyLysProThrGlyTyrGlyCysProMetProAsnAlaIleCysCys  239

Qy  733 TCCGATCACCTGCACTGCTGCCCCCAAGACACTGTGTGAACACTGTGACTGATCCAGAGTAAGTGC  792
         |||||||||||||||||     ::|||
Db  240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuGlnSerLysSerCys  259

Qy  793 CTCTCCAAGGAGACACGCTACCACGACCTTCCACTAAGCTGCTGCCCCACACAGTGGGC  852
         |||||||||||||||||     ::|||
Db  260 IleSerLysAsp---TyrThrThrAspLeuMetThrLysProGlyTyrProValAsn  278

Qy  853 GATGTGAAATGTACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCTGCCGTCTACAG  912
         |||||||||||||||||     ::|||
Db  279 GluValLysProAspGluGluValAlaSerCysProAspGlyTyrProThrCysCysArgLeuAsn  298

Qy  913 TCGGGGCTGGGGCTGCGTCGTGTGCCCTTTACCCAGGCTGTGTGCGTGTGAGGACCACATACAC  972
         ||||||||||||| : ::|||
Db  299 ThrGlyAlaTrpProGlyCysCysProPheThrLysAlaValCysValCysGluAspProHisIleHis  318

Qy  973 TGCTGTCCCGCGGGTTTACGTGTGACACGGAGAAGGGTACCTGTGAACAGCAGGGCCCCAC  1032
         |||||||||||||     ::|||
Db  319 CysCysProAlaGlyPheThrCysHisGlnPheGlnLeuThrGlnGluThrGlyThrCysCysAspArgLeuValLeu  338

Qy 1033 CAGGTGCCCTGGATGCAGAGAGGCCCCAGCTCACCTCAGCCTGACCTGCCAGACCCACAAGCCCTTG  1092
         ||||||||||||| : :|||
Db  339 GlnValProTrpMetLysLysValThrAlaSerLeuSerLeuProAspProGlnIleIleLeu  358

Qy 1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGCGTGTCCCTCCTCCGATACCTGCTGCCAA  1152
         |||||||||||||  :::|||
Db  359 LysAsnAspValProCysAspPheSerSerCysAsnAsnThrCysCysArg  378

Qy 1153 CTCACGTCTGGGAGTGGGGTCCAATCCCAGAGGCGTGTCTGCTGCTGCTCGGACCAC  1212
         ||||||||||||| : : :|||
Db  379 LeuSerSerGlyAspTrpGlyValCysCysProIleProGluAlaValCysCysLeuAspHis  398

Qy 1213 CAGGCACTGCCTGGGCCCCAGCGATACACGTGTAGCTGAGTGACTGGGACGGTCAGCGAGGAGC  1272
         |||||||||||||  :::|||
Db  399 GlnHisCysCysProGlnGlyPheLysCysMetAspAspGluGlyTyrCysGlnLysLysGlyAsp  418

Qy 1273 GAGATCGTGCTGGACTGGAGAAGATGCCTGCCCGGCGCGGGTTCCTTATCCCACCCCAGA  1332
         |||||||||||||  :::|||
Db  419 ArgMetValAlaGlyValLeuGluLysMetProValAlaGlyLeuHisThrLeuLeuLeuHisHisGly  438

Qy 1333 GACATCGGCTGTGACCAGCACCAGCTGCCCGTGGCGGAACCTGCTGCCCAGCCAG  1392
         |||||||||||||||||     ::|||
Db  439 AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnThrCysProSerLeu  458

Qy 1393 GGTGGAGCTGGGCCTGCTGCCAGTGCGTGTCTGTGCGTGCGAGGATCGGCAGCAC  1452
         |||||||||||||||||     ::|||
Db  459 LysGlySerTrpProAlaCysCysGlnLeuProHisAlaAlaValCysCysSerPro  478

Qy 1453 TGCTGCCCGGCTGGGCCTGCTGCCAGTGCCACTGACAGGCTGAAGGCTGCTGCAC  1512
         |||||||||||||||||     ::|||
Db  479 CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysLysAspHis  498

Qy 1513 TCTGCCCAGCCTGCCACCTTCGGCCTCCTGGCCCTAGCCCTGGTGGTGAAGGAGGTGGAG  1572
         |||||||||||||  :::|||
Db  499 SerValGlnProSerMetAspLeuThrPheGlySerLysValGly-----AsnValGlu  516

Qy 1573 TGTGGGAAGGACACTTCTGCCATGATAACCAGCAACCGCAGGGC  1632
         |||||  ::|||
```

```
Db   517 CysGlyAlaGlyHisPheCysHisAspAsnGlnSerCysCysLysAspSerGlnGlyGly 536
             |||||||||||
Qy  1633 TGGGCCTGCTGCTCCTCACGCCCAGGGCGTCGTGGTCGCCACTGTGTCCT 1692
             |||||||    ::::|||:|  ||||||:|||||||:|||||||
Db   537 TrpAlaCysCysProTyrValLysGlyValCysCysArgAspGlyArgHisCysCysPro 556
             |||||||
Qy  1693 GCTGGCTTCCGCTGCGCACGCAGGGGGTACCAAGTGTTGCGCAGGAGGCCCCGCGTGG 1752
             ||||    :::|||     ::::::
Db   557 IleGlyPheHisCysSerAlaLysGlyThrLysCysLeuArgLysLysThrProArgTrp 576
             |||||||
Qy  1753 GACGGCCCCTTTGAGGGACCCAGCCTTGAGACAGCTGCTG 1791
             |||||| |||  |||  ||||||
Db   577 AspIleLeuLeuArgAspProAlaProArgProLeuLeu 589
```

```
RESULT 10
PCT-US91-02321-2
; Sequence 2, Application PC/TUS9102321
; GENERAL INFORMATION:
;    APPLICANT: Shoyab, Mohammed
;    APPLICANT: Plowman, Gregory D.
;    TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
;    TITLE OF INVENTION: MODULATING PROTEINS
;    NUMBER OF SEQUENCES: 12
;    CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Bristol-Myers Squibb Company
;       STREET: 3005 First Avenue
;       CITY: Seattle
;       STATE: Washington
;       COUNTRY: USA
;       ZIP: 98121
;    COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: PCT/US91/02321
;       FILING DATE: 19910403
;       CLASSIFICATION: 514
;    ATTORNEY/AGENT INFORMATION:
;       NAME: Poor, Brian W.
;       REGISTRATION NUMBER: 32,928
;    REFERENCE/DOCKET NUMBER: CN0071A-PC
;    TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (206)728-4800
;       TELEFAX: (206)448-4775
; INFORMATION FOR SEQ ID NO: 2:
;    SEQUENCE CHARACTERISTICS:
;       LENGTH: 589 amino acids
;       TYPE: AMINO ACID
;       TOPOLOGY: linear
;    MOLECULE TYPE: protein
PCT-US91-02321-2
```

```
Alignment Scores:
Pred. No.:                              Length:           589
Score:               9.94e-167          Matches:          443
Score:               2696.00            Conservative:      56
Percent Similarity:  84.15%             Mismatches:        90
Best Local Similarity: 74.70%           Indels:             4
Query Match:         65.71%             Gaps:               3
DB:
```

```
US-09-824-647-16 (1-2095) x PCT-US91-02321-2 (1-589)

Qy    13 ATGTGGACCTGGTGAGCTGGTGGCCTTAACAGCAGGCTGGTGGTGGGGAACGCGGTGC 72
             |||||:|||||  ||||| :::|| |||     :|||||:  |::|||||
Db     1 MetTrpIleLeuValSerTrpLeuAlaLeuValAlaArgLeuValAlaGlyThrGlnCys 20

Qy    73 CCAGATGGTCAGTTCTGCCCTGTGCCCTGGCCTGGACCCCGGAGGAGCCAGCTACAGC 132
             |||:||||:||    :||||||||    ||||:||||
Db    21 ProAspGlyGlnPheCysProValAlaCysCysLeuAspProValAlaCysSerLeuAspAsnTyrSer 40

Qy   133 TGCTGCCGTCGCCCTTCTGGACAAATGGCCACAACACTGAGCAGCATCTGGTGTGGCCCC 192
             |||||||||  ||| :::
```

```
Db    41 CysCysAsnProLeuLeuAspThrTrpProIleIleThrSerArgArgLeuAspGlySer 60
             |||||||
Qy   193 TGCCAGTTGATGCCACTGCTCTGCGGCACTCCTGCCATCTTACCGTCTCAGGGACT 252
             ||||   :|::|||:::|||||||:    |||    ::||| ::|||::|||||||
Db    61 CysGlnIleArgAspHisCysProAspGlyTyrSerCysLeuLeuThrValSerGlyThr 80
             |||||||
Qy   253 TCCAGTGCTGCCCCTTCCAGAGCCGTGGCATGCGGGGATGGCCATCACTGCTGCCCA 312
             ||||||    :|||:||:|||||||||  |::|||||||:||
Db    81 SerSerCysCysProPheSerGluGlyValValSerCysCysAspAspGlyHisHisCysCysPro 100
             |||||||
Qy   313 CGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC 372
             |:||||:||::|:|||||||::||  :|||||:||| ||||  |::||
Db   101 ArgGlyPheHisCysSerAlaAspGlyLysSerCysSerGlnIleSer---AspSerLeu 119
             |||||||
Qy   373 GTGGGTGCCATCCAGTGCCCTGATAGTTCAGTTGCAGTTCCACGTGCTGT 432
             :::|||||:|||||| ||||||  :||||:::|:||||||::||    ||||| ::|||
Db   120 LeuGlyAlaGlnCysProGlySerGlnPheGluCysProAspSerAlaThrCysCys 139
             |||||||
Qy   433 GTTATGGTGATGGCTCCTGGGGGTGCTCCCCATGCCCCAGGCTTCCTGCTTCTGAGAC 492
             :::||:::|||||  |||||:||:|||:||    |||||    |||||:||||||
Db   140 IleMetIleAspGlyThrTrpGlyCysSerProMetProGlnAlaSerCysCysGluAsp 159
             |||||||
Qy   493 AGGGTGCACTGCTGTCCGCACGGTGCCTTCTGCGGACCTGGTTCACACCCGCTGCATCACA 552
             |:||||||||:|||||  ||||:||||||||||    |||||:||||||||:::|||:|||
Db   160 ArgValHisCysProHisGlyAlaSerCysCysValHisThrArgCysIleSer 179
             |||||||
Qy   553 CCCACGGGCACCCACCCCTGCAAAGAGTCTCCTGCCAGGAGGACTAACAGGGCAGTG 612
             ::|||||||:|||:|||||||||||:||||:|||||||:|::||||||:||||||
Db   180 ProThrGlyThrHisProLeuLeuLysLysGluSerProAlaGlnArgThrAsnArgAlaVal 199
             |||||||
Qy   613 GCCTTGTCCAGCTCGGTCATGTGTCCGGACGCACGGTCCGGTGCCCTGATGGTTCACC 672
             |||    ||||||:||:||||:::||:|||||||||||||    :::||||
Db   200 AlaPheProSerValValCysProAspAlaLysThrGlnCysCysProAspAspSerThr 219
             |||||||
Qy   673 TGCTGTGAGCTGCCCAGTGGGAAGTATGCGTGCCCCAATGCCCACCTGCTGC 732
             ||||||    ||||||:||||:::|||:||||||    ::|||||||:|||||||
Db   220 CysCysGluLeuProThrGlyLysTyrGlyLysCysCysProMetProAsnAlaIleCysCys 239
             |||||||
Qy   733 TCCGATCACCTGACTGCTCCCCCAAGACACTGTGTGTGACTGATCCAGAGTAAGTGC 792
             ||||||:|||||||:||::|::::||||||||:||:    ||||:|||||:|||:|||
Db   240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 259
             |||||||
Qy   793 CTCTCCAAGAGACGCTACCACGGACCTCCTACTAAGCTGCCTGCGCCACAGTGGGC 852
             |||||||:    ||::|:||||||    ||||||| :::    ::||:||||
Db   260 IleSerLysAsp---TyrThrThrAspLeuMetThrLysLeuProGlyTyrProValAsn 278
             |||||||
Qy   853 GATGTGAAATGCATGAGAGGTGAGCTGCCGCAGATGGCTATACCTGCGTGCCGTCTACAG 912
             :::||||||:|||||||||||||||||||    |||||||||:||||||:||:||||:|||
Db   279 GluValLysLysAspLeuGluValSerCysProAspGlyTyrThrCysCysArgLeuAsn 298
             |||||||
Qy   913 TCGGGGGGCTGGGGGCTGCTGCCCTTTACCCAGACCGTGTGCTGTGAGACCACCATACAC 972
             :::|||||||||:::|||||||||||||:::||||||||:||||:||||:|::||||:|||
Db   299 ThrGlyAlaTrpGlyCysCysProPheThrLysAlaValCysCysGluAspHisIleHis 318
             |||||||
Qy   973 TGCTGTCCCCGCGGGTTACGTGTGACAGCCAGAAGGTACCCTGACAGGGCCCCCAC 1032
             ||||||:||||:|||||||:|| |||||:    ::||
Db   319 CysCysProAlaGlyHisGlnCysHisIleThrGluThrGlyThrLeuGlyValLeu 338
             |||||||
Qy  1033 CAGGTGCCCTGATGGAGAAGGCCCCAGTTCACCTCAGCCTGCCAGACCCAGCAAGCCTTG 1092
             :::|||:|||:||||:::|||||||||:||||||||:::||||||||||||
Db   339 GlnValProTrpMetLysLysValThrAlaSerLeuSerLeuProAspProGlnIleLeu 358
             |||||||
Qy  1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGCTGCCCTCCTCCGGATACCTGTGCCAA 1152
             ||||| |||||||:||:||||   |||  :||||||||||    :||||:||||||||
Db   359 LysAsnAspValProCysAspAspPheSerSerCysProSerAsnAlaThrCysCysArg 378
             |||||||
Qy  1153 CTCACGTGCTGGGGAGTGGGGCTGCTGTCCAATCCAGAGGCTGTCTGCTGCGACCAC 1212
             |||||||:|||||||||||:||:||||||:||||||||:||||||||:|||||||||
Db   379 LeuSerGlyAspTrpGlyCysCysProIleProGluProGluValAlaValCysCysAspAspHis 398
             |||||||
Qy  1213 CAGCACTGCTGCCCCAGCGATACACGTGTGTAGCTGAGTGAGGAGAAGC 1272
             ||||||| :::  :::
```

```
                      LENGTH:        589 amino acids
                      TYPE:          AMINO ACID
                      TOPOLOGY:      linear
                      MOLECULE TYPE: protein
                      US-07-668-648-6

Alignment Scores:
Pred. No.:          1.55e-166        Length:          589
Score:              2693.00          Matches:         441
Percent Similarity: 83.98%           Conservative:    57
Best Local Similarity: 74.37%        Mismatches:      91
Query Match:        65.63%           Indels:          4
DB:                                  Gaps:            3

US-09-824-647-16 (1-2095) x US-07-668-648-6 (1-589)

Qy   13 ATGTGGACCCTGGTGAGCTGGTGGCCTTAACAGCAGGGCTGGTGGCTGGACGGCGGTGC   72
           ||||   |||| |::::|||    |:::||
Db    1 MetTrpValLeuMetSerTrpLeuAlaPheAlaLAlaGlyLeuValAlaGlyThrGlnCys   20

Qy   73 CCAGATGGTCAGTTCTGCCGTGGCTGCTGCCTGGACCCCGGAGGAGCCAGCTACAGC   132
           |||   |||||||||
Db   21 ProAspGlyGlnPheCysProValAlaCysCysLeuAspProGlyGlyAlaAsnTyrSer   40

Qy  133 TGCTGCCCGTCCCCCTTCTGACAAATGGCCACAACACTGAGCAGGCATCTGGGTGGCCCC   192
           |||||||
Db   41 CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisSerHisLeuAspGlySer   60

Qy  193 TGCCAGGTTGATGCCCACTGCTTCTGCCGGCCACTCCTGCATCTTTACCGTCTCCAGGACT   252
           |||
Db   61 CysGlnThrHisGlyHisCysProAlaGlyTyrTyrSerCysLeuLeuHisValSerGlyThr   80

Qy  253 TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGCATGCGGGATGGCCATCACTGCTGCCCA   312
           ||||||  |||
Db   81 SerSerCysCysProPheSerLysGlyValSerCysGlyAspGlyTyrHisCysCysPro   100

Qy  313 CGGGGCTTCCACTGCAGTGCAGACGGGCGCATCCTGCTTCCAAAGATCAGGTAACAACTCC   372
           :::||||||||||       :::||
Db  101 GlnGlyPheHisCysSerSerAlaAspGlyLysSerCysPheGlnMetSer---AspAsnPro   119

Qy  373 GTGGGGTGCCATCCAGTGCCCTGATAGTCAGTTCGAATGCCCGGACTTCCACGTGCTGT   432
           |||       :::||
Db  120 LeuGlyAlaValGlnCysProGlySerGlnPheGluCysProAspProSerAlaThrCysCys   139

Qy  433 GTTATGGTGCATGGCTCCTCGGGGGTGCTGCCCATGCCCCAGGCTTCCTGCTGTGGAAGAC   492
           :::|||
Db  140 IleMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp   159

Qy  493 AGGGTGCACTGCTGTCCCCACGGTGCCTTCTGGGACCTGGTTCACACCCGCTGCATCACA   552
           ||||||||||       :::||
Db  160 ArgValHisCysCysProHisGlyAlaSerCysCysAspLeuValHisThrArgCysValSer   179

Qy  553 CCCACGGGCACCCACCCCCTGGCAAAGAAGCTCCCTGCCAGAGGACTAACAGGCAGTG   612
           |||||   |||||
Db  180 ProThrGlyThrHisThrLeuLeuLysLysProAlaGlnLysThrAsnArgAlaVal   199

Qy  613 GCCTTGTCCAGCTCGGTCATGTGTCCGGACGCACGGTCCCGGTGCCCGGTGCCCTGATGGTTCTACC   672
           :::||       :::||
Db  200 SerLeuProPheSerValValCysProAspAlaLysThrGlnCysProAspAspSerThr   219

Qy  673 TGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGGTGGTGCTGCCAATGCCCAAGCCCACCTGCTGC   732
           ||||||||||       :::||
Db  220 CysCysGluLeuProThrGlyLysTyrGlyTrpTrpCysCysProMetProAsnAlaIleCysCys   239

Qy  733 TCCGATCACTGCTGCTGCCCCCAAGACACTGTGTGACCTGATCCAGAGTAAGTGC   792
           ||||   |||||
Db  240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuGlnSerLysLysCys   259

Qy  793 CTCTCCAAGAGAACGCTACCACGACCTCCTACTAAGCTGCTGCACCAGTGGGC   852
           ||||||   :::|||
Db  260 LeuSerLys---AsnTyrThrThrAspLeuLeuThrLysLeuThrTyrProValLys   278

Qy  853 GATGTGAAATGCAACATGGAAGTGAGCTGCCCAGATGGCTATACCTGCTGCCGTCTACAG   912


Db  399 GlnHisCysCysProGlnGlyPheLysCysMetAspGluTyrCysGlnLysGlyAsp   418
           ||:|::|||       :::|||
Qy 1273 GAGATCGTGGCTGGACTGGAGAAGATGCCTGCCCGCGGCGGTTCCTTATCCCACCCCAGA  1332

Db  419 ArgMetValAlaGlyLeuGluLysMetProValArgGlnThrThrLeuLeuGlnHisGly   438
           ||||||||||
Qy 1333 GACATCGGCTGTGACCAGCACACCAGTCGCTGCCCGGTGGGGGGAACCTGCTGCCCAGCCAG  1392

Db  439 AspIleGlyCysAspGlnHisThrSerCysProValGlyGlnThrCysCysProSerLeu   458
           :::|||||||
Qy 1393 GGTGGGAGCTGGGCCTGCTGCCAGTTGCTGCTGCGGAGATCGCAGCAC  1452

Db  459 LysGlySerTrpAlaCysCysGlnLeuLeuProHisAlaAlaValCysCysGluAspArgGlnHis   478
           ||||||
Qy 1453 TGCTGCCCGGCTGGCTACACCTGCAACGTGAAGGCTCAATCCTGCGAGAAGGAAGTGGTC  1512

Db  479 CysCysProAlaGlyTyrThrCysAsnValLysAlaAlaArgThrCysGluLysAspAlaGly   498
           :::||||||
Qy 1513 TCTGCCCAGCTGCCACCTTCCTGGCCCGTAGCCCTGCACGTGGGTGTGAAGGACGTGGAG  1572

Db  499 SerValGlnProSerMetAspLeuThrPheGlySerLysValGly------AsnValGlu   516
           |||||   |||||
Qy 1573 TGTGGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCCGAGACAACCGACAGGGC  1632

Db  517 CysGlyAlaGlyHisPheCysHisAspAsnGlnSerCysCysLysAspSerGlnGlyGly   536
           ||||||   :::|||
Qy 1633 TGGGGCCTGCTGTCCTTACGCGCAGGGCGTCTGTGTGCTGATCGGCGCCCACTGCTGTCCT  1692

Db  537 TrpAlaCysCysProTyrValValGlyValCysCysArgAspGlyArgHisCysCysPro   556
           ||||||   :::|||
Qy 1693 GCTGGCTTCCGCTGCGCACGCAGGGTACCAAAGTGTTTGCGCAGGAGGCCCCGCTG  1752

Db  557 IleGlyPheHisCysSerAlaAlaLysGlyThrLysCysLeuArgLysLysThrProArgTrp   576
           :::||       :::|||
Qy 1753 GACGCCCCTTGAGGGACCAGCCTTGAGACAGCTGCTG  1791

Db  577 AspIleLeuLeuArgAspProAlaProArgProLeuLeu   589
```

CORRESPONDENCE ADDRESS:
  ADDRESSEE: Pennie & Edmonds
  STREET: 1155 Avenue of the Americas
  CITY: New York
  STATE: New York
  COUNTRY: USA
  ZIP: 10036
COMPUTER READABLE FORM:
  MEDIUM TYPE: Floppy disk
  COMPUTER: IBM PC compatible
  OPERATING SYSTEM: PC-DOS/MS-DOS
  SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/429,998
  FILING DATE: 27-APR-1995
  CLASSIFICATION: 514
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: US 07/668,648
  FILING DATE: 13-MAR-1991
ATTORNEY/AGENT INFORMATION:
  NAME: Misrock, S. Leslie
  REGISTRATION NUMBER: 18,872
  REFERENCE/DOCKET NUMBER: 5624-161-999
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (212)790-9090
  TELEFAX: (212) 869-9741
INFORMATION FOR SEQ ID NO: 6:
SEQUENCE CHARACTERISTICS:
  LENGTH: 589 amino acids
  TYPE: amino acid
  TOPOLOGY: linear
  MOLECULE TYPE: protein
US-08-429-998-6

Alignment Scores:
Pred. No.:   1.55e-166   Length: 589
Score: 2693.00   Matches: 441
Percent Similarity: 83.98%   Conservative: 57
Best Local Similarity: 74.37%   Mismatches: 91
Query Match: 65.63%   Indels: 4
DB: 2   Gaps: 3

US-09-824-647-16 (1-2095) x US-08-429-998-6 (1-589)

```
Qy     13 ATGTGGACCCTGGTGAGCTGGGTGGCCTTAACAGCAGGCTGGTGGCTGGAACGGCGGTGC   72
          ||||||||||||||||||:::|||||||||||||||||||||||||||||||||||||||
Db      1 MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaGlyThrGlnCys   20

Qy     73 CCAGATGGTCAGTTCTGCCCTGTGGCCTGTGCTTCACCCGGAGGAGCCAGCTACAGC  132
          ::::|||||||||||||||||||||||||||||||||:||||||||||||||||||||
Db     21 ProAspGlyGlnPheCysProValAlaCysCysLeuAspGlnGlyAlaAsnTyrSer   40

Qy    133 TGCTGCGCCTCCTTCTGACAAATGGCCCACAACACTGAGCAGCAGCATCTGGGTCGGCCCC  192
          ||||||:::|||||||||||||||||||||||||||||||||||||||||||||||||||
Db     41 CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisHisLeuAspGlySer   60

Qy    193 TGCCAGGTTGATGCCCACTCTCTGCCGCGGCCACTCCTGCATCTTTACCGTCTCAGGGACT  252
          ||||||:::|||||||||||||||||||||||||||||||||:::||||||||||||||
Db     61 CysGlnThrHisGlyHisProAlaLeuProArgProLeuLeuThrValSerGlyThr   80

Qy    253 TCCAGTTGCTGCCCCCTTCCAGAGGCCGTGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  312
          ||||||||||||:::||||||||||:::|||||||||||||||||||||||||
Db     81 SerSerCysCysProPheSerLysGlyValSerGlyValAspGlyTyrHisCysCysPro  100

Qy    313 CGGGGCTTCCACTGCAGTGCAGGAGACGGGCGATCCTGCTTCCTGCTTCCAAAGATCAGGTAACAACTCC  372
          :::|||||||||||||||:||||||||||||||:::
Db    101 GlnGlyPheHisCysSerAlaAspGlyLysSerCysPheGlnMetSer---AspAsnPro  119

Qy    373 GTGGGTGCCATCCAGTGCCCTGATAGTGCAGTTCGAATGCCCGGACTTCTCCACGTGCTGT  432
          :::||||||||||||||||||||||||:::
Db    120 LeuGlyAlaValGlnCysProGlySerGlnPheGluCysProAspSerAlaThrCysCys  139

Qy    433 GTTATGGTCGATGGCTTCCTGGGGGTGTGCCCATGCCCAGGCTTCCTGCTGTGAAGAC  492
```

279 GluValLysCysAspGlyMetGluValSerCysProGluGlyTyrThrCysCysArgLeuAsn 298   Db
    :::||||||||||||||||||||||||||||||||
913 TCGGGGGGCCTGGGCGTGCTGCCCTTTACCGGCTGTGTGCTGTGAGGACCACATACAC 972   Qy
    |||||||||||||||||| :::||||||||||||
299 ThrGlyAlaTrpGlyCysCysProPheAlaLysAlaValCysCysGluAspHisIleHis 318   Db

973 TGCTGTCCCGCGGGGGTTACGTGCGACACCGAGAGGGTACCTGTGAACAGGGCCCCAC 1032   Qy
    |||||||:::||||||||||||||||
319 CysCysProAlaGlyPheGlnGlyHisThrGluLysGlyThrCysGluMetGlyIleLeu 338   Db

1033 CAGGTGCCCTGGATGGAGAGAGGCCCCAGTCACCTCAGCCTGCCAGACCCACAGCCCTTG 1092   Qy
     |||||||||||||| :::||||
339 GlnValProTrpMetLysLysValIleAlaProArgLeuAlaArgProGlnIleLeu 358   Db

1093 AAGAGAGATGTCCCGTGATAAATGTCAGCAGCTGTCCCTCCTCCGATACCTGCTGCCAA 1152   Qy
     |||||||| ::: ||||||||||||:::||||
359 LysSerAspThrProCysAspAspPheThrArgCysProThrArgAsnAsnThrCysCysLys 378   Db

1153 CTCACGTCTGGGAGTGGGGCTGCTGTCTGCCAATCCCAGAGGCGTGTCTGCTGCGACCAC 1212   Qy
     |||||| :::|||||||||||:::||
379 LeuAsnSerGlyAspTrpGlyCysCysProIleProGluAlaValCysCysSerAspAsn 398   Db

1213 CAGCACTGCTGCCCCCAGCGATACACGTGTAGTGAGGGCCAGTGTCAGCGAGGAAGC 1272   Qy
     |||||| :::||||||||
399 GlnHisCysCysProGlnLeuGlyPheThrCysLeuAlaGlnGlyTyrCysGlnLysGlyAsp 418   Db

1273 GAGATGTGGCTGGACTGGAGAAGATGCCTGCCCGCCGCGGTTCCTTATCCCACCCCAGA 1332   Qy
     :::||||||||||||| :::
419 ThrMetValAlaGlyLeuGluGlyLeuLysIleProAlaArgGlnThrThrProLeuGlnIleGly 438   Db

1333 GACATCGGCTGTGACCAGCACCACCAGCTGCCCGGTGGCCGGAACCTGCTGCCCGAGCCAG 1392   Qy
     ||||||||||||||||||:::|||||||||
439 AspIleGlyCysAspGlnHisHisThrSerCysProValGlyGlnThrCysCysProSerLeu 458   Db

1393 GGTGGGGAGCTGGGCCTGCACGCGGGGATGCCTGTGTGTCGTGCTGCGGAGGATGCCCAGCAC 1452 Qy
     ||||||||||||||||||||
459 LysGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis 478   Db

1453 TGCTGCCCCGGCTACCTGCTACACCTGCAACGTGAAGGCTCCGATCCTGCGAAGAAGAGAAGTGGTC 1512 Qy
     ||||||||||||||||||:::||||||||||
479 CysCysProAlaGlyPheTyrThrCysAsnValLysAlaArgThrCysCysGluGluLysAspValAsp 498   Db

1513 TCTGCCCAGCCTGCCACCTTCCTGGCCCAGCCCTCACGTGGGTGTGAAGACGTGGAG 1572 Qy
     |||||||||| :::|||||||||||||
499 PheIleGlnProProValLeuThrLeuGlyThrProLysProLysValGly-----AsnValGlu 516   Db

1573 TGTGGGGAGGACACTTCTGCCATGATAACCAGCAAACAGACTGCTGCCGAGACAACCGACAGGGC 1632 Qy
     |||||||||||||||||||:::
517 CysGlyGluGlyHisPheCysGlnLeuProHisAlaValCysCysCysLysAspSerAlaGlyVal 536   Db

1633 TGGGGCCCTGCTGCGTGCTACGGCCCAGGGCGTCTGTTGTGTGCTGATCGGCGGCCCACTGCTGTCCT 1692 Qy
     |||||| :::
537 TrpProAlaCysCysProTyrLeuLysGlyValCysCysArgAspGlyArgHisCysCysPro 556   Db

1693 GCTGGCTTCCCGCTGCGGCACGCAGGGGTACCAAGTGTTTGCGGCAGGAGGAGCCCCGGCTGG 1752 Qy
     |||||||||||||| :::||||
557 GlyGlyPheHisCysSerAlaArgGlyThrCysLysSerLeuArgLysIleProArgTrp 576   Db

1753 GACGCCCCTTTGAGGGAACCCAGCGCCTTGAGACAGCTGCTG 1791 Qy
     ||| |||
577 AspMetPheLeuArgAspProValProArgProLeuLeu 589   Db

RESULT 12
US-08-429-998-6
; Sequence 6, Application US/08429998
Patent No. 5885961
GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12

```
Db  140 IleMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysHisGluAsp 159
            :::|||||||||||||||||||||||||||||||||||
Qy  493 AGGGTGCACTGCTGTCCGCACGTGCCTTCTGGCGACCTGGTTCACCCCGTCGATCACA 552
            |||||||||||||||::::|||||||:::|||||
Db  160 ArgValHisCysProHisGlyAlaSerCysAspLeuValHisThrArgCysValSer 179
            |||||
Qy  553 CCCAGGGGCACCACCCCCTGGCAAAGAAGCTCCCTGCCCAGAGACTAACAGGGCAGTG 612
            |||||||||||||::::|||||||
Db  180 ProThrGlyThrHisThrProLeuLeuLysLysPheProAlaGlnLysThrAsnArgAlaVal 199
            ||||||||:::|||||||||
Qy  613 GCCTTGTCCAGCTCGGTCATCGTGTCCGGAGCACGTGCCGGTGGCCTGATGGTTCTACC 672
            |||:::||||::::|||||::::||||
Db  200 SerLeuProPheSerValValCysProAspAlaLysThrGlnCysProAspAspSerThr 219
            ||||||
Qy  673 TGCTGTGAGCTGCCCAGTGGGGAGTATGGCTGCCCAATGCCCAACGCCACCTGCTGC 732
            ||||||||||:::|||||||
Db  220 CysCysGluGluProThrGlyLysTyrGlyCysCysProMetProAsnAlaIleCysCys 239
            |||||||||||||||||
Qy  733 TCCGATCACCTGCACTGCTGCCCCAAGACACTGTGTGACCTGATCCAGAGTAAGTGC 792
            ||||||||
Db  240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspLeuIleGlnSerLysCys 259
            ||||||
Qy  793 CTCTCCAAGGAGAACGTACCACGGACCTCCTCACTAAGCTGCCTGCGCACACAGTGGGC 852
            |||||||   ||||:::  ::: |||||
Db  260 LeuSerLys---AsnTyrThrThrAspLeuLeuThrLysLeuProGlyTyrProValLys 278
            |||||
Qy  853 GATGTGAAATGTGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCGTCGCGTCTACAG 912
            :::|||||||||||||||
Db  279 GluValLysCysAspMetGluValSerCysProGlyLeuTyrThrCysCysArgLeuAsn 298
            |||||
Qy  913 TCGGGGGGCCTGGGCTGCTGCCCTTTACCCAGGCTGTGTGCTGTGAGGACCACATACAC 972
            :::||||||      ::|||||||||||
Db  299 ThrGlyAlaTrpGlyCysCysProPheAlaLysAlaValCysCysGluAspHisIleHis 318
            ||||||
Qy  973 TGCTGTGTCCGCGGGTTTACGTGTGACACGGCACGGTACCTGTGAACAGGGCCCCAC 1032
            |||||:::
Db  319 CysCysProAlaGlyPheGlnHisCysHisThrGluValGlyHisCysGluMetGlyIleLeu 338
            ||||||
Qy  1033 CAGGTGCCCTGATGAGGAAGGCCCCAGCTCACCTCAGCCTGCCAGACCCCACAAGCCTTG 1092
            ||||||:::|||
Db  339 GlnValProTrpMetLysLysValIleAlaProArgLeuProAspProGlnIleLeuLeu 358
            |||||
Qy  1093 AAGAGAGATGTCCCCTGTGATAAATGTCAGCAGCTGTCTAGCTGAGGGCAGTGTCAGCGAGAAGC 1152
            |||   |||::: :::
Db  359 LysSerAspThrProCysAspAspPheThrArgCysAsnAlaAsnThrCysCysLys 378
            |||
Qy  1153 CTCACGTCTGGGGAGTGGGGCTGCTGTCCAATCCCAGAGGCTGTTGTGCTGTCGGACCAC 1212
            ||||||:::
Db  379 LeuAsnSerGlyAspTrpGlyCysCysProIleProGluProGluAlaValCysCysSerAspAsn 398
            ||||||
Qy  1213 CAGCAGTGCTGCCCCCAGCGATCACACGGTGTAGCTGAGGGGCCAGTGTCAGCGAGGAAGC 1272
            |||::: ::
Db  399 GlnHisCysCysProGlnGlyPheThrCysLeuAlaAlaGlnLeuTyrCysGlnLysGlyAsp 418
            ||||||
Qy  1273 GAGATGCTGGCTGGACTGGAGAGAATGCCTGCCGCCGGCCGGTTCCTTATCCCACCCCAGA 1332
            :::||||| :::
Db  419 ThrMetValAlaGlyLeuGlyLeuLysIleLysIleProLeuAlaArgGlnHisThrProLeuGlnIleGly 438
            ||||||
Qy  1333 GACATGGCTGTGACCAGCACACACCCAGCTGCCCGGAACCTGCTCCCCGAGCCAG 1392
            |||||||
Db  439 AspIleGlyCysAspGlnHisSerCysTyrGlyValGlyLnThrCysCysProSerLeu 458
            ||||||
Qy  1393 GGTGGGAGCTGGGCCTGCAGTTGCCCATGCGTGTCGTGCGGAGGATCGCCAGCAC 1452
            |||||||:::|||
Db  459 LysGlySerTrpAlaCysCysGlnLeuProHisAlaCysCysGluAspArgGlnHis 478
            ||||||
Qy  1453 TGCTGCCCCGGCTGGCTACACCTGACAACGTGAAGCCTCGATCCTGCGAGAAGGAAGTGGTC 1512
            ::: ||||:::||||
Db  479 CysCysProAlaGlyThrTyrThrCysAsnValLysAlaArgThrCysGluLysGluValAsp 498
            ||||||
Qy  1513 TCTGCCCAGCCTGCCACCTTCCTGGCCCGATGAGCCCTCACGTGGGTGTGAACGGGGTGC 1572
            :::|||||
Qy    13 ATGTGGACCCTGGTGAGCTGAGTGGGTGGCCTTAACAGACAGGGCTGGTGGCTGGAACGCGGTGC 72
```

```
Db  499 PheIleGlnProProValLeuThrLeuGlyProLysValGly-----AsnValGlu 516
            ||||||||||||||||
Qy  1573 TGTGGGGAAGGACACTTCTGCCATGATAACCAGACCTGCTGCGAGAGCAACCGACAGGGC 1632
            :::|||||||||
Db  517 CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysAspSerAlaGlyVal 536
            |||||||
Qy  1633 TGGGCCTGCTGTCCTACGCCCAGGGCGTCGTTGTGTGCGAGTGATCGGCCACTGCTGTCCT 1692
            |||::::|||||||
Db  537 TrpAlaCysCysProTyrLeuLysGlyValCysValCysGluTrpHisCysCysPro 556
            |||
Qy  1693 GCTGGCTTCCGCTGCCGACGCAGGGTACCAAGTGTTTGCGCAGGGAGGCCCCGGCGCTGG 1752
            |||||::::|||||||
Db  557 GlyGlyPheHisCysSerSerAlaArgGlyThrLysCysLeuArgLysLysIleProArgTrp 576
            |||||||
Qy  1753 GACGCCCCTTTGAGGAGCGGACCCAGCCTTGAGACAGCTGCTG 1791
            |||||||
Db  577 AspMetPheLeuArgAspProValProArgProLeuLeu 589
```

RESULT 13
US-08-431-333-6
; Sequence 6, Application US/08431333
; Patent No. 5965723
; GENERAL INFORMATION:
; APPLICANT: Shoyab, Mohammed
; APPLICANT: Plowman, Gregory D.
; TITLE OF INVENTION: EPITHELINS: NOVEL CYSTEINE-RICH GROWTH
; TITLE OF INVENTION: MODULATING PROTEINS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Pennie & Edmonds
;   STREET: 1155 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10036
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/431,333
;   FILING DATE: 27-APR-1995
;   CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/668,648
;   FILING DATE: 13-MAR-1991
; ATTORNEY/AGENT INFORMATION:
;   NAME: Misrock, S. Leslie
;   REGISTRATION NUMBER: 18,872
;   REFERENCE/DOCKET NUMBER: 5624-161-999
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)790-9090
;   TELEFAX: (212) 869-9741
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 589 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-431-333-6

Alignment Scores:
Pred. No.:   Length: 589
Score: 1.55e-166   Matches: 441
Percent Similarity: 2693.00   Conservative: 57
Best Local Similarity: 83.98%   Mismatches: 91
Query Match: 74.37%   Indels: 4
DB: 65.63%   Gaps: 3
                   2

US-09-824-647-16 (1-2095) x US-08-431-333-6 (1-589)

Qy   13 ATGTGGACCCTGGTGAGCTGAGTGGGTGGCCTTAACAGACAGGGCTGGTGGCTGGAACGCGGTGC 72

```
Db          |||||||  :::::  |||
Qy      1  MetTrpLeuMetSerTrpLeuAlaPheAlaAlaAlaGlyValLeuValAlaGlyThrGlnCys   20
Db     73  CCAGATGGTCAGTTCTGCCCCTGCCGTGCCTGGACCCCGGAGGAGCCAGCTACAGC  132
Qy     21  ProAspGlyGlnPheCysProAlaAlaCysCysSerLeuAspGlyGlnGlyAlaAsnTyrSer   40
Db
Qy     41  CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisHisLeuAspGlySer   60
Db    133  TGCTGCGGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGGCATCTGGGTGGCCCC  192
Qy     61  CysGlnThrHisGlyHisCysProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr   80
Db
Qy     81  SerSerCysProPheSerLysGlyValSerProGlyAspAspGlyHisGlyTyrHisCysCysPro  100
Db    253  TCCAGTTGCTGCCCCTTCCCAGAGCCCGGGGATGGCCACCACTGCTGCCCA  312
Qy    101  GlnGlyPheHisCysSerAlaAlaSerAspGlyLysLeuSerCysPheGlnMetSer--AspAsnPro  119
Db
Db    313  CGGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC  372
Db    373  GTGGGGTGCCATCCAGTGCCCGATAGTCAGTTCGAATGCCCCGGACTTTCCCACGTGCTGT  432
Qy    120  LeuGlyAlaValGlnIleProGlySerGlnIlePheGluGluCysProAspSerAlaThrCysCys  139
Db    433  GTTATGGTCGATGGGGCTGTCGCCCCATGCCCCAGGCTTCCTGCTGTGTGAGAGAC  492
Qy    140  IleMetValAspGlySerTrpGlyCysCysProGlnMetProGlnAlaSerCysCysGluAsp  159
Db
Qy    160  ArgValHisCysCysProHisGlyAlaSerCysAspLeuValHisThrArgCysValSer  179
Db    493  AGGGTGCACTGCTGTCCGCACGGGGCCTTCTGCGACCTGGTTCACACCCGCTGCGTCTCC  552
Qy    180  ProThrGlyTyrThrHisHisThrLeuLeuLysLysPheProAlaGlnLysAsnArgAlaAlaVal  199
Db    553  CCCACGGGCACCCACCCCCTGGCAAAGAAGAGCCTCGGGACGCACGGGCCGATGGTTCTACC  612
Qy    200  SerLeuProPheSerValAlaCysProAspAlaLysThrGlnCysProAspAspSerSerThr  219
Db    613  GCCTTGTCCAGCTCGGTCATGTCGGATGGTGGTCGGGATGGTGGTCTGTGTGG  672
Qy    220  CysCysGluLeuProThrHisThrLysTyrGlyTyrLysTyrCysCysProMetProAsnAlaIleCysCys  239
Db
Qy    240  SerAspHisSerLeuHisCysCysProGlnAspThrValCysAspThrHisAspGlnSerLysSerCys  259
Db    733  TCCGATCAACCTGACCTGCTGCCCCAAGCACACTGTGTGACCTGTGACCTGCAGAGTAAGTGC  792
Qy    260  LeuSerLys--AsnTyrThrAspLeuLeuGluThrLysSerLeuProGlyLeuTyrProValLys  278
Db    793  CTCTTCCAAGGAGAACGCTACCACGGAGCCTACTACCAGAGGCTGCCTCGGCACACAGTGGGC  852
Qy    279  GluValLysCysAspMetGluValSerProGluGlyArgLeuAsn  298
Db    853  GATGTGAAATGTGACATGGAGGTGAGCCCAGATGGTCGTATACCTCCTGCCGGTCTACAG  912
Qy    299  ThrGlyAlaTrpProGlyTyrGlyTyrLysTyrCysCysProPheAlaAlaAlaValCysCysGluAspHisIleHis  318
Db    913  TCGGGGGCCTGGCCCGGGTCTGCCCTTTACCCAGCTGTGTCTGCTGAGGACCACATACAC  972
Qy    319  CysCysProAlaGlyTyrPheGlnCysHisCysThrGlyTyrGluMetGlyIleIleLeu  338
Db    973  TGCTGTCCCGCGGGGTTACGTGTTACGTGTGACACGGAAGGGTACCTGTGAACAGGGGCCCCAC  1032
Qy    339  GlnValProTrpMetLysLysValIleLeuAlaProArgArgLeuProAspProGlnIleIleLeu  358
Db   1033  CAGGTGCCCGGATGGAGAAGAGCCCCCAACGCCCCTCACCTCAGCCTGCCCAGACCCTG  1092
Qy   1093  AAGAGAGATGTCCCCTGTGATAAATGTCAGCAGCGTCCCCTCCCGATACCTGCTGCCAA  1152
```

```
Db    359  LysSerAspThrProCysAspAspPheThrArgCysAspAsnThrCysCysLys  378
Qy
Db   1153  CTCACGTCGGGAGTGGGCGCTGCTGCTCCAATCCAGAGGCGTGTCTGCTCGGACCAC  1212
Db    379  LeuAsnSerGlyAspTrpGlyCysProIleProGluAlaValCysCysSerAspAsn  398
Qy   1213  CAGCACTGCCCCCAGCGATACACGTGTAGTCACGGGGCAGGGCGTCAGCGGAGGAAGC  1272
Db    399  GlnHisCysCysProGlnGlyPheThrCysLeuAlaGlnGlyTyrCysGlnLysGlyAsp  418
Qy   1273  GAGATCGTGCTGGACTGGAGAAGATGCCTGCCGCGCGGTTCCTATCCCACCCCAGA  1332
Db    419  ThrMetValAlaGlyLeuGluLysIleProGlnIleProLeuGlnIleIleGly  438
Qy   1333  GACATCGGCTGTGACCAGCACACCAGTGCCCGTGGGCGGAACCTGCCCAGCCAG  1392
Db    439  AspIleGlyCysAspGlnHisThrSerCysProValGlnThrCysProSerLeu  458
Qy   1393  GGTGGGAGCTGGGCCTGCCCAGTGCCCATGCTGTGTGCTGCGGAGGAATGCCAGCAC  1452
Db    459  LysGlySerTrpAlaCysProValGlnLeuProHisHisAlaValCysCysGluAspArgGlnHis  478
Qy   1453  TGCTGCCCGGCTGGCTACACCTGCAACTGAAGGCTGAGAAGGAGAAGGAAGTGGTC  1512
Db    479  CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysAspValAsp  498
Qy   1513  TCTGCCCAGCTGCCACCTTCCTGGCCCGTAGCCCTCACGTGGGTGTGAAGGACGTGGAG  1572
Db    499  PheIleGlnProProValLeuThrLeuGlyProLysValGly-----AsnValGlu  516
Qy   1573  TGTGGGGAAGGACACTTCGCCATGAATACCAGACCTGCCGAGACAACCACAGAGGGC  1632
Db    517  CysGlyGluGlyHisPheCysSerArgAlaArgGlyThrLysCysSerPro  536
Qy   1633  TGGGCCTGCTGTCCCTACGGCCCAGGGTACCAGAAGTGTTGGCAGGGAGCCCCGCTGG  1692
Db    537  TrpAlaCysCysProTyrLeuLysGlyValCysLysArgAspGlyArgHisCysCysPro  556
Qy   1693  GCTGGCTTCCGCTGCGCACGCAGGGTACCAAGTGACCTGAGACAGCTGCTG  1752
Db    557  GlyGlyPheHisCysSerAlaAlaArgGlyThrLysLysLeuArgLysIleProArgTrp  576
Qy   1753  GACGCCCCTTTGAGGGAGACCCAGCCTTGAGACAGCTGCTG  1791
Db    577  AspMetPheLeuAlaArgAspProValProArgProLeuLeu  589
```

```
;    REGISTRATION NUMBER: 32,928
;    REFERENCE/DOCKET NUMBER: ON0071A-PC
;    TELECOMMUNICATION INFORMATION:
;    TELEPHONE: (206)448-4800
;    TELEFAX: (206)448-4775
INFORMATION FOR SEQ ID NO: 6:
;    SEQUENCE CHARACTERISTICS:
;    LENGTH: 589 amino acids
;    TYPE: AMINO ACID
;    TOPOLOGY: linear
;    MOLECULE TYPE: protein
PCT-US91-02321-6

Alignment Scores:
Pred. No.:              1.55e-166
Score:                  2693.00
Percent Similarity:     83.98%
Best Local Similarity:  74.37%
Query Match:            65.63%
DB:

Length:        589
Matches:       441
Conservative:   57
Mismatches:     91
Indels:          4
Gaps:            3
```

US-09-824-647-16 (1-2095) x PCT-US91-02321-6 (1-589)

```
Qy      13  ATGTGGACCCTGGTGAGCTGGGTGGCCTTAACAGACAGGAGGGCTGGTGGCTGTGAACGCGGTGC   72
                ||||||||||||||||||||| ||||||         ||| |||||||||||||||||||||
Db       1  MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaGlyThrGlnCys   20

Qy      73  CCAGATGGTCAGTTCTGCCCTGGCCTGCTCTGGCCTGCTGGGCAGGAGCCAGCTACAGC   132
                ||||| :::  ||||||       |||||       ||||| ||||||||||
Db      21  ProAspGlyGlnPheCysProValAlaCysLeuAspLeuValCysProValAlaAsnTyrSer   40

Qy     133  TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGGCATCTGGGTGCCCC   192
                ||||||||      |||||||| ||||| |||||||||||||||||| ::||||
Db      41  CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisHisLeuAspGlySer   60

Qy     193  TGCCAGGTTGATGGCCCACTGCTTCTGCGGCCACTCCGATCTTTACCGTCTCAGGGACT   252
                ||||||||||||||                 ||||||||||||||||:::|||||
Db      61  CysGlnThrHisGlyHisProAlaGlyThrSerCysLeuThrValSerGlyThr   80

Qy     253  TCCAGTTGCTGCCCCTTCCCAGAGGCCGTGGCGGATGGGGATGGCCATCACTGCTGCCCA   312
                ||||||||||||||   :::        || |||||| ||||||:::|||||||
Db      81  SerSerCysCysProPheSerIlysGlyValSerCysGlyValAspGlyTyrHisCysCysPro   100

Qy     313  CGGGGGCTTCCACTGCCAGTGCAGACGGGCGATCCTGCTTCAAAGATCAGGTAACAACTCC   372
                ||||||||||||||||||||||||:::     ||||||||||||  :||||||
Db     101  GlnGlyPheHisCysSerSerAlaAspGlyLysSerCysPheGlnMetSer---AspAsnPro   119

Qy     373  GTGGGGTGGCCATCCAGTGCCGTATAGTCAGTTCGAAATGCCCGGACTTCTCCACGTGCTGT   432
                :::|||||||||||||||||||||||||||||| |||||||||||||||||||||
Db     120  LeuGlyAlaValGlnCysProGlySerGlnPheGluCysProAspSerAlaThrThrCysCys   139

Qy     433  GTTATGGTCGATGGCTCCTGGGGTGCTGCTCCCATGCCCCAGGGTTCCTGCTGTGAAGAC   492
                ||||||||| | |||| :: ||||||||| ||||||||||||||||||||||
Db     140  IleMetValAspGlySerTrpGlySerAlaAspGlyLysSerGluGlnSerProGlnAlaSerVal   159

Qy     493  AGGGTGCACTGCTGTCCCACGTGCCCTTCTGGACCTGGTTCACACCCGTGCATCACA   552
                ||||||||||||||||||||||||||||   ||||||||||||||||||||
Db     160  ArgValHisCysCysProHisGlyAlaSerCysValHisThrArgCysValSer   179

Qy     553  CCCACGGGCACCCCCCCCTGGCAAAGAAGTCCCTGCCCAGGAGGACTAACAGGGCAGTG   612
                |||||||||||||||||||||||||||||||||  :::||||||||||||||
Db     180  ProThrGlyThrHisThrLeuLeuLysLeuSerLeuProGlnGluGluAspLysThrAsnArgAlaVal   199

Qy     613  GCCTTGTCCAGCTCGGCATGTGTCCCGACGCACGGTCCCGTGCCAATGCCCACCTGCTGC   672
                ||||||||||||||:::     ||| ||||||||||||||||||||||:::||||||
Db     200  SerLeuProPheSerValValCysProAlaLysValThrGlnCysProAspSerProSerThr   219

Qy     673  TGCTGTGAGCTGCCCAGGTGGGAAGTGATGGCCTGCTGCTGCTGCCACCTGCTGC   732
                ||||||||||||||:::|||||||||||| |||||||||||||||||
Db     220  CysCysGluLeuProThrTrpGlyTyrGlyValTyrGlyCysCysProMetProAsnAlaIleCysCys   239

Qy     733  TCCGATCACCTGCTGCTGCCCCCAAGACACTGTGTGACCTGATCCAGATGATCCCAT   792
                ||||||||||||||||||||||||
Db
```

US-09-824-647-16 (1-2095) x PCT-US91-02321-6 (1-589)

```
Db     240  SerAspHisLeuHisCysProGlnAspThrValCysAspLeuIleGlnSerLysCys   259

Qy     793  CTTCCAAGGAGAACGTACCACGGACTCCTCCACTAAGCTGCCTGCTGCCACAGTGGGC   852
                ||||||||||  ||| ||         :: |||||||||||||||||||||||||
Db     260  LeuSerLys---AsnTyrThrThrAspLeuLeuThrLysLeuThrProGlyLeuThrLysProValLys   278

Qy     853  GATGTGAAATGACATGGAGGTGAGCTGCCCAGATGGCTATACCTGCGCCGTCTACAG   912
                :::|||||||||||||||||||||||||||||||||||||||||||||||||||
Db     279  GluValLysCysAspMetGluValSerCysProGluGlyTyrThrCysCysArgLeuAsn   298

Qy     913  TCGGGGGCCTGGGGTGCTGCCCTTTACCCAGGCTGTGCTGTGAGGACCACATACAC   972
                :::||||||||||||||||||||||||||||::||||||||||||||||||
Db     299  ThrGlyAlaTrpGlyCysCysProPheAlaLysAlaValCysCysGluAspHisIleHis   318

Qy     973  TGCTGTCCCGGCGGGGGTTTACGTGTGACACGCAGAGGGTACCTGAACAGGGGCCCCAC   1032
                |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     319  CysCysProAlaGlyPheGlnCysHisGlyLysThrGluGlyLysMetGlyIleLeu   338

Qy    1033  CAGGGGCCCTGGATGGAGAGCCCCAGCTCACCTCAGCCTGCCAGACCCACCAAGCCTTG   1092
                ||||||||||||||||||||||||||||||||||||||||||||||||||||:::
Db     339  GlnValProTrpProMetLysHisValIleLeuAlaProArgLeuProAspProGlnIleIleLeu   358

Qy    1093  AAGAGAGATGTCCCCTGTGATAATGTCAGCAGCTGTCCCTCCCTCCGATACCTGCTGCCAA   1152
                ||| :::  :: ::::::||||::::  ||| :::::|||||
Db     359  LysSerAspThrProCysAspAspPheThrArgCysProThrAsnAsnThrCysSerLys   378

Qy    1153  CTCACGTCTGGGAGTGGGGTCGTCTCAATCCCAGAGGCTGTCGTCTGCTCCGGACCAC   1212
                :::||||||||||||||||| |||||||||||||||||||||||||||
Db     379  LeuAsnSerGlyAspTrpGlyCysCysProIleProGluAlaValCysCysSerAspAsn   398

Qy    1213  CAGCACTGCTGCCCCAGCGATACACGTGTAGCTGAGGGCAGTGTCAGCGAGGAAGC   1272
                ||||||||||||||||||||||||||||| :::::||||||||||||||||||
Db     399  GlnHisCysCysProGlnGlyPheThrCysLeuAlaGlnGlyTyrCysGlnLysLysGlyAsp   418

Qy    1273  GAGATCGTGGCTGACTGAGAAGAATGCCTGCCCGCGGGGTTCCTTATCCACCCAGA   1332
                ::||||||||||||||||||||||||||||||||||||||||||||
Db     419  ThrMetValAlaGlyLeuLysIleLeuProAlaArgGlnThrThrProLeuGlnIleGlyGly   438

Qy    1333  GACATCGGCTGTGACAGCAGCACACAGCTGCCCGGTGGGGGAACCTGCTGCCAGGCCAG   1392
                ||||||||||||||||||||||||||||||||||||||||||||||:::|||||
Db     439  AspIleGlyCysAspSerSerThrGlnLeuProGlyGlyGlnThrCysCysProSerLeu   458

Qy    1393  GGTGGGAGCTGGGGGTGCTGCCAGTTGCCCCATGCGTGCTGTGCGGATCGGCCAGCAC   1452
                ||||||||||||||||||||||||||||||||:::||||||||||||||||||
Db     459  LysGlyGlySerTrpAlaCysCysGlnLeuProHisAlaValCysCysGluAspArgGlnHis   478

Qy    1453  TGCTGCCCGGCTGGTACACCTGCAACGTGAAGGCTGATCCTGCGGAAGAGGAAGTGGTC   1512
                ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     479  CysCysProAlaGlyTyrThrCysAsnValLysAlaArgThrCysGluLysAspValAsp   498

Qy    1513  TCTGCCCAGCCTGCCCACCTTCTGGCCCTGGGGTGTGAAGGACGTGGAG   1572
                :::|||||||||||||||||||||||||||     |||||||
Db     499  PheIleGlnProProValLeuLeuThrLeuGlyProLysValGly-----AsnValGlu   516

Qy    1573  TGTGGGAAGGACACATTCTGCCATGATAACCAGACCGCTGCCCAGAACCGACAGGGGC   1632
                ||||||||||||||||||||||||||||||||||:::|||||||||||||||||
Db     517  CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysLysAspSerAlaGlyVal   536

Qy    1633  TGGGGCTGCTGTCCCTAGCCCCAGGCCGGCGTGTTGCTGATCGGCGCCACTGCTGTCCT   1692
                |||||||||||||||||||||||||||||||||:::|||||||||||||||||
Db     537  TrpAlaCysCysProTyrLeuLysGlyValCysCysArgAspGlyArgHisCysCysPro   556

Qy    1693  GCTGGCTTCCGCTGGGAAGTATGGCGGCAGGGGTACCAAGTGTTTCGCAGGAGGCCCTGG   1752
                ||||||||:::    ::: ||||||||||||||||||||||||||||||||
Db     557  GlyGlyPheHisCysSerAlaArgGlyThrLysCysCysGluArgLysLysIleProArgGlyTrp   576

Qy    1753  GACGCCCCTTTGAGGAGACCCCAGCCTTGAGACAGCTGCTG   1791
                ||||||||||||||||||||||||||||||||||||
Db     577  AspMetPheLeuArgArgAspProValProArgLeuLeu   589
```

RESULT 15
US-08-991-862-2
; Sequence 2, Application US/08991862

```
; Patent No. 6309826
; GENERAL INFORMATION:
; APPLICANT: Serrero, Ginette
; TITLE OF INVENTION: 88 KDA TUMORIGENIC GROWTH FACTOR AND ANTAGONISTS
; FILE REFERENCE: Z9996.488/P001-A
; CURRENT APPLICATION NUMBER: US/08/991.862
; CURRENT FILING DATE: 1998-08-17
; EARLIER APPLICATION NUMBER: 08/863,862
; EARLIER FILING DATE: 1997-05-23
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 2
;    LENGTH: 589
;    TYPE: PRT
;    ORGANISM: Mouse epithelin/granulin
US-08-991-862-2

Alignment Scores:
Pred. No.:              9.27e-166      Length:          589
Score:                  2681.00        Matches:         439
Percent Similarity:     83.81%         Conservative:    58
Best Local Similarity:  74.03%         Mismatches:      92
Query Match:            65.34%         Indels:          4
                                       DB:              Gaps:    3
```

US-09-824-647-16 (1-2095) x US-08-991-862-2 (1-589)

```
Qy    13 ATGTGGACCCTGTGAGCTGGGTGGCTTAACAGCAGGCGGTGGTGGCTGGTGGAACGCGGTGC 72
                                                    ||||||||||||
Db     1 MetTrpValLeuMetSerTrpLeuAlaPheAlaAlaGlyLeuValAlaGlyThrGlnCys 20

Qy    73 CCAGATGGTCAGTTCTGCCCTGTGGGCCTGCTGCCTGGACCCCGGAGGAGCCAGCTACAGC 132
                                                    ||||||||
Db    21 ProAspGlyGlnPheCysProValAlaCysLeuLeuAspGlnGlyAlaAsnTyrSer 40

Qy   133 TGCTGCCGTCCCCTTCTGGACAAATGGCCCACAACACTGAGCAGGATCTGGGTGGCCCC 192
Db    41 CysCysAsnProLeuLeuAspThrTrpProArgIleThrSerHisHisLeuAspGlySer 60

Qy   193 TGCCAGGTTGATGCCCCACTGCTTGCCGGCCACTCCTCCTGCATCTTACCGGTCTCAGGGACT 252
Db    61 CysGlnThrHisGlyHisSerCysProAlaGlyTyrSerCysLeuLeuThrValSerGlyThr 80

Qy   253 TCCAGTTGCTGCCCCTTCCAGAGCCCTGGCATGCGGGGATGGCCATCACTGCTGCCCA 312
Db    81 SerSerCysCysProPheSerSerGlyValSerGlyGlyAspGlyTyrHisCysCysPro 100

Qy   313 CGGGGCTTCCACTGCAGTGCAGACGGGCGATCCTGCTTCCAAAGATCAGGTAACAACTCC 372
Db   101 GlnGlyPheHisCysSerSerAlaAspGlyLysSerCysPheGlnSer---AspAsnPro 119

Qy   373 GTGGGTGCCATCCAGTCCAGTGCCCTGATAGTCAGTTGAAATGCCCGGACTTCTCCACGTGCTGT 432
Db   120 LeuGlyAlaValGlnGlnSerGlyProGlySerGlnPheGluGluCysProAspPheSerAlaThrCysCys 139

Qy   433 GTTATGGTCGATGGCTCCTCTGGGGTGCTGCCCATGCCCCAGGCTTCCTGCTTGTGAAGAC 492
Db   140 IleMetValAspGlySerTrpGlyCysCysProMetProGlnAlaSerCysCysGluAsp 159

Qy   493 AGGGTGCACTGCTGTCCGCACGGTGCCTTCGCCGACCTGGTTCACACCGGTGCATCACA 552
Db   160 ArgValHisCysCysProHisGlyAlaSerAspLeuValHisThrArgCysValSer 179

Qy   553 CCCACGGGCACCCACCCCCTGCCAAAGAGCTCCCTGCCCAGAGGGACTAACAGGGCAGTG 612
Db   180 ProThrGlyThrHisThrLeuLeuLysLysLeuPheLysLysLeuThrAsnSerAlaVal 199

Qy   613 GCCTTGGCTTCCGTGCATGTGTCCGGACGCACGGTCCCGGTGCCCTGATGGTTCTACC 672
Db   200 SerLeuProPheSerValCysProAlaLysThrGlnCysProAspAspSerThr 219

Qy   673 TGCTGTGAGCTGCCCACGGCGAAGTATGGTCGCCCCAATGCCAACGCCACCTGCTGC 732
```

(Right column alignment continued)

```
Db   220 CysCysGluLeuProThrGlyLysTyrGlyCysCysProMetProAsnAlaIleCysCys 239

Qy   733 TCCGGTCACCTGCTGCTGCCCCAAGACACTGTGTGACCAGTAAGTGC 792
            |||||||||  |||||
Db   240 SerAspHisLeuHisCysCysProGlnAspThrValCysAspGlnSerLysCys 259

Qy   793 CTTCCAAGGAGACGCTACCAGGAGCCTCCTCACTAGCTGCTGCCACACAGTGGGC 852
            |||   :::  |||||||
Db   260 LeuSerLys --AsnTyrThrThrAspLeuLeuThrLysLeuProGlyTyrProValLys 278

Qy   853 GATGTGAAATGTGACATGGAGGTGAGCGTGCCCAGAGTCTATACCTGCTGCCGTCTACAG 912
            :::|||||||        |||||||||||||||||||||
Db   279 GluValLysCysAspMetGluValSerCysProGluG.yTyrThrCysCysArgLeuAsn 298

Qy   913 TCGGGGGCCTGGGGCCTGCTGCCCTTTACCCAGGCTGTGTGCTGTGAGGACCACATACAC 972
            :::||||||||||||||||   :::||
Db   299 ThrGlyAlaTrpGlyCysCysProPheAlaLysAlaValCysCysAspAspPAsHisHisHis 318

Qy   973 TGCTGTCCCCGGCGGGTTACGTGTACACGCAGAAGGTACCTGAACAGGGGCCCCAC 1032
            ||||||          ||||||||:::|||||
Db   319 CysCysProAlaGlyPheGlnHisCysHisGluLysGlyThrCysGluMetGlyIleLeu 338

Qy  1033 CAGGTGCCCTGGATGGAGAAGGCCCCAGCTCACCTCAGCCTGCCAGAGCCACAAGCCTTG 1092
            |||||||||            ||:::||||
Db   339 GlnIleValGlyTrpMetLysMetLysLysValIleAlaProLeuArgLeuProAspProGlnIleLeu 358

Qy  1093 AAGAGAGATGTCCCCTGTGATAATGTCAGCAGGTGTCCCTCCTCCGATACCTGCTGCCAA 1152
            :::  :::||| 
Db   359 LysSerAspThrProCysAspAspPheThrAsnArgCysProThrAsnAsnThrCysLys 378

Qy  1153 CTCACGTCTCGGAGTGGGGGCTGCTGCCAATCCCAGAGGCGTGTCTGCTCCTCGGACCAC 1212
            |||||||||||     |||||:::||||
Db   379 LeuAsnSerGlyAspThrProGlyCysCysProIleProGluAlaValCysCysSerAspAsn 398

Qy  1213 CAGGATGCTGCTCCCCAGCGATACACCGTGTGTGAGCTGTAGCTGTGAGGGGCAGTGTCAGCGGAGGAAGC 1272
            |||||||||  :::|||||||||||
Db   399 GlnHisCysCysProGlnGlyTyrPheThrCysCysLeuAlaGlnGlyTyrCysGlyLysGlyLysGlyAsp 418

Qy  1273 GAGAGCTGGCTGGACTGGAGAAGATGCCTGCCCGGCCGGTTCTTATCCCACCCCAGA 1332
            :::::: |||
Db   419 ThrMetValAlaGlyLeuGluLysValIleProAlaArgGlnThrThrProLeuGlnIleGly 438

Qy  1333 GACATCGGCTGTGACCAGCACCAGCTGCCCGGTGGGCCGGAACCTGCTGCGGCGAGCGGA 1392
            ||||||||          :::|||
Db   439 AspIleGlyCysAspGlnHisHisThrSerCysProValGlyTyrHisCysCysProSerLeu 458

Qy  1393 GGTGGGAGCTGGGGCCTGCTGCCCCATGCTGTGTGCTGCGAGGATCGCCAGCAC 1452
            ||||||||||| |||||
Db   459 LysGlyLySerTrpAlaCysCysProGlnLeuProHisAlaValCysCysGluAspArgGlnHis 478

Qy  1453 TGCTGCCCGGCTGGCTACACCCGGCACTGAAGCCTGAGAAGAAGAAGTGGTC 1512
            |||||||||          :::|||
Db   479 CysCysProAlaGlyTyrThrCysCysAsnValLysAlaArgThrCysCysGluLysCysAspValAsp 498

Qy  1513 TCTGCCCAGCTGCCACCTTCTGCGGCCCCTAGCCCCTCACGTGGGTGTGAAGGACGTGGAG 1572
            |||||||||| ::::||
Db   499 PheIleGlnProProValLeuProLysLeuGly -----AsnValGlu 516

Qy  1573 TGTGGGAAGGACACTTCTGCCATGAATAACCAGACCTGCTGCGAGCAACCGACGCAGGGC 1632
            |||||||||||            ||:::|||
Db   517 CysGlyGluGlyHisPheCysHisAspAsnGlnThrCysCysLysAsdSerAlaGlyVal 536

Qy  1633 TGGGCCTGCTGTCCTCTACGCCCAGGGGTCTCGTTGTGCTGATCGGGCACTGCTGTCCT 1692
            |||||||          :::|||
Db   537 TrpAlaCysCysProTyrLeuGlyValCysCysArgArgAspGlyArgHisCysCysPro 556

Qy  1693 GCTTGGCTTCCGCTGCCACGGCAGGGGTACCAAGTGTTTGCCCAGGAGGGCCCCGCCTGG 1752
            ||||||||||||:::
Db   557 GlyGlyPheHisCysSerSerAlaArgGlyThrLysCysPheLeuLysLysLysIleProArgTrp 576

Qy  1753 GACGCCCCTTTGAGGACCCAGCCTTGACAGCTGCTG 1791
            ||||||||||||
Db   577 AspMetPheLeuArgAspProValProArgLeuLeu 589
```

us-09-824-647-16.rai

Fri Mar 26 17:57:06 2004

Search completed: March 26, 2004, 12:50:16
Job time : 66 secs